

Installation, Operation, Maintenance, Inspection, and Repair of Tanks in Production Service

API STANDARD 12R1
SIXTH EDITION, MARCH 2020

ADDENDUM 1, JUNE 2021



American
Petroleum
Institute

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

Classified areas may vary depending on the location, conditions, equipment, and substances involved in any given situation. Users of this specification should consult with the appropriate authorities having jurisdiction. Users of this specification should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or the violation of any authorities having jurisdiction with which this publication is in conflict.

API publications are published to facilitate the broad availability of proven sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or material in conformance with the marking requirements of an API standard is solely responsible for complying with all of the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Users of this standard should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

API is not undertaking to meet the duties of employers, manufacturers, or suppliers to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor undertaking their obligations to comply with authorities having jurisdiction.

Information concerning safety and health risks and proper precautions with respect to particular materials and conditions should be obtained from the employer, the manufacturer or supplier of that material, or the safety data sheet.

Where applicable, authorities having jurisdiction should be consulted.

Work sites and equipment operations may differ. Users are solely responsible for assessing their specific equipment and premises in determining the appropriateness of applying the standard. At all times users should employ sound business, scientific, engineering, and judgment safety when using this standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001-5571.

Foreword

This standard is based on the accumulated knowledge and experience of Purchasers and Manufacturers of storage tanks of various sizes and capacities. This standard is meant to provide guidelines to install (set and connect), operate, maintain, inspect, and repair a tank in Production Service for the Petroleum Industry. This standard is not to be interpreted as approving, recommending, or endorsing any specific design or as limiting the method of design or construction.

It is not the intent to modify operating facilities; however, it is intended that any new work, operation, maintenance, inspection, and repair meet these requirements. The User may modify, delete, or amplify sections of this standard, but reference to this standard shall not be made on the nameplates of, or certification for, tanks that do not fulfill the minimum requirements of this standard. More stringent requirements specified by the Purchaser, or furnished by the Contractor are acceptable as mutually agreed upon by the Purchaser and the Contractor. The Purchaser is responsible for specifying any jurisdictional requirements applicable to the design and construction of the tank.

Shall—denotes a minimum requirement to conform to the specification.

Should—denotes a recommendation which is advised but not required to conform to the specification.

This standard is not intended to cover storage tanks that are to be erected in areas subject to regulations more stringent than the specifications in this standard. If this standard is specified for such tanks, it should be followed insofar as it does not conflict with local requirements. Each edition, revision, or addendum to this standard becomes effective six months after the date of issuance for equipment that is certified as being constructed, tested, inspected, maintained or repaired in accordance with this standard.

Contents

	Page
1 Scope.....	1
2 Normative References.....	1
3 Terms, Definitions, Acronyms, and Abbreviations.....	2
3.1 Terms and Definitions.....	2
3.2 Acronyms and Abbreviations.....	4
4 Production Tank and Facility Design.....	5
4.1 Setting of New or Relocated Tanks.....	5
4.2 Design for Spill Prevention and Containment.....	5
4.3 Measurement, Sampling, and Transfer Connections.....	6
4.4 Access.....	7
4.5 Venting.....	7
4.6 Corrosion Protection.....	8
4.7 Tank and Facility Safety and Security.....	8
5 Operations.....	9
5.1 Operating Safety.....	9
5.2 Spill Prevention.....	11
6 Maintenance and Inspection.....	11
6.1 General.....	11
6.2 Maintenance.....	12
6.3 Inspection.....	12
6.4 Records.....	17
7 Repairs.....	17
7.1 General.....	17
7.2 Types of Repairs.....	17
7.3 Replacement Shell Plate.....	17
7.4 Weld Joints.....	17
7.5 Shell Penetration Repair.....	18
7.6 Hot Taps.....	18
7.7 Leak Detection with Patten Replacement.....	19
7.8 Reconstruction of a Dismantled Tank.....	19
7.9 Leak Testing.....	19
8 Nameplates.....	19
ANNEX A (informative) Recommended Qualifications for Qualified Inspectors and Qualified Condition Examiners..	
ANNEX B (informative) Checklist for External Inspection/Condition Examination.....	21
ANNEX C (informative) Checklist for Internal Inspection/Condition Examination.....	22
ANNEX D (normative) Minimum Thickness for Tank Elements.....	23
ANNEX E (normative) Walkways and Stairways.....	27

Contents

	Page
ANNEX F (informative) Figures and Diagrams.....	34
ANNEX G (informative) Unmanned Upstream Facility Design and Safety Considerations.....	38
ANNEX H (informative) Inquiries and Suggestions for Change	44
BIBLIOGRAPHY	46

Figures

B.1	Checklist for External Condition Examination	21
C.1	Checklist for External Condition Examinations	22
D.1	Corrosion Calculation Nomenclature	25
E.1	Walkway Dimensional Requirements	29
E.2	Stairway Dimensional Requirements	31
F.1	Example of Straight-line Tank Battery Installation and Piping Configurations	34
F.2	Example of Small-volume, Shop-welded Tank Foundation and Connection Configurations	35
F.3A	Example Tank Battery Installation Elevation Showing Dike/Firewall and Example Piping Configuration ...	36
F.3B	Example Tank Battery Installation Top View Showing Dike/Firewall and Example Piping Configuration ...	37
G.1	Full Size Gate	41
G.2	Half Size Gate.....	41
G.3	Examples of Signage.....	43

Tables

1	Internal Tank Examination/Inspection Schedule	13
2	External Tank Examination/Inspection Schedule	13
D.1	Summary of Minimum Thicknesses for Tank Elements	25

Introduction

This standard is based on the accumulated knowledge and experience of Owner/Operators and Manufacturers of storage tanks of various sizes and capacities. This standard provides guidelines to install (set, connect), operate, maintain, inspect, and repair a tank in the upstream segment of the petroleum industry. This standard is not to be interpreted as approving, recommending, or endorsing any specific design or as limiting the method of design or construction.

It is not the intent to modify operating facilities; however, it is intended that any new work, operation, maintenance, inspection, and repair meet these requirements. The User may modify, delete, or amplify sections of this standard, but reference to this standard shall not be made on the nameplates of, or certification for, tanks that do not fulfill the minimum requirements of this standard. More stringent requirements specified by the Purchaser or furnished by the Contractor are acceptable as mutually agreed upon by the Purchaser and the Contractor.

This standard is not intended to cover storage tanks that are to be erected in areas subject to regulations more stringent than the specifications in this standard or for midstream or downstream segments of the petroleum industry. When this standard is specified for such tanks, it should be followed insofar as it does not conflict with local requirements. The Purchaser is responsible for specific jurisdictional requirements applicable to the design and construction of the tank. After revisions to this standard have been issued, they may be applied to tanks that are to be completed after the date of issue. The tank nameplate shall state the date of the edition of the standard and any revision and edition to which the tank has been designed and constructed. Each edition, revision, or addendum to this standard may be used beginning the date of issue on the cover page for that edition, revision, or addenda. Each edition, revision, or addenda to this standard becomes effective six months after the date of issuance for equipment that is certified as being constructed, tested, inspected maintained or repaired in accordance with this standard. During the six-month time between the date of issuance of the edition, revision or addenda and effective date, the Purchaser and the Manufacturer shall specify to which edition, revision, or addenda the equipment is to be constructed and inspected.

Installation, Operation, Maintenance, Inspection, and Repair of Tanks in Production Service

1 Scope

1.1 This standard provides the minimum requirements to install, operate, maintain, inspect, repair, and reconstruct both new and existing tanks used in petroleum production service in a manner that includes best practices for tank facility safety, security, and environmental protection.

1.2 Tanks in refineries, petrochemical plants, marketing bulk plants, and pipeline storage facilities operated by carriers are not within the scope of this standard.

1.3 This standard is intended primarily for application to tanks fabricated to API Specifications 12B, 12D, 12F, and 12P which are employed in onshore production services but may be applied to other tanks and services at the discretion of the Owner/Operator.

1.4 Annex G of this standard contains specific safety information applicable to tanks. For additional safety information, see other publications referenced within this standard.

1.5 The schematic drawings included in this standard are examples of some features described in the standard.

Lease automatic custody transfer (LACT) operations are covered in the *API Manual of Petroleum Measurement Standards*.

NOTE A bullet (•) at the beginning of a paragraph indicates that there is an expressed decision or action recommended or required to be addressed by or on behalf of the Owner/Operator. The Purchaser's responsibility is not limited to these decisions or actions alone. When such decisions and actions are taken, they are to be specified in documents such as requisitions, change orders, data sheets, and drawings.

2 Normative References

The following referenced documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any addenda) applies.

API Specification 12B, *Bolted Tanks for Storage of Production Liquids*

API Specification 12D, *Field Welded Tanks for Storage of Production Liquids*

API Specification 12F, *Shop Welded Tanks for Storage of Production Liquids*

API Specification 12P, *Fiberglass Reinforced Plastic Tanks*

API Recommended Practice 580, *Risk-Based Inspection*

API Standard 650, *Welded Steel Tanks for Oil Storage*

API Standard 2000, *Venting Atmospheric and Low-Pressure Storage Tanks*

API Standard 2003, *Protection against Ignitions Arising Out of Static, Lightning and Stray Currents*

API Standard 2015, *Requirements for Safe Entry and Cleaning of Petroleum Storage Tanks*

API Manual of Petroleum Measurement Standards, Chapter 2—Tank Calibration