

Requirements for Safe Entry and Cleaning of Petroleum Storage Tanks

ANSI/API STANDARD 2015—2001
SIXTH EDITION, AUGUST 2001



American
Petroleum
Institute

**Helping You
Get The Job
Done Right.SM**

Currently in preview, click buy full version

Requirements for Safe Entry and Cleaning of Petroleum Storage Tanks

ANSI/API STANDARD 2015—2001
SIXTH EDITION, AUGUST 2001



American
Petroleum
Institute

**Helping You
Get The Job
Done Right.SM**

SPECIAL NOTES

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

API is not undertaking to meet the duties of employers, manufacturers, or suppliers to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor undertaking their obligations under local, state, or federal laws.

Information concerning safety and health risks and proper precautions with respect to particular materials and conditions should be obtained from the employer, the manufacturer or supplier of that material, or the material safety data sheet.

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. Sometimes a one-time extension of up to two years will be added to the review cycle. This publication will no longer be in effect five years after its publication, unless as an operative API standard or, where an extension has been granted, upon republication. Status of the publication can be ascertained from the API Standards Department [telephone (202) 682-8000]. A catalog of API publications and materials is published annually and updated quarterly by API, 1220 L Street, N.W., Washington, D.C. 20005.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this standard or comments and questions concerning the procedures under which this standard was developed should be directed in writing to the Standardization Manager, American Petroleum Institute, 1220 L Street, N.W., Washington, D.C. 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the general manager.

API standards are published to facilitate the broad availability of proven, sound engineering and operating practices. These standards are not intended to obviate the need for applying sound engineering judgment regarding when and where these standards should be utilized. The formulation and publication of API standards is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, N.W., Washington, D.C. 20005.

FOREWORD

ANSI/API Standard 2015, *Requirements for Safe Entry and Cleaning of Petroleum Storage Tanks*, was prepared under the auspices of the API Safety and Fire Protection Subcommittee. It is intended for use by API member companies and others to develop safe practices for planning, managing, and conducting tank cleaning work in atmospheric and low pressure storage tanks. A companion document, ANSI/API Recommended Practice 2016, *Guidelines and Procedures for Entering and Cleaning Petroleum Storage Tanks*, provides supplemental information applicable to the requirements and components of this standard.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any federal, state, or municipal regulation with which this publication may conflict.

Suggested revisions are invited and should be submitted to the Standardization Manager, American Petroleum Institute, 1220 L Street, N.W., Washington, D.C. 20005.

Currently in preview, click buy full version

CONTENTS

	Page
1 GENERAL.....	1
1.1 Scope and Applicability.....	1
1.2 Non-Applicability and Other Tank Cleaning Applications.....	1
1.3 ANSI/API Recommended Practice 2016.....	1
1.4 Regulatory Requirements.....	1
1.5 Tank Cleaning Overview.....	2
2 REFERENCES.....	3
2.1 Codes, Standards and Related Publications.....	3
2.2 United States Government Regulations.....	4
2.3 Other Publications and References.....	4
3 DEFINITIONS.....	5
3.1 General.....	5
3.2 Definitions.....	5
4 ADMINISTRATIVE CONTROLS AND PROCEDURES.....	10
4.1 General Requirements.....	10
4.2 Written Tank Cleaning Program.....	10
4.3 Qualified Persons.....	12
4.4 Training Requirements.....	13
4.5 Contractors.....	13
4.6 Tank Cleaning Equipment.....	13
5 PREPARING THE TANK FOR ENTRY AND CLEANING.....	14
5.1 Initial Preparation.....	14
5.2 Typical Tanks.....	15
5.3 Decommissioning.....	15
5.4 Isolating the Tank.....	16
5.5 Control of Ignition Sources.....	16
5.6 Vapor and Gas Freeing, Degassing, and Ventilating.....	18
5.7 Initial Tank Cleaning.....	18
6 TESTING THE TANK ATMOSPHERE.....	18
6.1 Atmospheric Testing Procedures.....	18
6.2 Atmospheric Testing Instruments.....	19
6.3 Atmosphere Testing.....	20

	Page
7 STORAGE TANK HAZARDS	22
7.1 General.....	22
7.2 Oxygen Deficiency and Enrichment	22
7.3 Fire and Explosion Hazards.....	23
7.4 Toxic Substances	24
7.5 Physical and Other Hazards.....	26
8 HAZARD ASSESSMENT FOR ENTRY PERMITS	26
8.1 General.....	26
8.2 Levels of Entry.....	27
8.3 Entry into Tanks Classified as Permit Required Confined Spaces	27
8.4 Entry into Tanks Classified as Non-Permit Required Confined Spaces.....	30
8.5 Entry into Tanks Classified as Non-Confined Spaces.....	31
8.6 Entry for Assessment of Tank Condition.....	33
9 PERSONAL PROTECTIVE EQUIPMENT	33
9.1 Protective Clothing and Equipment.....	33
9.2 Respiratory Protection	34
10 TANK CLEANING PERSONNEL	36
10.1 General.....	36
10.2 Entry Supervisors.....	36
10.3 Entrants	37
10.4 Attendants	38
10.5 Qualified Persons	39
11 ENTERING AND WORKING INSIDE THE TANK.....	40
11.1 General.....	40
11.2 Entry Permit.....	40
11.3 Continuous Forced Air Ventilation	41
11.4 Tank Safe (Cold) Work, Maintenance and Repairs.....	42
11.5 Undesirable Product, Sludge, and Residue Disposal	42
12 HOT WORK AND TANK REPAIRS	42
12.1 General.....	42
12.2 Hot Work Permits.....	42
12.3 Hot Work Hazards	43
12.4 Hot Work in Leaded Service Tanks.....	44
12.5 Fire Prevention.....	44
13 EMERGENCY PLANNING.....	44

	Page
13.1 Emergency Response Plan.....	44
13.2 Outside Rescue Services.....	45
13.3 Employer (Owner/Operator and Contractor) Rescuers.....	45
13.4 Rescue Equipment.....	46
13.5 Other Emergencies.....	47
13.6 Medical Emergencies.....	47
14 RECOMMISSIONING.....	47
14.1 General.....	47
14.2 Recommissioning Preparation.....	47
14.3 Refilling Tanks.....	48
14.4 Sampling and Gauging Tanks.....	48
14.5 Control of Ignition Sources.....	49
15 TRAINING.....	49
15.1 General.....	49
15.2 Qualification.....	49

Currently in preview, click buy full version

Requirements for Safe Entry and Cleaning of Petroleum Storage Tanks

1 General

1.1 SCOPE AND APPLICABILITY

This standard is applicable to cleaning stationary atmospheric and low-pressure (up to and including 15 psig) above-ground petroleum storage tanks used in all sectors of the petroleum and petrochemical industry, including crude oil and gas production, refineries, petrochemical plants, bulk plants and terminals. This standard provides requirements for safely planning, coordinating and conducting tank cleaning operations from decommissioning (removal from service) through recommissioning (return to service) tanks that have contained flammable or combustible liquids or petroleum related toxic materials. This standard does not and cannot cover every possible unique hazard or situation that may arise during tank cleaning operations. These site specific, product specific and tank specific hazards and situations must be addressed by employers (owner/operators or contractors) using the appropriate principles and considerations provided for by this standard. The ANSI/API Recommended Practice 2016, *Guidelines and Procedures for Entering and Cleaning Petroleum Storage Tanks*, provides supplemental information applicable to the requirements of this standard.

1.2 NON-APPLICABILITY AND OTHER TANK CLEANING APPLICATIONS

This standard does not apply to the following types of tanks or vessels:

- Pressure vessels and pressurized tanks exceeding 15 psig.
- Cryogenic or refrigerated vessels or pressure tanks.
- Vessels and tanks maintained under a vacuum.
- Process vessels.
- Underground storage tanks.

Although ANSI/API Standard 2015 is not intended to cover non-atmospheric and non-low pressure tanks and vessels, many of the safe tank cleaning and entry principles and requirements in this standard would be applicable. Using the information provided in ANSI/API Standard 2015 and in ANSI/API Recommended Practice 2016, together with appropriate government regulations, industry standards, and other applicable requirements, employers (owners/operators and contractors) shall develop site and tank, potential hazard and project specific guidelines and procedures to ensure that the tanks and vessels not covered by this standard are safely decommissioned, cleaned, and re-commissioned.

1.3 ANSI/API RECOMMENDED PRACTICE 2016

ANSI/API Recommended Practice 2016, *Guidelines and Procedures for Entering and Cleaning Petroleum Storage Tanks*, provides guidance and additional information on specific aspects of tank cleaning preparation, hazard awareness, decommissioning, emptying, isolating, vapor and gas freeing, degassing, ventilating, atmospheric testing, inspecting, cleaning, entry, safe (cold) work, hot work, and recommissioning operations.

ANSI/API Recommended Practice 2016 contains the following sections:

1. Petroleum Storage Tank Hazards
2. Vapor and Gas Freeing, Degassing, and Ventilating Tanks
3. Removing Sludge and Residue from Tanks
4. Unique Tanks
5. Specific Hazardous Substances
6. Control of Ignition Sources
7. Tank Cleaning Checklist
8. Oxygen, Combustible Gas and Toxic Substance Instruments
9. Floating Roof Hazards Associated with Tank Cleaning

1.4 REGULATORY REQUIREMENTS

In addition to the requirements contained in this standard, employers (owners/operators and contractors) shall refer to applicable federal, state and local government regulations pertinent to specific tank cleaning activities, including regulations of governments other than those of the United States, when appropriate. This standard is intended to be consistent with Title 29 of the *U.S. Code of Federal Regulations, Occupational Safety and Health Administration Standards*, Part 1910, "General Industry," and Part 1926, "Construction." This standard is intended to be consistent with appropriate National Fire Protection Association Codes and Standards applicable to the entry and cleaning of aboveground petroleum storage tanks. If any provision of this standard conflicts with statutory or regulatory requirements, said statutes and regulations shall govern. This standard is not intended to function as a substitute for applicable regulations, codes, standards or employer (owner/operator and contractor) safe (cold) work and hot work practices and procedures, all of which must be reviewed in their entirety to determine their applicability to the facility, its location, the tanks involved and the proposed work.