

Reciprocating Compressors for Petroleum, Chemical, and Gas Industry Services

API STANDARD 618
SIXTH EDITION, MAY 2024



American
Petroleum
Institute

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed. The use of API publications is voluntary. In some cases, third parties or authorities having jurisdiction may choose to incorporate API standards by reference and may mandate compliance.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

Classified areas may vary depending on the location, conditions, equipment, and substances involved in any given situation. Users of this standard should consult with the appropriate authorities having jurisdiction.

Users of this standard should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

The examples used are for illustration purposes only. [Each company should develop its own approach.] They are not to be considered exclusive or exhaustive in nature. API makes no warranties, express or implied for reliance on or any omissions from the information contained in this document.

Where applicable, authorities having jurisdiction should be consulted.

Work sites and equipment operations may differ. Users are solely responsible for assessing their specific equipment and premises in determining the appropriateness of applying the instructions. At all times users should employ sound business, scientific, engineering, and judgment safety when using this standard.

API is not undertaking to meet the duties of employers, manufacturers, or suppliers to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor undertaking their obligations to comply with authorities having jurisdiction.

Information concerning safety and health risks and proper precautions with respect to particular materials and conditions should be obtained from the employer, the manufacturer or supplier of that material, or the material safety data sheet.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Foreword

This standard is based on the accumulated knowledge and experience of manufacturers and users of reciprocating compressors. The objective of this publication is to provide a purchase specification to facilitate the procurement and manufacture of reciprocating compressors for use in petroleum, chemical, and gas industry services.

The primary purpose of this standard is to establish minimum requirements.

Energy conservation is of concern and has become increasingly important in all aspects of equipment design, application, and operation. Thus, innovative energy-conserving approaches should be aggressively pursued by the manufacturer and the user during these steps. Alternative approaches that may result in improved energy utilization should be thoroughly investigated and brought forth. This is especially true of new equipment proposals since the evaluation of purchase options will be based increasingly on total life costs as opposed to acquisition cost alone.

Equipment manufacturers, in particular, are encouraged to suggest alternatives to those specified when such approaches achieve improved energy effectiveness and reduced total life cost without the sacrifice of safety or reliability.

This standard requires the purchaser to specify certain details and features. Although it is recognized that the purchaser may desire to modify, delete, or amplify sections of this standard, it is strongly recommended that such modifications, deletions, and amplifications be made by supplementing this standard, rather than by rewriting or incorporating sections thereof into another standard.

A bullet (•) at the beginning of a subsection or paragraph indicates that either a decision by, or further information from, the purchaser is required. Further information should be shown on the data sheets (see example in Annex A) or stated in the quotation request and purchase order.

For effective use of this standard and ease of reference to the text, the use of the data sheets in Annex A is recommended.

The purchaser's checklist in Annex D can also be used for purchaser's specific requirements or decisions.

Users of this standard should be aware that further or differing requirements may be needed for individual applications. This standard is not intended to inhibit a vendor from offering, or the purchaser from accepting, alternative equipment or engineering solutions for the individual application. This may be particularly applicable where there is innovative or developing technology. Where an alternative is offered, the vendor should identify any variations from this standard and provide details.

Nothing contained in an API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, "shall" denotes a minimum requirement in order to conform to the standard.

Should: As used in a standard, "should" denotes a recommendation or that which is advised but not required in order to conform to the standard.

May: As used in a standard, "may" denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, "can" denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, standards@api.org.

Contents

1	Scope.....	1
2	Normative References	1
3	Terms, Definitions, Acronyms, and Abbreviations	5
3.1	Terms and Definitions	5
3.2	Acronyms and Abbreviations	12
4	General.....	12
4.1	Unit Responsibility.....	12
4.2	Unit Conversion	12
4.3	Nomenclature	12
5	Requirements	12
5.1	Units of Measure	12
5.2	Language	12
5.3	Statutory Requirements	13
6	Basic Design.....	13
6.1	General.....	13
6.2	Bolting.....	16
6.3	Calculating Cold Runout	17
6.4	Allowable Speeds.....	17
6.5	Allowable Discharge Temperature	17
6.6	Crosshead Pin and Gas Loads	18
6.7	Critical Speeds	18
6.8	Compressor Cylinders.....	18
6.9	Valves and Unloaders.....	22
6.10	Pistons, Piston Rods, and Piston Rings.....	24
6.11	Crankshafts, Bearings, Connecting Rods, Crossheads, and Crankcases	26
6.12	Distance Pieces.....	27
6.13	Packing Cases and Piston Rod Pressure Packing.....	29
6.14	Materials.....	31
6.15	Nameplates and Rotation Arrows.....	39
7	Accessories.....	40
7.1	Drivers.....	40
7.2	Couplings and Guards.....	42
7.3	Reduction Gears	43
7.4	Belt Drives	44
7.5	Lubrication.....	44
7.6	Cylinder Jacket Water Systems.....	48
7.7	Mounting Plates.....	50
7.8	Controls and Instrumentation.....	53
7.9	Piping	57
7.10	Intercoolers, Aftercoolers, and Separators.....	59
7.11	Pulsation and Vibration Control	61
7.12	Pulsation Suppression Devices	71
7.13	Intake Filters	73
7.14	Special Tools	74
8	Inspection and Testing	74
8.1	General.....	74
8.2	Inspection	75
8.3	Testing	77
8.4	Preparation for Shipment.....	79
9	Vendor's Data	80

Annex A (informative) Data Sheets	81
Annex B (informative) Capacity Rating and Tolerance	116
Annex C (informative) Piston Rod Runout	117
Annex D (informative) Purchaser’s Checklist	134
Annex E (informative) Contract Documents and Engineering Design Data	139
Annex F (normative) Figures and Schematics	158
Annex G (informative) Typical Materials for Major Component Parts	165
Annex H (informative) Distance Piece Vent, Drain, and Buffer Systems to Minimize Process Gas Leakage	166
Annex I (informative) Reciprocating Compressor Nomenclature	174
Annex J (informative) Inspector’s Checklist	175
Annex K (informative) Typical Mounting Plate Arrangement	176
Annex L (normative) Design Approach Work Process Flowcharts	177
Bibliography	179

Figures

1 Plate Loaded in Tension in the Through-thickness Direction and Its Area Requiring Ultrasonic Inspection.....	35
2 Plate Loaded in Bending and Its Area Requiring Ultrasonic Inspection	35
3 Axially Loaded Plate.....	36
4 Piping Design Trigger Level at Discrete Frequencies	68
C.1 Basic Geometry with Cold Vertical Runout	118
C.2 Vertical Runout Geometric Relationships Based on No Rod Sag.....	118
C.3 Rod Runout Table.....	120
C.4 Rod Runout Attributable to Piston Rod Sag with Δ DROP = 0.....	121
C.5 Rod Runout Attributable to Piston Rod Sag with Δ DROP > 0.....	122
C.6 Data for Rod Runout Calculation	123
C.7 Rod Runout Calculation Example	124
C.8 Sample Printout for Rod Runout.....	128
C.9 Graphical Illustration of Rod Runout at 0.080 in. Cylinder Running Clearance.....	129
C.10 Graphical Illustration of Rod Runout at 0.060 in. Cylinder Running Clearance.....	130
C.11 Graphical Illustration of Rod Runout at 0.040 in. Cylinder Running Clearance.....	131
C.12 Graphical Illustration of Rod Runout at 0.020 in. Cylinder Running Clearance.....	132
C.13 Graphical Illustration of Rod Runout at 0.010 in. Cylinder Running Clearance.....	133
E.1 Sample VDDR Form	144
F.1 Cylinder Cooling System	159
F.2 Distance Piece and Packing Arrangements.....	160
F.3 Typical Self-contained Cooling System for Piston Rod Pressure Packing.....	162
F.4 Typical Pressurized Frame Lube Oil System.....	163
F.5 Conceptual Direct Rod Connection	164
F.6 Conceptual Indirect Rod Connection	164
F.7 Conceptual Indirect Clamped Rod Connection.....	164
H.1 Typical Buffered Single-compartment Distance Piece for Variable Vent Pressure Systems....	168
H.2 Typical Buffered Single-compartment Distance Piece Vent, Drain, and Buffer Arrangement ..	169
H.3 Typical Buffered Two-compartment Distance Piece for Variable Vent Pressure Systems .	170
H.4 Typical Buffered Two-compartment Distance Piece for Constant Vent Pressure Systems	171
H.5 Oil Wiper Packing with Inert Buffer Gas Purge.....	170
H.6 Intermediate Partition Packing with Inert Buffer Gas Purge (Not Used with Type A and Type B Distance Pieces)	171
H.7 Piston Rod Pressure Packing with Inert Buffer Gas.....	173

I.1	Reciprocating Compressor Nomenclature	174
K.1	Typical Mounting Plate Arrangement	176
L.1	Design Approach 2 Flowchart	177
L.2	Design Approach 3 Flowchart	178

Tables

1	Cooling System Conditions	14
2	Driver Trip Speeds	15
3	Maximum Gauge Pressures for Cylinder Materials	33
4	Relief Valve Settings	55
5	Minimum Alarm and Shutdown Recommendations	56
6	Design Approach Selection	63
7	Maximum Allowable Free Air Gauss Levels	76
D.1	Purchaser's Checklist	134
G.1	Typical Material Specifications for Reciprocating Compressor Parts	165
J.1	Inspector's Checklist	175

Currently in preview, click buy full version

Reciprocating Compressors for Petroleum, Chemical, and Gas Industry Services

1 Scope

This standard covers the minimum requirements for reciprocating compressors and their drivers for use in petroleum, chemical, and gas industry services for handling process air or gas with either lubricated or nonlubricated cylinders.

Compressors covered by this standard are low- to moderate-speed machines. Also included are related lubrication systems, controls, instrumentation, intercoolers, aftercoolers, pulsation suppression devices, and other auxiliary equipment. Compressors not covered by this standard are as follows:

- a) integral gas engine-driven compressors;
- b) compressors with single-acting trunk-type (automotive-type) pistons that also serve as crossheads;
- c) either plant or instrument-air compressors that discharge at a gauge pressure of 2 bar (125 psig) or below;
- d) diaphragm compressors.

2 Normative References

2.1 The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) issued at the time of purchase order applies.

API *Measurement of Petroleum Measurement Standards (M&PMS) Chapter 15, Guidelines for the Use of Petroleum Industry-specific International System (SI) Units*

API Standard 541, *Form-wound Squirrel Cage Induction Motors—375 kW (500 Horsepower) and Larger*

API Standard 546, *Brushless Synchronous Machines—500 kVA and Larger*

API Standard 547, *General-purpose Form-wound Squirrel Cage Induction Motors—185 kW (250 hp) through 2240 kW (3000 hp)*

API Standard 571, *Damage Mechanisms Affecting Fixed Equipment in the Refining Industry*

API Standard 611, *General-purpose Steam Turbines for Petroleum, Chemical, and Gas Industry Services*

API Standard 612, *Petroleum, Petrochemical, and Natural Gas Industries—Steam Turbines—Special-purpose Applications*

API Standard 613, *Special-purpose Gears for Petroleum, Chemical, and Gas Industry Services*

API Standard 614, *Lubrication, Shaft-sealing, and Oil-control Systems and Auxiliaries*

API Standard 616, *Gas Turbines for the Petroleum, Chemical, and Gas Industry Services*

API Standard 660, *Shell-and-Tube Heat Exchangers*

API Standard 661, *Petroleum, Petrochemical, and Natural Gas Industries—Air-cooled Heat Exchangers*

API Standard 670, *Machinery Protection Systems*