

Dry Gas Sealing Systems for Axial, Centrifugal, Rotary Screw Compressors and Expanders

API STANDARD 692
FIRST EDITION, JUNE 2018



AMERICAN PETROLEUM INSTITUTE

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, NW, Washington, DC 20005.

Copyright © 2018 American Petroleum Institute

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in this publication be construed as insuring anyone against liability for infringement of letters patents.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

A bullet (•) at the beginning of a subsection or paragraph indicates that either a decision is required or further information is to be provided by the purchaser.

NOTES following a paragraph are informative.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 1220 L Street, NW, Washington, DC 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually and updated quarterly by API, 1220 L Street, NW, Washington, DC 20005.

Suggested revisions are invited and should be submitted to the Standards Department, API, 1220 L Street, NW, Washington, DC 20005, standards@api.org.

Currently in preview, click buy full version

Contents

Page

Part 1: General Requirements

1	Scope	1
1.1	General	1
1.2	Part 1-General Requirements	1
2	Normative References	1
3	Terms, Definitions, / acronyms, and Abbreviations	3
3.1	Terms and Definition	3
3.2	Acronyms and Abbreviations	11
4	General	12
4.1	Unit Responsibility	12
4.2	Nomenclature	12
5	Requirements	12
5.1	Standard Fasteners and Units of Measure	12
5.2	Statutory Requirements	13
5.3	Alternative Designs	13
5.4	Documentation Requirements	13
5.5	Conflicting Requirements	13
6	Basic Design	13
6.1	General	13
6.2	System Design	14
6.3	Seal Gas, Buffer Gas, Secondary Seal Gas, and Separation Gas	15
6.4	Site and Utility Conditions	15
6.5	Gas Conditioning System	16
6.6	Gas Velocities	16
6.7	System Drain Connections	16
6.8	Alarms and Shutdowns	17
6.9	System Analysis Failures Modes	17
7	Special Tools	18
8	Coatings, Insulation, and Heat Tracing	18
9	Inspection, Testing, and Preparation for Shipment	18
9.1	General	18
9.2	Material Inspection	19
9.3	Radiography	19
9.4	Magnetic Particle Inspection	20
9.5	Liquid Penetrant Inspection	20
9.6	Positive Material Identification (PMI)	20
9.7	Testing	20
9.8	Preparation for Shipment	20
9.9	Package Markings	21
10	Vendor's Data	21
10.1	General	21
10.2	Proposals	22
10.3	Contract Data	24

Contents

	Page
Annex A (informative) Vent Study	27
Annex B (informative) Phase Maps	28
Annex C (informative) Dry Gas Sealing System Retrofit Checklist	30
Bibliography	32
Figures	
B.1 Typical Phase Diagram	29
Tables	
1 Minimum Gas Velocities	16
C.1 Dry Gas Sealing System Retrofit Checklist	30
Part 2: Dry Gas Seals	
1 Scope	1
2 Normative References	1
3 Terms, Definitions, Acronyms, and Abbreviations	1
4 General	1
5 Requirements	1
6 Basic Design	1
6.1 General	1
6.2 Seal Types	2
6.3 Tandem Seal with Intermediate Labyrinth	2
6.4 Tandem Seal	2
6.5 Double Seal	3
6.6 Single Seal	4
6.7 Separation Seals	5
6.8 Process Side Seals	6
6.9 Seal Requirements	8
6.10 Seal Cartridges	9
6.11 Balance and Overspeed	10
6.12 Labyrinth Seal Clearances	10
6.13 Minimum Speed/Slow Roll/Turning Gear/Ratcheting	11
6.14 Reverse Pressurization	11
6.15 Marking and Rotation Arrows	11
6.16 Materials	11
7 Accessories-Special Tools	12
8 Inspection, Testing, and Preparation for Shipment	12
8.1 General	12
8.2 Inspection	12
8.3 Testing	12
8.4 Preparation for Shipment	12
9 Vendor's Data	13

Contents

	Page
9.1 General	13
9.2 Proposal	13
9.3 Contract Data	13
Annex A (informative) Datasheets	15
Annex B (normative) Dry Gas Seal Test Procedures	25
Annex C (informative) Seal Nomenclature	49
Annex D (informative) Dry Gas Seal Selection Guide	54
Annex E (informative) Separation Seals	56
Annex F (informative) Process Side Seal	62
Annex G (informative) Hysteresis Test	67
Annex H (informative) Dry Gas Seal Material	69
Annex I (normative) Vendor Drawing and Data Requirements (VDDR)	81
Annex J (informative) Inspector's Checklist	88
Annex K (normative) Post-test Dry Gas Seal Visual Inspection	90
Figures	
1 Tandem Seal with Intermediate Labyrinth Schematic	3
2 Tandem Seal Schematic	3
3 Double Seal Schematic	4
4 Single Seal Schematic	4
5 Non-contacting Bushing Seal Schematic	5
6 Separation Labyrinth Seal Schematic	5
7 Contacting Bushing Seal Schematic	6
8 Labyrinth Seal Schematic	6
9 Abradable Process Side Seal Schematic	7
10 Non-contacting Bushing Seal Schematic	7
C.1 Tandem Seal with an Intermediate Labyrinth	50
C.2 Tandem Seal	51
C.3 Double Seal	52
C.4 Single Seal	53
E.1 Cross-section Showing a Separation Seal	56
E.2 Separation Seal Non-contacting Bushing Schematic	57
E.3 Showing Separation Seal Non-contacting Bushing Clearance at Cold/Static and Hot/Dynamic Conditions	58
E.4 Separation Seal Labyrinth Schematic	58
E.5 Showing Separation Seal Labyrinth Clearance at Cold/Static and Hot/Dynamic Conditions	59
E.6 Separation Seal Contacting Bushing Schematic	60
E.7 Show Expansions of the Separation Seal Contacting Bushing and Rotating Surface	61
F.1 Cross-section Showing a Process Side Seal	62
F.2 Process Side Seal Standard Labyrinth Schematic	63
F.3 Showing Process Labyrinth Clearance at Cold/Static and Hot/Dynamic Conditions	64
F.4 Process Side Seal Abradable Labyrinth Schematic	64

Contents

Page

F.5	Showing Process Abradable Labyrinth Clearance at Cold/Static and Hot/Dynamic Conditions	65
F.6	Process Side Seal Non-contacting Bushing Schematic	65
F.7	Showing Process Non-contacting Bushing Clearance at Cold/Static and Hot/Dynamic Conditions	66
G.1	Stationary Sub-assembly Definitions	67
G.2	Typical Hysteresis Test Plot	68
H.1	Histogram Comparing the Elastic Modulus (kN/mm ²) of Selected Face Materials	71
H.2	Histogram Comparing the Strength (N/mm ²) of Selected Face Materials	72
H.3	Histogram Comparing the Fracture Toughness (MPa.m ^{0.5}) of Selected Face Materials	72
H.4	Histogram Comparing Density (tonnes/m ³) of Selected Face Materials	73
H.5	Histogram Comparing Hardness (HV) of Selected Face Materials	73
H.6	Histogram Comparing Thermal Expansion (m/m/K×10 ⁻⁶) of Selected Face Materials	74
H.7	Histogram Comparing Thermal Conductivity (W/mK) of Selected Face Materials	74
K.1	Stages in Disassembly of a Tandem Seal Arrangement	90
K.2	Stages in Disassembly of a Double Seal Arrangement	91
K.3	Stages in Disassembly of a Single Seal Arrangement	92
K.4	Separation Seals	92
K.5	Steelwork Inspection Sites	96

Tables

1	Perpendicularity Limits	8
H.1	Seal Face Pairing Selection Guidance	75
H.2	Seal Cartridge Materials	76
H.3	Static and Dynamic Sealing Element Material Temperature Limits	78
H.4	Spring Materials	78
H.5	Fastener Materials	79
H.6	Pin Materials	79
H.7	Centering Device Materials	80
H.8	Labyrinth Materials	80
J.1	Inspector's Checklist	88
K.1	Seal Face Damage Examples	93
K.2	Seal Metallic Components	97
K.3	Seal Static and Dynamic Sealing Elements	98
K.4	Seal Centering Elements	100
K.5	Labyrinths and Carbon Rings	100

Part 3: Dry Gas Seal Support Systems

1	Scope	1
2	Normative References	1
3	Terms, Definitions, Acronyms, and Abbreviations	1
4	General	1
5	Requirements	1
5.1	Standard Fasteners and Units of Measure	1
5.2	Statutory Requirements	1
5.3	Alternative Designs	1

Contents

	Page
5.4 Documentation Requirements	1
6 Basic Design	1
6.1 General	2
6.2 Accessibility	4
6.3 Tandem Seal-Seal Gas System	4
6.4 Tandem Seal with Intermediate Labyrinth-Secondary Seal Gas System	6
6.5 Tandem Seal-Primary and Secondary Vent Systems	7
6.6 Tandem Seal-Drain System	8
6.7 Double Seal-Seal Gas System	9
6.8 Double Seal-Buffer Gas System	11
6.9 Temperature Monitoring	12
6.10 Double Seal-Vent System	12
6.11 Double Seal-Drain System	13
6.12 Single Seal-Seal Gas System	14
6.13 Separation Gas System	14
6.14 Module A-Alternate Seal Gas Supply	16
6.15 Module B-Gas Conditioning System	16
6.16 Duplex Filter System (Module C)	17
7 Major Components	18
7.1 General	18
7.2 Cooler	18
7.3 Separator	20
7.4 Booster	21
7.5 Heater	23
7.6 Filters	23
7.7 Transfer Valves	24
7.8 Control Valves	25
7.9 Liquid Traps for Cavity Drains	25
7.10 Pressure-relieving Devices	26
8 Materials	26
8.1 General	26
8.2 Low-temperature Service	30
9 Piping and Tubing Systems	30
9.1 General	30
9.2 Threads	32
9.3 Valves	32
10 Recommended Alarms	33
11 Instrumentation, Control, and Electrical Systems	37
11.1 General	37
11.2 Alarm and Shutdown Systems	38
11.3 Instrumentation	39
11.4 Electrical Systems	42
12 Panels and Skids	43
12.1 General	43
13 Dry Gas Seal Support System Inspection and testing	45

Contents

	Page
13.1 General	45
13.2 Radiography	46
13.3 Testing	47
13.4 Nameplates	49
13.5 Preparation for Shipment	50
14 Vendor's Data	51
14.1 General	51
14.2 Proposals	51
14.3 Contract Data	51
Annex A (informative) Datasheets	52
Annex B (normative) System Diagrams	64
Annex C (informative) Inspector's Checklist	81
Annex D (informative) Module Comparison	83
Annex E (normative) Vendor Drawing and Data Requirements (VDDR)	86
Annex F (informative) Gas Filter Rating, Testing, and Performance	92
Figures	
1 Recommended Separator Sizing for Liquid Knockout	21
B.1 Tandem Seal—Seal Gas Supply	65
B.2 Tandem Seal—Seal Gas Optional Modules	66
B.3 Tandem Seal—Secondary Seal Gas Supply	67
B.4 Tandem Seal—Secondary Seal Gas Optional Modules	68
B.5 Tandem Seal—Vents	69
B.6 Tandem Seal—Vent Options	70
B.7 Tandem Seal—Drains	71
B.8 Tandem Seal—Drain Options	71
B.9 Double Seal—Buffer Gas Supply	72
B.10 Double Seal—Buffer Gas Supply Options	73
B.11 Double Seal—Seal Gas Supply	74
B.12 Double Seal—Seal Gas Supply Options	75
B.13 Double Seal—Vent	76
B.14 Double Seal—Drains	77
B.15 Double Seal—Drain Options	77
B.16 Separation Gas Supply	78
B.17 Separation Gas Supply Options	79
B.18 Gas Conditioning System	80
B.19 Gas Conditioning System—Separator Drain Options	80
Tables	
1 Pressure Rating of Dry Gas Seal Systems	2
2 Minimum Materials Requirement—Cooling Water	27
3 Minimum Material Requirements Dry Gas Seal Support Systems	27
4 Minimum Pipe Wall Thicknesses	28
5 Minimum Tubing Wall Thicknesses	28
6 Recommended Alarms for Tandem Seals	34

Contents

	Page
7 Recommended Alarms for Tandem Seals with Intermediate Labyrinth	35
8 Recommended Alarms for Double Seals	36
9 Recommended Alarms for Gas Conditioning Unit.	37
C.1 Inspector's Checklist	81
F.1 Relative Size Comparison of Particles of Some Common Materials	93
F.2 Typical Seal Operating Clearances	93
F.3 Element Beta Ratio and Efficiency from Particle Count	94
Part 4: Installation and Commissioning	
1 Scope	1
2 Normative References	1
3 Terms, Definitions, Acronyms, and Abbreviations	1
4 General	1
5 Requirements.	1
5.1 Standard Fasteners and Units of Measure.	1
5.2 Statutory Requirements	1
5.3 Alternative Designs	1
5.4 Documentation Requirements.	1
6 Installation Design.	1
7 Receiving, Inspection, and Storage	2
7.1 General	2
7.2 Receiving and Inspection.	2
7.3 Storage	3
8 Installation and Construction.	4
8.1 General	4
8.2 Dry Gas Seal Installation	4
8.3 Dry Gas Seal Support System Installation	6
9 Field Commissioning	6
10 Start-up.	7
Annex A (informative) Installation Checklist.	9
Annex B (normative) Cleaning/Flushing of Field Installed Piping	10
Annex C (informative) Commissioning Checklist.	12
Annex D (informative) Start-up Checklist	13

Dry Gas Sealing Systems for Axial, Centrifugal, and Rotary Screw Compressors and Expanders Part 1—General Requirements

1 Scope

1.1 General

This standard covers the minimum dry gas sealing system requirements in association with axial, centrifugal, and rotary screw compressors and expanders for use in the petroleum, chemical, and gas industry services as described in API 617 and API 619.

API 692 does not apply to other types of shaft seals such as clearance seals, restrictive ring seals, or oil seals.

1.2 Part 1—General Requirements

This part of API 692 contains information pertinent to all equipment covered by the other parts of API 692. It shall be used in conjunction with the following parts of API 692 as applicable.

- Part 2—Dry Gas Seals.
- Part 3—Dry Gas Seal Support Systems.
- Part 4—Installation and Commissioning.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

API Recommended Practice 520, *Sizing, Selection, and Installation of Pressure-relieving Devices—Part I: Sizing and Selection*

API Recommended Practice 520, *Sizing, Selection, and Installation of Pressure-relieving Devices—Part II: Installation*

API Standard 521, *Pressure-relieving and Depressuring Systems*

API Standard 526, *Flanged Steel Pressure-relief Valves*

API Recommended Practice 551, *Process Measurement*

API Recommended Practice 571, *Damage Mechanisms Affecting Fixed Equipment in the Refining Industry*

API Standard 594, *Check Valves: Flanged, Lug, Wafer, and Butt-welding*

API Standard 600, *Steel Gate Valves—Flanged and Butt-welding Ends, Bolted Bonnets*

API Standard 602, *Gate, Globe, and Check Valves for Sizes DN 100 (NPS 4) and Smaller for the Petroleum and Natural Gas Industries*

API Standard 607, *Fire Test for Quarter-turn Valves and Valves Equipped with Nonmetallic Seats*