

Effect of Best-estimate Geotechnical p-y Curves on Performance of Offshore Structures

API TECHNICAL REPORT 2PY
FIRST EDITION, FEBRUARY 2020



AMERICAN PETROLEUM INSTITUTE

Special Notes

Standard is a broad term covering all API documents that have been developed in accordance with API's "Procedures for Standards Development". Users of this document should be aware that this publication is not a consensus document developed in accordance with these procedures and therefore does not represent an industry consensus standard. This publication is merely a report of technical research performed under contract with API. The materials represent the opinions of the researchers, and neither API nor its standards committees have made any effort to judge the content for technical accuracy or completeness. **USERS OF THIS PUBLICATION SHOULD NOT RELY SOLELY ON THE INFORMATION CONTAINED IN THIS DOCUMENT AND DO SO AT THEIR OWN RISK.**

API is not undertaking to meet the duties of employers, manufacturers, or suppliers to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor undertaking their obligations to comply with authorities having jurisdiction. Information concerning safety and health risks and proper precautions with respect to particular materials and conditions should be obtained from the employer, the manufacturer or supplier of that material, or the material safety data sheet.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to negate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Washington, DC 20001-5571. Requests for permission to reproduce or translate all or any part of the material published herein, or suggested revisions, should also be addressed to the director.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001-5571.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001, standards@api.org.

Contents

	Page
Executive Summary	1
1 Introduction	2
1.1 Background	3
1.2 Objectives	3
1.3 Platform Selection	3
1.4 Structural Models and Analysis Techniques	4
1.5 Project Team	4
2 API/ISO Pile Foundation Design Soil Reaction Curve Update	5
3 Assessment of Leaning Caisson in Hurricane Andrew	5
3.1 General	5
3.2 Caisson Structure Detail	5
3.3 Site Soil Data	8
3.4 Hurricane Andrew Hindcast Data	10
3.5 Dynamic Pushover Analysis	10
3.6 Results and Comparison	11
4 Assessment of Jacket Platform Damage in Hurricane Ike	15
4.1 General	15
4.2 Jacket Platform Structure Detail	15
4.3 Site Soil Data	18
4.4 Hurricane Ike Hindcast Data	20
4.5 Dynamic Pushover Analysis	20
4.6 Results and Comparison	21
5 Tripod Platform Natural Frequency Validation	31
5.1 General	28
5.2 Tripod Platform Structure Detail	28
5.3 Site Soil Data	31
5.4 Field Measured Platform Natural Frequencies	32
5.5 Natural Frequency Modal Analysis and Pluck Test	34
5.6 Results and Comparison	34
6 Conclusions	37
Annex A (informative) SS-Caisson Structure Soil Data	38
Annex B (informative) SS-Platform Soil Data	51
Annex C (informative) EI-Tripod Platform Soil Data	58
Annex D (informative) Methodology Used to Derive p-y Curves in Clays	67
Bibliography	78

Contents

Page

Figures

3.1	Example Caisson Platform Leaning Damage.....	7
3.2	SS-Caisson Structural Detail.....	7
3.3	SS-Caisson Structure Model.....	8
3.4	SS-Caisson Soil DSS Strength Profile.....	9
3.5	SS-Caisson Response to Hurricane Andrew Wave Impact, Model with API 2GEO, 1st Edition p-y Curves.....	12
3.6	SS-Caisson Response to Hurricane Andrew Wave Impact, Model with Proposed API 2GEO, 2nd Edition (Draft) p-y Curves.....	12
3.7	SS-Caisson Damage to Hurricane ANDrew Wave Impact.....	14
3.8	SS-Caisson Hurricane Wave Load and Rotation.....	14
4.1	SS-Platform (After Hurricanes).....	16
4.2	SS-Platform Structure Model and Design Detail.....	17
4.3	SS-Platform Damage After Hurricanes.....	18
4.4	SS-Platform Soil DSS Strength Profile.....	19
4.5	SS-Platform Response to Hurricane Ike Impact, Model with API 2GEO, 1st Edition p-y Curves.....	22
4.6	SS-Platform Response to Hurricane Ike Impact, Model with Proposed API 2GEO, 2nd Edition (Draft) p-y Curves.....	23
4.7	SS-Platform Damage to Hurricane Ike Wave Impact.....	25
4.8	SS-Platform Hurricane Damage, Field Observed vs. Model Predicted.....	26
4.9	SS-Platform Deformation Curves.....	27
5.1	EI-Tripod Platform.....	29
5.2	Platform Orientation and Coordinate System.....	29
5.3	EI-Tripod Platform Structure Model.....	30
5.4	EI-Tripod Platform Soil DSS Strength Profile.....	31
5.5	Main Deck Vibration Data Recording Examples.....	33
5.6	Processed Response Spectra.....	33
5.7	EI-Tripod Vibration Mode Shape Comparison.....	36
A.1	Mean Ratio of Measured Strength to Design Strength Versus Depth—from Cheon, et al. (2015).....	39
A.2	SHANSEP Frame work—From Liedtke, et al. (2019).....	40
A.3	Correlations with Water Content—From Liedtke, et al. (2019).....	41
A.4	Proposed DSS Strength Profile.....	42
A.5	Soil Strength Profile for SS-Caisson.....	47
A.6	API 2GEO, 1st Edition Static vs. 2nd Edition Cyclic p-y Curves for SS-Caisson.....	48
A.7	API 2GEO, 2nd Edition Cyclic p-y Spring Response.....	49
A.8	API 2GEO, 1st Edition Static p-y Spring Response.....	50
B.1	Soil Strength Profile for SS-Platform.....	52
B.2	Soil Strength Profile Compared with Push Soil Sample Data from Adjacent Blocks.....	53
B.3	API 2GEO, 1st Edition Static vs. 2nd Edition Cyclic p-y Curves for SS-Platform 36-inch Piles.....	54
C.1	Soil Strength Profile.....	59
C.2	API 2GEO, 1st Edition Static vs. 2nd Edition Fatigue p-y Curves for EI-Tripod.....	60
D.1	Normalized p-y Curves for Monotonic Loads/Actions for Clay.....	70
D.2	Normalized p-y Curves for Monotonic Loads/Actions for Clay.....	71
D.3	Comparison of Total Lateral Bearing Capacity Factor N_p According to RP 2GEO 1 st and New Equations for Example 1 and Example 2.....	73
D.4	Cyclic Normalized Curves for Illustrative Clay Soil Profile with $I_p > 30\%$, $OCR < 2$, and for GoM Cyclic Loading Conditions.....	74

**D.5 Comparison of p-y Curve Recommendations Between RP 2GEO 1st and This Study at a Depth $z = 30$ m for Illustrative Clay Soil Profile for GoM Conditions:
a) Full Scale and b) Low y/D Displacements**

Tables

3.1 Hurricane Andrew Hindcast Metocean	10
4.1 Hurricane Ike Hindcast Metocean	20
5.1 El-Tripod Measured Platform Natural Periods	34
5.2 Platform Natural Period Comparison, Model Predicted vs. Measured	34
D.1 Normalized p-y Curves for Monotonic Loads/Actions for Clay	69
D.2 Cyclic Modifiers for p-y Curves in Clays	71

Currently in preview, click buy full version

Executive Summary

Fixed offshore platform pile foundation design and assessment in the Gulf of Mexico (GOM) has been based on API RP 2A (various editions) and API/ISO RP 2GEO, 1st Edition. Over the years, post-hurricane observations of the platform performance in the GOM have shown that these standards tend to underestimate soil stiffness and capacity. This underprediction does not necessarily lead to conservative structural design and assessment. For example, fatigue design requires a realistic estimate of structural dynamics and strength design with a clear definition of structural load path and failure mechanism.

Research work, consisting of small- and large-scale pile tests, laboratory testing, and numerical analyses, has been carried out for years to understand this conservatism and define best-estimate geotechnical criteria, i.e. best-estimate soil lateral reaction for pile foundation design. These efforts culminated in the proposed draft of API/ISO RP 2GEO, 2nd Edition, which systematically re-defines the clay soil lateral reaction formulations for piles under monotonic, cyclic, and fatigue loads.

The goal of this study, sponsored by API SC2, was to perform structural analyses using soil models developed by 2GEO, 1st Edition criteria and 2GEO, 2nd Edition draft criteria to determine the effect of the new clay soil p-y formulations on the structural responses of these platforms. The predicted responses were then compared with measured or observed platform performance in field.

Three (3) featured fixed offshore platforms in the GOM, i.e. a free-standing caisson structure, a jacket type platform, and a tripod platform, were selected as representative structures for the study. The selected platforms are actual platforms in operation in the GOM. The caisson structure and jacket platform were damaged in Hurricanes Andrew and Ike, respectively. Platform vibration of the tripod platform was measured and recorded in the field to verify the tripod structural integrity. All relevant platform design, operation, and maintenance data of these structures are sufficient and available for the study.

Results of the analyses performed in this study demonstrate that structural models using the soil reaction formulations of the proposed 2GEO, 2nd Edition (draft), in combination with the best-estimate soil profiles interpreted based on the standard direct simple shear (DSS) tests, adequately predicted the platform responses observed in hurricanes and in normal sea conditions.

The clay soil p-y reaction formulations (monotonic, cyclic, and fatigue), when used with best-estimate DSS shear strength profiles as proposed in the draft of 2GEO, 2nd Edition, show significant improvement over the formulations in 2GEO, 1st Edition and other RP 2A editions (e.g. the so-called "Matlock curves"), and are endorsed and recommended for pile foundation design and assessment. In particular, the use of the new cyclic p-y curves is recommended for platform structural analysis under extreme environmental conditions.

1 Introduction

1.1 Background

Post-hurricane observations of fixed offshore platform performance in the Gulf of Mexico (GOM) often demonstrate platform structural damage or failure rather than foundation failure. However, platform analysis and assessment by API RP 2A (various editions) and API/ISO RP 2GEO, 1st Edition (Ref. 1, 2) foundation design approach are frequently governed by the foundation capacity and predict failure in the piles rather than the jacket structure.

Subsea wellhead and conductor fatigue design and analysis also predict unrealistic fatigue life expectancy due to the deviated dynamics caused by underestimated soil stiffness near the mudline. These have led to questions of unknown reliability and level of conservatism in the current API recommended pile foundation design approach.

Unrealistic conservatism in pile foundation design may have significant impact on new platform design and existing platform assessment. For new platform design, it may lead to excessively larger, deeper pile design associated with higher cost. Fatigue life can also be miscalculated due to inadequate estimates of platform dynamics (e.g. natural periods). For existing platform assessment, it may lead to misjudgment of platform actual capacity (due to pre-mature foundation failure in analysis) and locations of critical structural components (for platform repair and strengthening).

Research work and studies on fixed offshore platform performance in GOM hurricanes, funded by MMS/BSEE, API, and industries, have been carried out for decades (Ref. 5-12, 14-15, 23-26). A general perception indicates that pile foundations appear to be stronger and stiffer than calculated. Pushover analysis for jacket structures to their ultimate capacities commonly indicates that the foundation governs the capacity of the structural system. However, there are few, if any, observed pile foundation failures that have occurred in these hurricanes.

Discrepancy between predicted and observed performance of platform foundation system may be in part due to:

- underestimation of soil stiffness and capacity, or the soil-structure interaction curves, especially the pile foundation soil lateral p-y curves for clays;
- interpretation of geotechnical soil bearing and test data;
- loading rate and cyclic effect on pile capacity under short term wave loading conditions;
- aging effect of increased pile capacity for years or decades after installation;
- platform computer modeling inaccuracies and over-simplifications;
- disproportionate redundancies associated with structure components and foundation system in existing design practice;
- incomplete or misguided structural data and information.

Geotechnical research work, consisting of small- and large-scale pile tests, laboratory testing, and numerical analyses, has been performed for years to check the pile foundation design and define the best estimate geotechnical criteria (Ref. 16-18, 20, 29-33). This culminated in the proposed draft of API/ISO RP 2GEO, 2nd Edition (Ref. 3, Annex D), which systematically re-defined the soil lateral reaction formulations, especially for clays.