

# Technical Report on Capabilities of API Flanges Under Combinations of Load

API TECHNICAL REPORT 6AF  
THIRD EDITION, SEPTEMBER 2008

ERRATA: MARCH 2017



Currently in preview, click buy full version

# Technical Report on Capabilities of API Flanges Under Combinations of Load

Upstream Segment

API TECHNICAL REPORT 6AF  
THIRD EDITION, SEPTEMBER 2008



## Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

Classified areas may vary depending on the location, conditions, equipment, and substances involved in any given situation. Users of this technical report should consult with the appropriate authorities having jurisdiction.

Users of this technical report should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgement should be used in employing the information contained herein.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in accordance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, N.W., Washington, D.C. 20005.

## Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Suggested revisions are invited and should be submitted to the Standards Department, API, 1220 L Street, NW, Washington, D.C. 20005, [standards@api.org](mailto:standards@api.org).

Currently in preview, click buy full version

Currently in preview, click buy full version

## Contents

	Page
1 Scope .....	1
2 References .....	1
3 Instructions for Using Rating Charts .....	2
3.1 Description of Rating Charts .....	2
3.2 Use of Rating Charts .....	2
3.3 Discussion of Results with Bolt Makeup Stress = 40,000 psi .....	4
4 Rating Charts .....	4
<b>Tables</b>	
1 API Physical Properties and Material Types .....	4
2 Flanges Not Meeting ASME Stress Allowables for Makeup Load Case .....	5
<b>Figures</b>	
1 Typical Combined Load Capacity Results .....	6
2 Load Capacity Results to Use with Example Problems .....	7
3 2 1/16 in. 2,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	8
4 2 9/16 in. 2,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	9
5 3 1/8 in. 2,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	10
6 4 1/16 in. 2,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	11
7 7 1/16 in. 2,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	12
8 9 in. 2,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	13
9 11 in. 2,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	14
10 13 5/8 in. 2,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	15
11 16 3/4 in. 2,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	16
12 21 1/4 in. 2,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	17
13 2 1/16 in. 3,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	18
14 2 9/16 in. 3,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	19
15 3 1/8 in. 3,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	20
16 4 1/16 in. 3,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	21
17 7 1/16 in. 3,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	22
18 9 in. 3,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	23
19 11 in. 3,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	24
20 13 5/8 in. 3,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	25
21 16 3/4 in. 3,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	26
22 20 3/4 in. 3,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	27
23 2 1/16 in. 5,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	28
24 2 9/16 in. 5,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	29
25 3 1/8 in. 5,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	30
26 4 1/16 in. 5,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	31
27 7 1/16 in. 5,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	32
28 9 in. 5,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	33
29 11 in. 5,000 psi Type 6B Flange Bore Pressure vs. Bending Moment with Tension .....	34
30 13 5/8 in. 2,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension .....	35
31 16 3/4 in. 3,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension .....	36
32 13 5/8 in. 5,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension .....	37
33 16 3/4 in. 5,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension .....	38
34 18 3/4 in. 5,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension .....	39
35 21 1/4 in. 5,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension .....	40

36	1 13/16 in. 10,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	41
37	2 1/16 in. 10,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	42
38	2 9/16 in. 10,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	43
39	3 1/16 in. 10,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	44
40	4 1/16 in. 10,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	45
41	5 1/8 in. 10,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	46
42	7 1/16 in. 10,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	47
43	9 in. 10,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	48
44	11 in. 10,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	49
45	13 5/8 in. 10,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	50
46	16 3/4 in. 10,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	51
47	18 3/4 in. 10,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	52
48	21 1/4 in. 10,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	53
49	1 13/16 in. 15,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	54
50	2 1/16 in. 15,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	55
51	2 9/16 in. 15,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	56
52	3 1/16 in. 15,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	57
53	4 1/16 in. 15,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	58
54	5 1/8 in. 15,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	59
55	7 1/16 in. 15,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	60
56	9 in. 15,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	61
57	11 in. 15,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	62
58	13 5/8 in. 15,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	63
59	18 3/4 in. 15,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	64
60	1 13/16 in. 20,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	65
61	2 1/16 in. 20,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	66
62	2 9/16 in. 20,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	67
63	3 1/16 in. 20,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	68
64	4 1/16 in. 20,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	69
65	7 1/16 in. 20,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	70
66	9 in. 20,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	71
67	11 in. 20,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	72
68	13 5/8 in. 20,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	73
69	1 13/16 in. 30,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	74
70	2 1/16 in. 30,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	75
71	2 9/16 in. 30,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	76
72	3 1/16 in. 30,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	77
73	4 1/16 in. 30,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	78
74	7 1/16 in. 30,000 psi Type 6BX Flange Bore Pressure vs. Bending Moment with Tension	79

# Technical Report on Capabilities of API Flanges Under Combinations of Load

## 1 Scope

This technical report presents the results of analysis work done in PRAC 86-21 to establish the load capacity of all flanges given in the April 1986 Editions of API 6A and API 6AB. A total of 69 different geometries were analyzed initially. The various loads considered were:

- bolt makeup (preload),
- internal pressure,
- tension, and
- bending moment.

All 69 flanges were analyzed with an axisymmetric finite element model for each of the four load cases. A post-processor program was written to calculate the maximum moment capacity for various levels of pressure and tension, based on linear superposition of results. Three different criteria were used to establish the maximum moment, as follows.

- a) ASME Section VIII, *Division 2* allowable stress categories for the flange with the basic membrane stress allowable established by API.
- b) Allowable bolt stresses as established by API.
- c) Loss of preload on the ring joint. The results of this post-processing are presented in plots of pressure vs. allowable moment for various tension levels in Section 4.

There are several limitations to this work which should be understood. First, the effects of transverse shear or torsion were not considered in the analysis. Second, the results are for static loading only. No dynamic, fatigue, or fretting phenomena were considered in these results. Third, no thermal stresses or elevated temperature effects were considered for this technical report. Finally, these charts are not intended to replace a critical evaluation of any particular connection in an application where the charts show the flange to be marginal. The charts are intended to be used only as general guidelines for design.

Subsequent to the completion of this work, the 5 1/8 in. 15,000 psi flange was added to API 6A. This new flange was analyzed with the ABAQUS general-purpose finite-element system, using a half-symmetry three-dimensional model in order to find the same data as shown for the other flanges in this technical report.

Details of the analysis of the 5 1/8 in. 15,000 psi flange can be found in the report, "Finite Element Analysis of 5 1/8 in. ksi API 6BX Flange", which was prepared for API by Stress Engineering Services. The report, SES Report Number PN114809, is dated February 2006.

## 2 References

This technical report references the following documents.

"Capabilities of API Flanges Under Combination of Loading PRAC 86-21," by K.C. Walker and Joe R. Fowler, Stress Engineering Services, Inc., report prepared for API, October 1987

API Specification 6A, *Specification for Wellhead and Christmas Tree Equipment*, Fifteenth Edition, April 1, 1986