

Australian Standard™

**Industrial automation systems and  
integration—Product data  
representation and exchange**

**Part 207: Application protocol:  
Sheet metal die planning and design**



Standards Australia

This Australian Standard was prepared by Committee IT/6, Information Technology for Industrial Automation and Integration. It was approved on behalf of the Council of Standards Australia on 16 June 2000 and published on 27 September 2000.

---

The following interests are represented on Committee IT/6:

Association of Consulting Engineers Australia  
Australian Air Transport Association  
Australian Electrical and Electronic Manufacturers Association  
Australian Foundry Institute  
Australian Industry Group  
Australian Information Industry Association  
Australian Institute of Steel Construction  
Australian Robot Association  
Bureau of Steel Manufacturers of Australia  
CSIRO Centre for Planning and Design  
CSIRO Manufacturing Science and Technology  
Department of Defence (Australia)  
Department of Industry Science and Tourism (Commonwealth)  
Federal Chamber of Automotive Industries  
Institution of Engineers Australia  
Monash University  
New South Wales TAFE Commission  
Royal Australian Institute of Architects  
Royal Melbourne Institute of Technology  
University of Melbourne

---

#### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To remain in their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Australia web site at [www.standards.com.au](http://www.standards.com.au) and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Australian Standard*, has a full listing of revisions and amendments published each month.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at [mail@standards.com.au](mailto:mail@standards.com.au), or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

---

Australian Standard™

**Industrial automation systems and  
integration—Product data  
representation and exchange**

**Part 207: Application protocol:  
Sheet metal die planning and design**

First published as AS 10303.207—2000

**COPYRIGHT**

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd  
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 3502 9

## PREFACE

This Standard was prepared by the Standards Australia Committee IT/6, Information Technology for Industrial Automation and Integration. It is identical with, and has been reproduced from, ISO 10303-207:1999, *Industrial automation systems and integration—Product data representation and exchange, Part 207: Application protocol: Sheet metal die planning and design*.

The objective of this Standard is to provide, for designers of computer-interpretable representation and exchange of product data, a specification for an application protocol for the exchange of sheet metal part design, part manufacture, and tool design information between contractors and suppliers.

This Standard is Part 207 of AS 10303, *Industrial automation systems and integration—Product data representation and exchange*, which is published in Parts as follows:

Part 1: Overview and fundamental principles

- Part 11: Description methods: The EXPRESS language reference manual
- Part 12: Description methods: The EXPRESS-I language reference manual
- Part 21: Implementation methods: Clear text encoding of the exchange structure
- Part 31: Conformance testing methodology and framework: General concepts
- Part 41: Integrated generic resources: Fundamentals of product description and support
- Part 42: Integrated generic resources: Geometric and topological representation
- Part 43: Integrated generic resources: Representation structures
- Part 44: Integrated generic resources: Product structure configuration
- Part 46: Integrated generic resources: Visual presentation
- Part 47: Integrated generic resource: Shape variation tolerances
- Part 101: Integrated application resources: Draughting
- Part 105: Integrated application resource: Kinematics
- Part 201: Application protocol: Explicit draughting
- Part 202: Application protocol: Associative draughting
- Part 203: Application protocol: Configuration controlled design
- Part 207: Application protocol: Sheet metal die planning and design (this Standard)

The term ‘normative’ has been used in this Standard to define the application of the annex to which it applies. A ‘normative’ annex is an integral part of a Standard.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number does not appear on each page of text and its identity is shown only on the cover and title page.
- (b) In the source text ‘this part of ISO 10303’ should read ‘this Australian Standard’.
- (c) A full point should be substituted for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to equivalent Australian or Australian/New Zealand Standards, as follows:

Reference to International Standard or other Publication	Australian or Australian/New Zealand Standard
ISO 31	AS —
1000	1000 The international system of units (SI) and its application
8601	AS/NZS 3802 Data elements and interchange formats—Information interchange—Representation of dates and times

ISO		AS	
10303	Industrial automation systems and integration—Product data representation and exchange	10303	Industrial automation systems and integration—Product data representation and exchange
10303-1	Part 1: Overview and fundamental principles	10303.1	Part 1: Overview and fundamental principles
10303-11	Part 11: Description methods: The EXPRESS language reference manual	10303.11	Part 11: Description methods: The EXPRESS language reference manual
10303-21	Part 21: Implementation methods: Clear text encoding of the exchange structure	10303.21	Part 21: Implementation methods: Clear text encoding of the exchange structure
10303-22	Part 22: Implementation methods: Standard data access interface	10303.22	Part 22: Implementation methods: Standard data access interface
10303-31	Part 31: Conformance testing methodology and framework: General concepts	10303.31	Part 31: Conformance testing methodology and framework: General concepts
10303-41	Part 41: Integrated generic resources: Fundamentals of product description and support	10303.41	Part 41: Integrated generic resources: Fundamentals of product description and support
10303-42	Part 42: Integrated generic resources: Geometric and topological representation	10303.42	Part 42: Integrated generic resources: Geometric and topological representation
10303-43	Part 43: Integrated generic resources: Representation structures	10303.43	Part 43: Integrated generic resources: Representation structures
10303-44	Part 44: Integrated generic resources: Product structure configuration	10303.44	Part 44: Integrated generic resources: Product structure configuration
10303-45	Part 45: Integrated generic resources: Materials	10303.45	Part 45: Integrated generic resources: Materials
10303-47	Part 47: Integrated generic resources: Shape variation tolerances	10303.47	Part 47: Integrated generic resources: Shape variation tolerances
10303-49	Part 49: Integrated generic resources: Process structure and properties	10303.49	Part 49: Integrated generic resources: Process structure and properties
10303-307	Part 307: Abstract test suite for Sheet metal deep drawing and design	—	
ISO/IEC		AS/NZS	
8824	Information technology—Abstract Syntax Notation One (ASN.1)	8824	Information technology—Abstract syntax notation one
8824-1	Part 1: Specification of basic notation	8824.1	Part 1: Specification of basic notation

1	Scope .....	1
2	Normative references .....	5
3	Definitions .....	7
3.1	Terms defined in ISO 8601 .....	7
3.2	Terms defined in ISO 10303-1 .....	7
3.3	Terms defined in ISO 10303-31 .....	9
3.4	Terms defined in ISO 10303-42 .....	9
3.5	Terms defined in ISO 10303-43 .....	10
3.6	Terms defined in ISO 10303-44 .....	10
3.7	Terms defined in ISO 10303-202 .....	11
3.8	Other definitions .....	11
3.8.1	cam .....	11
3.8.2	contractor .....	11
3.8.3	die .....	11
3.8.4	die face .....	11
3.8.5	die set .....	11
3.8.6	die structure .....	12
3.8.7	feature .....	12
3.8.8	feature property .....	12
3.8.9	hard aid .....	12
3.8.10	in-process .....	12
3.8.11	mating die .....	12
3.8.12	part process plan .....	12
3.8.13	sheet metal .....	12
3.8.14	sheet metal part .....	12
3.8.15	sheet metal part process plan .....	12
3.8.16	stamping press .....	13
3.8.17	supplier .....	13
3.9	Abbreviations .....	13
4	Information requirements .....	14
4.1	Units of functionality .....	14
4.1.1	feature .....	15

4.1.2	item	15
4.1.3	item_definition	16
4.1.4	item_definition_relationship	16
4.1.5	item_version	17
4.1.6	part_process_plan	17
4.1.7	product	17
4.1.8	representation_element	18
4.1.9	shape_definition	19
4.1.10	shape_definition_relationship	19
4.1.11	tolerance	19
4.1.12	work_order	20
4.1.13	work_request	20
4.2	Application objects	20
4.3	Application assertions	59
5	Application interpreted model	67
5.1	Mapping table	67
5.2	AIM EXPRESS short listing	158
6	Conformance requirements	235
6.1	Conformance class membership	237
<b>Annexes</b>		
A	AIM EXPRESS expanded listing	258
B	AIM short names	352
C	Implementation method-specific requirements	368
D	Protocol Implementation Conformance Statement (PICS) proforma	369
E	Information object registration	371
E.1	Document identification	371
E.2	Schema identification	371
F	Application interpreted constructs	372
G	Application activity model	443
G.1	Application activity model definitions and abbreviations	443
G.2	Application activity model diagrams	454
H	Application reference model	460

J AIM EXPRESS-G .....	469
K Computer interpretable listing .....	512
L Technical discussions .....	513
L.1 Technical discussion on dies .....	513
L.2 Technical discussion on presses .....	515
M Cross reference for AIM diagrams .....	517
N Bibliography .....	526
Index .....	527

## Figures

Figure 1 - Typical sheet metal die set .....	xiv
Figure 2 - Data planning model .....	xv
Figure G.1 - AAM IDEF0 diagram 1 of 5: A-0 Prepare for sheet metal production .....	455
Figure G.2 - AAM IDEF0 diagram 2 of 5: A0 Prepare for sheet metal production .....	456
Figure G.3 - AAM IDEF0 diagram 3 of 5: A2 Engineer die .....	457
Figure G.4 - AAM IDEF0 diagram 4 of 5: A22 Conceptualize part manufacture and die function .....	458
Figure G.5 - AAM IDEF0 diagram 5 of 5: A23 Design die .....	459
Figure H.1 - ARM IDEF1X diagram 1 of 8 .....	461
Figure H.2 - ARM IDEF1X diagram 2 of 8 .....	462
Figure H.3 - ARM IDEF1X diagram 3 of 8 .....	463
Figure H.4 - ARM IDEF1X diagram 4 of 8 .....	464
Figure H.5 - ARM IDEF1X diagram 5 of 8 .....	465
Figure H.6 - ARM IDEF1X diagram 6 of 8 .....	466
Figure H.7 - ARM IDEF1X diagram 7 of 8 .....	467
Figure H.8 - ARM IDEF1X diagram 8 of 8 .....	468
Figure J.1 - Application context - AIM EXPRESS-G diagram 1 of 42 .....	470
Figure J.2 - Product definition (1 of 2) - AIM EXPRESS-G diagram 2 of 42 .....	471
Figure J.3 - Product definition (2 of 2) - AIM EXPRESS-G diagram 3 of 42 .....	472
Figure J.4 - Product property definition - AIM EXPRESS-G diagram 4 of 42 .....	473
Figure J.5 - Product property representation - AIM EXPRESS-G diagram 5 of 42 .....	474
Figure J.6 - Document management - AIM EXPRESS-G diagram 6 of 42 .....	475
Figure J.7 - Action management - AIM EXPRESS-G diagram 7 of 42 .....	476
Figure J.8 - Action and method definition - AIM EXPRESS-G diagram 8 of 42 .....	477
Figure J.9 - Approval - AIM EXPRESS-G diagram 9 of 42 .....	478
Figure J.10 - Contract management - EXPRESS-G diagram 10 of 42 .....	479
Figure J.11 - Security classification management - AIM EXPRESS-G diagram 11 of 42 .....	480
Figure J.12 - Person organization management (1 of 2) - AIM EXPRESS-G diagram 12 of 42 .....	481
Figure J.13 - Person organization management (2 of 2) - AIM EXPRESS-G diagram 13 of 42 .....	482

Figure J.14 - Date time management - AIM EXPRESS-G diagram 14 of 42	483
Figure J.15 - Measure - AIM EXPRESS-G diagram 15 of 42	484
Figure J.16 - Representation - AIM EXPRESS-G diagram 16 of 42	485
Figure J.17 -Product structure - AIM EXPRESS-G diagram 17 of 24	486
Figure J.18 - Product concept - AIM EXPRESS-G diagram 18 of 42	487
Figure J.19 - Configuration management and effectivity - AIM EXPRESS-G diagram 19 of 42	488
Figure J.20 - Qualified measure and material property definition - AIM EXPRESS-G diagram 20 of 42	489
Figure J.21 - Shape dimension - AIM EXPRESS-G diagram 21 of 42	490
Figure J.22 - Shape tolerance and shape aspect definition - AIM EXPRESS-G diagram 22 of 42	491
Figure J.23 - Process property representation - AIM EXPRESS-G diagram 23 of 42	492
Figure J.24 - Process property - AIM EXPRESS-G diagram 24 of 42	493
Figure J.25 - Geometry representation - AIM EXPRESS-G diagram 25 of 42	494
Figure J.26 - Geometry placement and transformation - AIM EXPRESS-G diagram 26 of 42	495
Figure J.27 - Geometry points - AIM EXPRESS-G diagram 27 of 42	496
Figure J.28 - Geometry curves - AIM EXPRESS-G diagram 28 of 42	497
Figure J.29 - Geometry surfaces - AIM EXPRESS-G diagram 29 of 42	498
Figure J.30 - Geometry conics - AIM EXPRESS-G diagram 30 of 42	499
Figure J.31 - Geometry surface curves - AIM EXPRESS-G diagram 31 of 42	500
Figure J.32 - Geometry bounded curves - AIM EXPRESS-G diagram 32 of 42	501
Figure J.33 - Geometry b-spline curves - AIM EXPRESS-G diagram 33 of 42	502
Figure J.34 - Geometry elementary surfaces - AIM EXPRESS-G diagram 34 of 42	503
Figure J.35 - Geometry bounded surfaces - AIM EXPRESS-G diagram 35 of 42	504
Figure J.36 - Geometry b-spline surfaces - AIM EXPRESS-G diagram 36 of 42	505
Figure J.37 - Topology representation - AIM EXPRESS-G diagram 37 of 42	506
Figure J.38 - Topology (1 of 2) - AIM EXPRESS-G diagram 38 of 42	507
Figure J.39 - Topology (2 of 2) - AIM EXPRESS-G diagram 39 of 42	508
Figure J.40 - Geometric solid models - AIM EXPRESS-G diagram 40 of 42	509
Figure J.41 - Geometric CSG solids - AIM EXPRESS-G diagram 41 of 42	510
Figure J.42 - Geometric external shapes - AIM EXPRESS-G diagram 42 of 42	511
Figure L.1 - Cross-section of three-particle set	514
Figure L.2 - Illustration of how a drum may convert downward force into lateral force	515

## Tables

Table 1 - Mapping table for feature UoF	69
Table 2 - Mapping table for item UoF	72
Table 3 - Mapping table for item_definition UoF	75
Table 4 - Mapping table for item_definition_relationship UoF	89
Table 5 - Mapping table for item_version UoF	92
Table 6 - Mapping Table for part_process_plan UoF	95
Table 7 - Mapping table for product UoF	114
Table 8 - Mapping table for representation_element UoF	116
Table 9 - Mapping table for shape_definition UoF	122
Table 10 - Mapping table for shape_definition_relationship UoF	127

Table 11 - Mapping table for tolerance UoF . . . . .	128
Table 12 - Mapping table for work_order UoF . . . . .	132
Table 13 - Mapping table for work_order_request UoF . . . . .	155
Table 14 - Conformance options . . . . .	236
Table 15 - Conformance class membership . . . . .	237
Table B.1 - AIM short names of entities . . . . .	352

Currently in preview, click buy full version

## Introduction

ISO 10303 is an International Standard for the computer-interpretable representation and exchange of product data. The objective is to provide a neutral mechanism capable of describing product data throughout the life cycle of a product, independent from any particular system. The nature of this description makes it suitable not only for neutral file exchange, but also as a basis for implementing and sharing product databases and archiving.

This International Standard is organized as a series of parts, each published separately. The parts of ISO 10303 fall into one of the following series: description methods, integrated resources, application interpreted constructs, application protocols, abstract test suites, implementation methods, and conformance testing. The series are described in ISO 10303-1. This part of ISO 10303 is a member of the application protocol series.

This part of ISO 10303 specifies an application protocol (AP) for the exchange of sheet metal part design, part manufacture, and tool design information between contractors and suppliers. This exchange may be within enterprises, as when one department of an enterprise acts as a contractor, exchanging data with another department that acts as a supplier. This exchange may also be between enterprises, as when one enterprise, the contractor, exchanges information with another enterprise, the supplier. This AP satisfies an industrial need to exchange information to enable a contractor to manufacture a die tool used in the production of a sheet metal part. The information includes any combination of the following:

- Exchange of necessary information, such as sheet metal part geometry and configuration data, part tolerances, and part materials, from a contractor to a supplier to enable the supplier to produce a plan for manufacturing that sheet metal part;
- Exchange of necessary information, such as sheet metal part geometry and configuration data, part tolerances, and part materials, from a contractor to a supplier to enable the supplier to produce the design of a sheet metal die set (see figure 1);
- Exchange from a supplier to a contractor of a plan for the manufacture of a sheet metal part, possibly including press and process data, and plant constraint information;
- Exchange from a supplier to a contractor of the design of a sheet metal die, including die geometry and presentation data, die material data, die component configuration, and inter-relationships among the die component representations.

More information on the sheet metal forming process is included in annex L.

This application protocol defines the context, scope, and information requirements for sheet metal die planning and design, and specifies the integrated resources necessary to satisfy these requirements.