

Australian Standard™

**Coal and coke—Analysis and testing**

**Part 12.2: Higher rank coal—  
Caking and coking properties—  
Determination of Gray-King coke type**

This Australian Standard was prepared by Committee MN/1, Coal and Coke. It was approved on behalf of the Council of Standards Australia on 30 June 1999 and published on 5 September 1999.

---

The following interests are represented on Committee MN/1:

Australasian Institute of Mining and Metallurgy  
Australian Coal Association  
Australian Coal Preparation Society  
Australian Institute of Energy  
Bureau of Steel Manufacturers of Australia  
Coalfield Geology Council of New South Wales  
CSIRO, Division of Energy Technology  
Department of Mines and Energy, Qld  
Electricity Supply Association of Australia  
Institution of Engineers, Australia  
Minerals Council of Australia  
University of Newcastle  
University of New South Wales  
University of Queensland

---

**Review of Australian Standards.** To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important, therefore, that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

---

Australian Standard™

**Coal and coke—Analysis and testing**

**Part 12.2: Higher rank coal—  
Caking and coking properties—  
Determination of Gray-King coke type**

Originated as part of AS CK2.3—1949.  
Final edition AS 1038.12.2—1990  
Third edition 1999.

Published by Standards Australia  
(Standards Association of Australia)  
1 The Crescent, Homebush, NSW 2140

ISBN 0 7337 2828 6

## PREFACE

This Standard was prepared by the Standards Australia Committee MN/1, Coal and Coke as a revision of AS 1038.12.2—1990, *Coal and coke—Analysis and testing, Part 12.2: Carbonization properties of higher rank coal—Determination of Gray-King coke type*. Reference was made to ISO 502:1982, *Coal—Determination of caking power—Gray-King coke test*, and BS 1016: Section 107.2:1991, *Methods for analysis and testing of coal and coke—Caking and swelling properties of coal—Assessment of caking power by Gray-King coke test* in the preparation of this Standard.

## CONTENTS

	<i>Page</i>
1 SCOPE .....	3
2 REFERENCED DOCUMENTS .....	3
3 PRINCIPLE .....	3
4 SAFETY .....	3
5 INERT CARBONACEOUS ADDITIVE .....	4
6 APPARATUS .....	4
7 SAMPLE .....	5
8 PROCEDURE .....	5
9 REPORTING OF RESULTS .....	6
10 PRECISION OF THE DETERMINATION .....	6
11 TEST REPORT .....	8

## © Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

## STANDARDS AUSTRALIA

### Australian Standard

### Coal and coke—Analysis and testing

#### Part 12.2: Higher rank coal—Caking and coking properties— Determination of Gray-King coke type

**1 SCOPE** This Standard sets out a method for the determination of the Gray-King coke type of higher rank coal. The test is designed to assess the coking properties of a coal or a blend of coals by carbonizing under standardized conditions.

NOTE: Interpretation of the results of the tests in terms of the coking properties may differ between coals.

**2 REFERENCED DOCUMENTS** The following documents are referred to in this Standard:

#### AS

1038 Coal and coke—Analysis and testing  
 1038.4 Part 4: Coke—Proximate analysis  
 1038.16 Part 16: Assessment and reporting of results  
 1038.21.1.1 Part 21.1.1: Higher rank coal and coke—Relative density—Analysis sample/density bottle method

2243 Safety in laboratories (series)

4264 Coal and coke—Sampling

4264.1 Part 1: Higher rank coal—Sampling procedures

#### SAA

TR2.3-2 Certified reference materials  
 Electrode carbon—Preparation and certification of ASCRM 003-2 (for use in Gray-King coke type test (AS 1038.12.2))

#### ISO

502 Coal—Determination of caking power—Gray-King coke test

**3 PRINCIPLE** The coal is heated under standardized conditions to a final temperature of 600°C. The coke residue obtained is classified by strength and degree of swelling.

If the coke residue produced is so swollen that it fills the cross-section of the retort tube, the determination is repeated with a mixture of the coal and a suitable quantity of inert carbonaceous additive or equivalent material. For these highly swelling coals, the Gray-King coke type is defined by the minimum amount of inert carbonaceous additive required to produce a strong hard coke residue of the same volume as the original coal and inert carbonaceous additive mixture.

**4 SAFETY** For information on laboratory safety, reference should be made to the relevant parts of AS 2243.