

DR 95016

AS 1056.4—1990

1997

Australian Standard®

Storage water heaters

Part 4: Calculations of energy consumption



STANDARDS AUSTRALIA



This Australian Standard was prepared by Committee EL/20, Electric Water Heating Appliances. It was approved on behalf of the Council of Standards Australia on 7 June 1990 and published on 6 August 1990.

The following interests are represented on Committee EL/20:

- Australian Consumers Association
 - Australian Electrical and Electronic Manufacturers' Association
 - Australian Gas Association
 - Confederation of Australian Industry
 - Electricity Supply Association of Australia
 - Engineering and Water Supply Department, South Australia
 - Heat Exchange Water Heater Manufacturers Association
 - Metal Trades Industry Association of Australia
-

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up-to-date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions or amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcome. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

Australian Standard®

Storage water heaters

**Part 4: Calculations of energy
consumption**

First published as AS 1056.4—1990.

PREFACE

This Standard was prepared by the Standards Australia Committee on Electric Water Heating Appliances to provide methods for calculating the energy consumption of storage water heaters in order to provide data which could form the basis for energy labelling of the heaters.

This Standard was prepared in response to proposals by the Department of Energy (now Department of Minerals and Energy), N.S.W. to introduce energy labelling of storage water heaters.

In order to contain costs, the calculations are based on already-known performance characteristics (heat losses of electrical heaters, maintenance gas consumption and thermal efficiency of gas heaters).

The adequacy of the calculations was checked by testing done under laboratory conditions by the State Electricity Commission of Victoria and independently verified (see Note to Clause 5.4.2).

For gas water heaters, this Standard specifies calculations in accordance with a Code AG 102, *Approval requirements for gas water heaters equipped with natural draught combustion systems*, published by the Australian Gas Association and the Australian Liquefied Petroleum Gas Association, which is obtainable from AGA, 320 St. Kilda Rd., Melbourne, Vic. 3004.

CONTENTS

	<i>Page</i>
1 SCOPE	3
2 APPLICATION	3
3 REFERENCED DOCUMENTS	3
4 DEFINITIONS	3
5 ELECTRIC WATER HEATERS	3
6 GAS WATER HEATERS	4
APPENDIX A DERIVATION OF CALCULATIONS FOR ELECTRIC STORAGE WATER HEATERS	6

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the Head Office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

STANDARDS AUSTRALIA

Australian Standard Storage water heaters

Part 4: Calculations of energy consumption

1 SCOPE This Standard specifies equations for the calculation of the annual energy consumption of electric and gas storage water heaters based on an assumed daily energy output of 37.7 MJ (equivalent to 200 L of water raised 45 °C) and on known performance characteristics of the water heaters under static (no delivery) conditions.

Where annual energy consumption calculations for electric water heaters are required for daily energy outputs other than 37.7 MJ and hot water temperatures other than 60 °C, Equation A5 (see Appendix A) shall be used with the appropriate value for factor F_E , and new values for factor F_C shall be determined from tests for the respective hot water output and temperature.

NOTE: The values of 37.7 MJ, 200 L, and 45 °C were chosen in order to align with AG 102. For electric heaters, the derivation of the equations is detailed in Appendix A. For gas heaters, calculations are not specified herein but in AG 102. See Clause 6 herein.

The equations are not applicable to heat-exchange, heat-pump, or solar water heaters.

2 APPLICATION This Standard is intended to be read in conjunction with AS 1056.1 and AG 102.

3 REFERENCED DOCUMENTS The following documents are referred to in this Standard:

AS

1056 Storage water heaters
1056.1 Part 1: General requirements

AG

102 Approval requirements for gas water heaters equipped with natural draught combustion systems (see Preface)

4 DEFINITIONS For the purpose of this Standard, the definitions below apply.

4.1 Off-peak energization—energization of up to 12 h on a concessional (night rate) electricity tariff.

4.2 Continuous energization—energization without interruption, i.e. 24 h per day.

4.3 Thermal efficiency of a storage water heater—the ratio of the heat imparted to the water to the heat input to the water heater during the period when the water temperature is being raised from the inlet temperature to the cut-out temperature of the thermostat.

5 ELECTRIC WATER HEATERS

5.1 Principle The energy consumption of an electric storage water heater is taken as the sum of two components, as follows:

- The energy required to heat cold water to replace hot water drawn, the thermal efficiency being as calculated from the standing losses (corrected for the conditions applicable to the determination of energy consumption) and the element wattage.
- The losses due to conduction, convection, and radiation of heat from the stored water, as measured in accordance with AS 1056.1, Appendix B.

In some cases a factor is applied to account for the loss of hot water which is discharged as cold water expands on being heated.

The calculations are based on a daily energy output of 37.7 MJ, a hot water temperature of 60 °C, and a heating unit rating of 3.6 kW.

NOTE: As changes in the rated power of the main heating unit have little effect on the efficiency, a standard value of 3.6 kW has been used.

5.2 Notation Symbols used in this Section are as follows:

E_A = annual energy consumption, in kilowatt hours

F_C = test correlation factor (dimensionless) to allow for reduced losses on off-peak energization

F_E = expansion loss factor (dimensionless) to allow for losses due to the thermal expansion of water being heated, where applicable

H = heat loss as determined in accordance with AS 1056.1, Appendix B, in kilowatt hours per 24 h

T_S = nominal thermostat setting, in degrees Celsius

η_R = thermal efficiency, per unit