

Australian Standard[®]

Agricultural tractor power take-offs

**Part 2: Rear-mounted power take-off
types 1, 2 and 3—Narrow-track tractors,
dimensions for master shield and
clearance zone**

STANDARDS
Australia



This Australian Standard® was prepared by Committee ME-065, Agricultural Tractors and Machinery. It was approved on behalf of the Council of Standards Australia on 24 May 2007. This Standard was published on 10 August 2007.

The following are represented on Committee ME-065:

- Department of Consumer & Employment Protection, WorkSafe Division (WA)
 - Department of Labour New Zealand
 - Department of Primary Industries and Fisheries Queensland
 - Federated Farmers of New Zealand
 - NSW Department of Primary Industries
 - National Farmers Federation
 - National Injury Prevention Advisory Council Standards Working Group
 - Safety Institute of Australia (Incorporated)
 - The University of Melbourne
 - The University of Queensland
 - Tractor & Machinery Association of Australia
 - Victorian WorkCover Authority
 - WorkCover New South Wales
-

This Standard was issued in draft form for comment as DR 07023.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting www.standards.org.au

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

Australian Standard[®]

Agricultural tractor power take-offs

Part 2: Rear-mounted power take-off types 1, 2 and 3—Narrow-track tractors, dimensions for master shield and clearance zone

Originally as part of AS 1121—1971.
Previous edition part of AS 1121—1983.
Revised in part and redesignated as AS 1121.3—2007.

COPYRIGHT

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 476, Sydney, NSW 2001, Australia

ISBN 0 7337 8324 4

PREFACE

This Standard was prepared by the Australian members of the Joint Standards Australia/Standards New Zealand Committee ME-065, Agricultural Tractors and Machinery, as a revision, in part, of AS 1121—1983, *Guards for agricultural tractor PTO drives*. After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian Standard rather than an Australian/New Zealand Standard.

The objective of this Standard is to provide designers, manufacturers and suppliers of rear-mounted power take-offs with means for reducing the risks to the health and safety of those who must work with or near rear-mounted power take-offs, by providing dimensional and clearance requirements for the master shield for use on narrow-track tractors.

This Standard is identical with and has been reproduced from ISO 500-2:2004, *Agricultural tractors—Rear-mounted power take-off types 1, 2 and 3—Part 2: Narrow track tractors, dimensions for master shield and clearance zone*.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number appears on the cover and title page while the International Standard number appears only on the cover.
- (b) In the source text ‘this part of ISO 500’ should read ‘this Australian Standard.’
- (c) A full point substitutes for a comma when referring to a decimal marker.

The references to international standards should be replaced by references to the following Australian Standards:

<i>Reference to International Standard</i>	<i>Australian Standard</i>
ISO 500	AS 1121
Agricultural tractors—Rear-mounted power take-off, types 1, 2 and 3	Agricultural tractors—Rear-mounted power take-off, types 1, 2 and 3
500-1	1121.1
Part 1: General specifications, safety requirements and dimensions for master shield and clearance	Part 1: General specifications, safety requirements, dimensions for master shield and clearance

Other international references not listed have not been adopted as an Australian/New Zealand Standard.

AUSTRALIAN STANDARD

Agricultural tractor power take-offs

Part 2:

Rear-mounted power take-off types 1, 2 and 3—Narrow-track tractors, dimensions for master shield and clearance zone**1 Scope**

This part of ISO 500 specifies the dimensions of the master shield and clearance zones for rear-mounted power take-offs (PTO) of types 1 and 2 on narrow-track (track width 1 150 mm or less) agricultural tractors.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 500-1:2004, *Agricultural tractors — Rear-mounted power take-off types 1, 2 and 3 — Part 1: General specifications, safety requirements, dimensions for master shield and clearance zone*

ISO 789-1:1990, *Agricultural tractors — Test procedures — Part 1: Power tests for power take-off*

ISO 5673-2, *Agricultural tractors and machinery — Power take-off drive shafts and power-input connection — Part 2: Specification for use of PTO drive shafts, and position and clearance of PTO drive line and PIC for different attachments*¹⁾

ISO 6489-1, *Agricultural vehicles — Mechanical connections between towed and towing vehicles — Part 1: Dimensions of hitch-hooks*

ISO 6489-2, *Agricultural vehicles — Mechanical connections between towed and towing vehicles — Part 2: Specifications for clevis coupling 40*

ISO 6489-3, *Agricultural vehicles — Mechanical connections between towed and towing vehicles — Part 3: Tractor drawbar*

ISO 6489-4, *Agricultural vehicles — Mechanical connections between towed and towing vehicles — Part 4: Dimensions of piton-type coupling*

ISO 24347, *Agricultural vehicles — Mechanical connections between towed and towing vehicles — Dimensions of ball-type coupling device (80 mm)*²⁾

1) To be published. (Revision of ISO 5673:1993)

2) To be published.