

Australian Standard™

**Determination of tensile properties of
plastics materials**

Part 1: General principles

[ISO title: Plastics—Determination of tensile properties, Part 1: General principles]



S t a n d a r d s Australia

This Australian Standard was prepared by Committee PL-010, Methods of Testing Plastics. It was approved on behalf of the Council of Standards Australia on 27 October 2000 and published on 27 February 2001.

The following interests are represented on Committee PL-010:

CSIRO Building, Construction and Engineering
Plastics and Chemicals Industries Association
Royal Australian Chemical Institute
Telstra Corporation

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Australia web site at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Australian Standard*, has a full listing of revisions and amendments published each month.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.com.au, or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

Australian Standard™

**Determination of tensile properties of
plastics materials**

Part 1: General principles

Originated as AS 1145—1972.
Previous edition AS 1145—1989.
Revised and redesignated AS 1145.1—2001.

COPYRIGHT

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 3687 4

PREFACE

This Standard was prepared by the Standards Australia Committee PI-010, Methods of Testing Plastics.

This Standard is identical to and is reproduced from ISO 527-1:1993 *Plastics—Determination of tensile properties*, Part 1: *General principles* and ISO 527 1:1993/ Cor.1:1994.

The objective of this Standard is to provide testing agencies with a method for testing plastics to determine tensile properties.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number does not appear on each page of text and its identity is shown only on the cover and title page.
- (b) In the source text ‘this International Standard’ should read ‘this Australian Standard’.
- (c) A full point should be substituted for a comma when referring to a decimal mark.
- (d) References to International Standards should be replaced by references to equivalent Australian or Australian/New Zealand Standards, as follows:

<i>Reference to International Standard</i>	<i>Australian or Australian/New Zealand Standard</i>
ISO/IEC	AS/NZS
2602 Statistical interpretation of test results—Estimation of the mean-confidence interval	—
5893 Rubber and plastics test equipment—tensile, flexural and compression types (constant rate of traverse)—Description	—
291 Plastics—Standard atmospheres for conditioning and testing	1327 Standard environments for conditioning and testing plastics materials

STANDARDS AUSTRALIA

Determination of tensile properties of plastics materialsPart 1:
General principles**1 Scope**

1.1 This part of ISO 527 specifies the general principles for determining the tensile properties of plastics and plastic composites under defined conditions.

Several different types of test specimen are defined to suit different types of material which are detailed in subsequent parts of ISO 527.

1.2 The methods are used to investigate the tensile behaviour of the test specimens and for determining the tensile strength, tensile modulus and other aspects of the tensile stress/strain relationship under the conditions defined.

1.3 The methods are selectively suitable for use with the following range of materials:

- rigid and semirigid thermoplastics moulding and extrusion materials, including filled and reinforced compounds in addition to unfilled forms; rigid and semirigid thermoplastics sheets and films;
- rigid and semirigid thermosetting moulding materials, including filled and reinforced compounds; rigid and semirigid thermosetting sheets, including laminates;
- fibre-reinforced thermoset and thermoplastics composites incorporating unidirectional or non-unidirectional reinforcements such as mat, woven fabrics, woven rovings, chopped strands, combination and hybrid reinforcements, rovings and mixed fibres, sheets made from pre-impregnated materials (prepregs);
- thermotropic liquid crystal polymers.

The methods are not normally suitable for use with rigid cellular materials or sandwich structures containing cellular material.

1.4 The methods are applied using specimens which may be either moulded to the chosen dimensions or machined, cut or punched from finished and semifinished products, such as mouldings, laminates, films and extruded or cast sheet. In some cases a multipurpose test specimen (see ISO 3167:1993, *Plastics — Preparation and use of multipurpose test specimens*) may be used.

1.5 The methods specify preferred dimensions for the test specimens. Tests which are carried out on specimens of different dimensions, or on specimens which are prepared under different conditions, may produce results which are not comparable. Other factors, such as the speed of testing and the conditioning of the specimens, can also influence the results. Consequently, when comparative data are required, these factors must be carefully controlled and recorded.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO 527. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO 527 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 291:1977, *Plastics — Standard atmospheres for conditioning and testing*.

ISO 2602:1980, *Statistical interpretation of test re-*