

DR 85020
DR 87002

INTERPRETATION NO.1 - JULY 1972
S/S BY AN. 3509-1980

Amend 1.
Amend 2 - 1985
AS 1210-1982
UDC 621.772.4:621.642

Australian Standard 1210-1982

SAA UNFIRED PRESSURE VESSELS CODE

1980
10



STANDARDS ASSOCIATION OF AUSTRALIA
Incorporated by Royal Charter

This Australian standard was prepared by Committee ME/1, Boilers and Unfired Pressure Vessels. It was approved on behalf of the Council of the Standards Association of Australia on 20 April 1982 and published on 18 October 1982.

The following interests were represented on the committee responsible for the preparation of this standard:

Aluminium Development Council
Australasian Institute of Metals
Australian Chamber of Commerce
Australian Compressed Air Institute
Australian Institute of Energy
Australian Institute of Non-destructive Testing
Australian Institute of Petroleum Limited
Australian Liquefied Petroleum Gas Association
Australian Society of Sugar Cane Technologists
Australian Valve Manufacturers Association
Australian Welding Institute
Australian Welding Research Association
Boiler and Pressure Vessel Manufacturers Association of Australia
Bureau of Steel Manufacturers of Australia
Confederation of Australian Industry
Department of the Capital Territory
Department of Defence
Department of Industrial Affairs and Employment, S.A.
Department of Industrial Relations N.S.W.
Department of Labour and Industry, Tas.
Department of Labour and Industry, Vic.
Department of Labour and Industry, W.A.
Department of Employment and Labour Relations, Qld
Department of Mines and Energy, N.T.
Electricity Supply Association of Australia
Institution of Engineers, Australia
Metal Trades Industry Association of Australia
Railways of Australia Committee
Society of Mechanical Engineers of Australia

To keep abreast of progress in industry, Australian standards are subject to continuous review and are kept up-to-date by the issue of amendments or new editions as necessary. It is important therefore that standards users ensure that their standards are up-to-date. Full details of all SAA publications will be found in the Annual List of Australian Standards; these details are supplemented by listings in the SAA monthly journal 'The Australian Standard'. Information on the Annual List and 'The Australian Standard' may be obtained from any sales office of the Association, where details are also available of the current status of individual standards. Suggestions for improvements to published standards, addressed to the head office of the Association, are welcomed.

This standard was issued in draft form for comment as DR 80237 and DR 80266.

AUSTRALIAN STANDARD

UNFIRED PRESSURE VESSELS

known as the

SAA UNFIRED PRESSURE VESSELS CODE

AS 1210—1982

First published	1972
Second edition	1977
Third edition	1982

PUBLISHED BY THE STANDARDS ASSOCIATION OF AUSTRALIA
STANDARDS HOUSE, 80 ARTHUR ST, NORTH SYDNEY, N.S.W.

ISBN 0 7262 2566 5

PREFACE

This edition of this standard was prepared by the Association's Committee on Boilers and Unfired Pressure Vessels to supersede AS 1210—1977. The standard was first published in 1972 as part of the program of revision and metrication of the SAA Boiler Code which at that time was designated AS CB1. This standard forms part of the revised SAA Boiler Code which is referenced as AS 1200 and covers requirements for water tube, fire tube, shell and miscellaneous boilers, unfired pressure vessels, piping, welder certification, and related matters. The SAA Boiler Code is referred to in statutory regulations within Australia.

Revisions and additions contained in the published amendments to the 1977 edition of this standard, together with subsequent revisions and additions approved by the committee, have been included in this edition.

The changes introduced include extensive editorial modifications to align with current SAA practice and a number of important technical changes, including the following:

- (a) The use of new steels to AS 1548—1981.
- (b) The use of structural and similar quality steels (see Clauses 2.3.3 and 2.3.4).
- (c) Reduction in the number of weld test plates (see Clause 5.2.2).
- (d) Complete revision of the requirements on non-destructive examination.

A substantial part of the requirements for the design of flat tubeplates have been temporarily withdrawn for copyright reasons (see Clause 3.1.7). Completely revised requirements are being prepared by the committee, which will take account of latest world practice. In the interim, it is not intended that the withdrawal of any hitherto existing requirements for tubeplates should vary the accepted practice for the design of flat tubeplates that has been followed and amended from time-to-time since AS 1210 was first published in 1972.

The committee has decided to delete all reference to riveted construction throughout the standard as this type of construction is rarely used at the present time. For guidance reference may be made to the now superseded AS CB1—Part 1, Boilers Other than Water Tube Boilers and Locomotive Boilers for Railway Purposes, reference copies of which are available at the SAA Libraries.

The clauses, tables and figures that have been subject to technical change in this edition, i.e. subsequent to the issue of Amendment No 2 to AS 1210—1977, are listed in Annex 2.

The standard follows in principle other codes forming part of the SAA Boiler Code in giving guidance to manufacturers, statutory authorities and users in the form of minimum engineering requirements which are necessary for the safe design, construction and installation of unfired pressure vessels. In special instances additional requirements may be necessary for adequate performance or safety.

The requirements in this standard have been formulated to afford reasonably certain protection of life and property and to indicate where a margin for deterioration in service may be needed so as to give a reasonably long, safe period of usefulness. The standard takes into consideration advancements in design and materials and the evidence of experience.

The standard contains basic data necessary for design, including material specification, design parameters, requirements for fabrication, testing and inspection. These requirements are given in terms of principles to the fullest practicable extent, supplemented where necessary by further detail to obtain uniform interpretation of principle and guidance on best methods. In other areas the standard indicates where caution is necessary but a direct prohibition would be unwise at the present level of knowledge.

The standard incorporates the class system of vessels based on different qualities of classes of construction and has attempted to give basic principles to indicate where such classes should be used. Three main classes are adopted using the present level of stress (safety factor of 4 approximately). An additional class of vessels, i.e. Class 1H, may be produced in accordance with AS 1210, Supplement No 1, which permits the use of design stresses higher than those contained herein.

The specific design requirements of the standard are based on a simplified engineering approach and are intended to be the standard methods of design. However, in special instances, particularly where guidance is not provided in this standard, other methods may be used provided the validity of the design is satisfactorily established.

No rules of construction can be written in sufficient detail to ensure good workmanship in construction. Each vessel manufacturer is responsible for taking every necessary step to make sure that the quality of workmanship and construction is such as will ensure compliance with good engineering practice.

The user will also need to consider many factors beyond those covered by this standard in the final specification of a vessel and is cautioned that the standard is not a complete design handbook and that he should be aware of the need for competent engineering judgment.

It should be noted that the standard has been written primarily to suit conditions in Australia where there is a strong relationship between the manufacturer (and designer) and the Inspecting Authority. However it is not intended to weaken the important link between these parties and the purchaser, who will be concerned with many other aspects beyond the scope of this standard and who may require additional or alternative requirements; but such requirements must not be less than those already specified in the standard and must meet the requirements of the Inspecting Authority in the State where the vessel is to be operated. Statements of above requirements should form part of the contract documents between the purchaser and manufacturer.

Users of this standard are reminded that it has no legal authority in its own right, but may acquire legal standing in one or more of the following circumstances:

- (a) Adoption by a government or other authority having jurisdiction.
- (b) Adoption by a purchaser as the required standard of construction when placing a contract.

New para. see Amclt 1.

- (c) Adoption where a manufacturer states that a vessel is in accordance with this standard.

Acknowledgement is gratefully made to the American Society of Mechanical Engineers for permission to reproduce certain extracts from the ASME Boiler and Pressure Vessel Code. In addition, acknowledgement is made of the considerable assistance provided by British and other national standards.

© Copyright — STANDARDS ASSOCIATION OF AUSTRALIA 1982

Users of standards are reminded that copyright subsists in all SAA publications. No part of this publication may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing of the Standards Association of Australia.

CONTENTS

	<i>Page</i>		<i>Page</i>
FOREWORD.....	6	3.18 Openings and Reinforcement	107
SECTION 1. SCOPE AND GENERAL REQUIREMENTS		3.19 Connections and Branches	113
1.1 Scope.....	7	3.20 Inspection Openings	124
1.2 Purpose of Standard	7	3.21 Bolted Flanged Connections	128
1.3 Application	7	3.22 Pipes and Tubes	170
1.4 Interpretation of Standard	7	3.23 Jacketed Construction	170
1.5 New Designs, Materials and Construction Methods	7	3.24 Vessel Supports	171
1.6 Classes of Vessel Construction	8	3.25 Attached Structures and Equipment	181
1.7 Application of Vessel Classes and Types	8	3.26 Design of Transportable Vessels	181
1.8 Definitions.....	8	3.27 Quick Actuating Closures	184
1.9 Units	11	SECTION 4. CONSTRUCTION	
1.10 Notation	11	4.1 Construction—General	186
1.11 Information to be Supplied by the Purchaser and Manufacturer	11	4.2 Welded Construction	193
1.12 Designation	11	4.3 Clad Construction	209
1.13 Referenced Documents	12	4.4 Riveted Construction	209
SECTION 2. MATERIALS		4.5 Brazed Construction	209
2.1 Material Specifications	13	4.6 Forged Construction	210
2.2 Components	13	4.7 Cast Construction	212
2.3 Alternative Material and Component Specifications	13	SECTION 5. TESTING AND QUALIFICATION	
2.4 Material Identification	22	5.1 Testing and Qualification—General	213
2.5 Limits of Application of Materials and Components	22	5.2 Welded Production Test Plates	213
2.6 Material Requirements for Low Temperature Service	22	5.3 Non-destructive Examination	222
2.7 Material Requirements for High Temperature Service	23	5.4 Visual Examination	230
2.8 Non-destructive Testing of Materials	23	5.5 Radiographic Examination of Welded Joints	230
SECTION 3. DESIGN		5.6 Ultrasonic Examination	232
3.1 General Design	34	5.7 Magnetic Particle Examination	233
3.2 Design Conditions	34	5.8 Penetrant Flaw Examination	233
3.3 Design Strengths	37	5.9 Non-destructive Examination of Castings	234
3.4 Thickness of Vessel Walls	62	5.10 Hydrostatic Tests	234
3.5 Welded and Brazed Joints	62	5.11 Pneumatic Tests	236
3.6 Ligament Efficiency	74	5.12 Proof Hydrostatic Tests	237
3.7 Thin-walled Cylindrical and Spherical Shells Subject to Internal Pressure and Combined Loadings	74	5.13 Leak Test	239
3.8 Thick-walled Cylindrical and Spherical Shells Subject to Internal Pressure	75	5.14 Qualification of Welding Procedure	240
3.9 Cylindrical and Spherical Shells Subject to External Pressure	76	5.15 Specific Qualification of Welders	245
3.10 Conical Ends and Reducers Subject to Internal Pressure	84	5.16 Qualification of Brazing Procedures, Brazers, and Brazing Operators	247
3.11 Conical Shells and Ends Subject to External Pressure	86	5.17 Special Tests	247
3.12 Dished Ends Subject to Internal Pressure	86	5.18 Heat Treatment Verification Tests	247
3.13 Dished Ends Subject to External Pressure	88	SECTION 6. INSPECTION	
3.14 Dished Ends—Bolted Spherical Type	90	6.1 Responsibilities and Qualifications	249
3.15 Unstayed Flat Ends and Covers	92	6.2 Inspection of Design	249
3.16 Stayed Flat Ends and Surfaces	96	6.3 Facilities for Inspection	249
3.17 Flat Tubeplates	101	6.4 Material Inspection	249
		6.5 General Inspection of Construction	249
		6.6 Inspection of Welded Construction	250
		6.7 Inspection of Riveted Construction	250
		6.8 Inspection of Forged Construction	250
		6.9 Inspection of Cast Construction	250
		SECTION 7. MARKING REPORTS	
		7.1 Marking Required	251
		7.2 Methods of Marking	251

	<i>Page</i>		<i>Page</i>
7.3 Location of Marking	251	9.2 Protection	260
7.4 Size and Type of Marking	251	9.3 Associated Fittings and Components	260
7.5 Multi-chamber Vessels	251		
7.6 Witnessing of Marking	251	APPENDICES	
7.7 Reports	251	A Basis of Design Tensile Strength	261
SECTION 8. PROTECTIVE DEVICES AND OTHER FITTINGS		B Porosity Charts	263
8.1 General Requirements	252	C Recommended Practice to Avoid Fatigue Cracking	268
8.2 Vessels Requiring Pressure Relief Devices	252	D Recommended Corrosion Prevention Practice	269
8.3 Types of Pressure Relief Devices	253	E Information to be Supplied by Purchaser	270
8.4 Pressure Relief Devices	253	F Information to be Supplied by Manufacturer	271
8.5 Bursting Discs	254	G Recommended Data Sheet on Welding Procedure	276
8.6 Required Discharge Capacity of Pressure Relief Devices	254	H Requirements for Higher Stress Vessels	277
8.7 Pressure Setting of Pressure Relief Devices	256	J Recommended Installation of Vessels	278
8.8 Installation of Pressure Relief Devices	256	K Low Temperature Vessels	280
8.9 Discharge from Pressure Relief Devices	257	L Suggested Practice on Peening of Welds	285
8.10 Vacuum Relief Devices	258	M Descaling of Austenitic Cr-Ni Steel Vessels	286
8.11 Fusible Plugs	258	N Macro Etching of Welded Joints	286
8.12 Protection Against Excessive Temperature	258	P Basis of Grouping of Steels for Postweld Heat Treatment	287
8.13 Pressure Gauges	259	Q Maximum Service Temperatures—Liquefied Gases	288
8.14 Liquid Level Indicators	259	INDEX	290
8.15 Isolation Fittings	259	ANNEX 1. LIST OF REFERENCED DOCUMENTS	300
8.16 Drainage	259	ANNEX 2. TECHNICAL CHANGES	303
8.17 Vents	259	RECORD OF AMENDMENTS	304
8.18 Protection of Valves and Fittings	259		
SECTION 9. PROVISIONS FOR DESPATCH			
9.1 Cleaning	26		

STANDARDS ASSOCIATION OF AUSTRALIA

Australian Standard
for
UNFIRED PRESSURE VESSELS

FOREWORD

The application of the several standards that form the SAA Boiler Code may give rise to a constant need for consideration of unusual and other designs which do not comply in all respects with the requirements of the relevant standard or which are not adequately covered in any standard.

Where it is desired to use materials or methods which do not comply with the requirements of or are not adequately covered by the relevant standard, designs incorporating such departures should be submitted to the relevant Inspecting Authority for approval. Where necessary, SAA Committee ME/1, Boilers and Unfired Pressure Vessels, may be asked to serve in an advisory capacity in the determination of the suitability of such designs. (See also Clause 1.5.)

It is emphasized that this activity of the committee is limited to technical aspects of the Code and that the committee has no power or jurisdiction to adjudicate upon contractual matters or regulatory matters or the duties of any persons concerned with the subject of the submission.

A method developed by Committee ME/1 for communicating the findings of the committee is by the use of Rulings. A Ruling is issued in reply to a specific enquiry from a specific organization and applies only to the set of circumstances referenced in the Ruling. Copies of Rulings are sent to the relevant Inspecting Authorities and may be used by the authorities as the basis for approval of the particular application or for approval of similar submission from other organizations. Current Rulings are available under the reference SAA Doc. 1200R.

Where the committee judges the subject to be suitable, a Ruling may be incorporated in an amendment to the relevant standard, whereupon the Ruling is withdrawn. If the timing is appropriate, the findings of the committee may be issued directly as an Amendment.

NOTES:

1. In the past some Rulings have also been designated 'Committee Opinions' but this term is no longer used.
2. From time to time, the committee has also issued Interpretations which were considered to be equivalent to an amendment. Existing Interpretations will either be withdrawn and reissued as Rulings or incorporated in the relevant standard.