

AS 1428.1:2021



STANDARDS
Australia



Design for access and mobility

Part 1: General requirements for access — New building work



Currently in preview, click buy full version

AS 1428.1:2021

This Australian Standard® was prepared by ME-064, Access for People with Disabilities. It was approved on behalf of the Council of Standards Australia on 4 June 2021.

This Standard was published on 18 June 2021.

The following are represented on Committee ME-064:

Association of Consultants in Access Australia
Australian Association of Occupational Therapists
Australian Building Codes Board
Australian Industry Group
Australian Institute of Architects
Australian Institute of Building Surveyors
Australian Institute of Quantity Surveyors
Austroads
Blind Citizens Australia
Deafness Forum of Australia
Department of Industry, Science, Energy and Resources
Engineers Australia
Housing Industry Association
Human Factors and Ergonomics Society of Australia
Master Builders Australia
Physical Disability Australia
Property Council of Australia
The Blind Foundation
Vision 2020 Australia

This Standard was issued in draft form for comment as **AS 1428.1:2020**.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

ISBN 978 1 76113 404 3

Design for access and mobility

Part 1: General requirements for access — New building work

Originates as AS CA52.1—1968.
Previous edition AS 1428.1—2009.
Sixth edition 2021.

© Standards Australia Limited 2021

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

Preface

This Standard was prepared by the Standards Australia Committee ME-064, Access for People with Disabilities, to supersede AS 1428.1:2009.

This document is part of a series that comprises the following:

AS 1428.1, *Design for access and mobility, Part 1: General requirements for access — New building work* (this Standard)

AS 1428.2, *Design for access and mobility, Part 2: Enhanced and additional requirements — Buildings and facilities*

AS/NZS 1428.4.1, *Design for access and mobility, Part 4.1: Means to assist the orientation of people with vision impairment — Tactile ground surface indicators*

AS 1428.4.2, *Design for access and mobility, Part 4.1: Means to assist the orientation of people with vision impairment — Wayfinding signs*

AS 1428.5, *Design for access and mobility, Part 5: Communication for people who are deaf or hearing impaired*

The objective of this document is to provide building designers and users (architects, property owners and regulators) with the minimum design requirements for new building work to enable access for people with disabilities.

Because of the variety of situations which may need to be addressed when designing buildings and facilities, it is seen as necessary for this document to provide a range of data so that the requirements for access can be met and allow for flexibility in design where limitations are imposed by other building conditions. The intention is to make this document a practical reference document for designers, particularly with regard to problem areas such as doorways and sanitary facilities.

The National Construction Code (NCC) and Disability (Access to Premises — Buildings) Standards define where access for people with a disability is required and reference a number of Australian Standards (including this document) to provide technical solutions to meet deemed-to-satisfy provisions.

The terms “normative” and “informative” are used in Standards to define the application of the appendices to which they apply. A “normative” appendix is an integral part of a Standard, whereas an “informative” appendix is only for information and guidance.

The use of Notes in this document are of an advisory nature only to give explanation or guidance to the user on recommended design considerations or technical procedures, or to provide an informative cross-reference to other documents or publications. Notes do not form a mandatory part for conformance to this document.

Contents

Preface	ii
Introduction	vi
Section 1 Scope and general	1
1.1 Scope.....	1
1.2 Application.....	1
1.3 Normative references.....	2
1.4 Terms and definitions.....	2
Section 2 Dimensions	5
Section 3 Continuous accessible paths of travel	6
3.1 General.....	6
3.2 Heights of a continuous accessible path of travel.....	6
3.3 Width of a continuous accessible path of travel.....	6
3.4 Passing space for wheelchairs.....	7
3.5 Circulation space for wheelchair turn.....	8
3.5.1 General.....	8
3.5.2 60° to 90° turn.....	8
3.5.3 30° to < 60° turn.....	8
3.5.4 Greater than 90° to 180° turn.....	10
3.6 Visual indicators on glazing.....	11
3.7 Glazed viewing panels.....	11
Section 4 Floor or ground surfaces on continuous accessible paths of travel and circulation spaces	12
4.1 General.....	12
4.2 Construction tolerances at abutment of surfaces.....	12
4.3 Floor coverings.....	14
4.3.1 Carpets and other soft flexible materials.....	14
4.4 Grates.....	15
4.5 Timber decking and boardwalks.....	16
Section 5 Signage	17
5.1 Form of signs.....	17
5.2 Symbols indicating access for people with disabilities.....	20
5.2.1 International symbol of access.....	20
5.2.2 International symbol for deafness.....	21
Section 6 Tactile ground surface indicators	23
Section 7 Walkways, ramps and landings	24
7.1 General.....	24
7.2 Walkways.....	24
7.3 Ramps.....	25
7.4 Curved walkways, ramps, and landings.....	33
7.5 Threshold ramps.....	33
7.6 Step ramps.....	35
7.6.1 General.....	35
7.6.2 Edges to ramps.....	35
7.6.3 Finishes.....	38
7.7 Kerb ramps.....	38
7.7.1 Alignment.....	38
7.7.2 Profile.....	39
7.7.3 Finishes.....	40
7.8 Landings.....	44
7.8.1 Walkways and ramps.....	44
7.8.2 Step ramps.....	44
7.8.3 Kerb ramps.....	44

Section 8	Stairways	47
8.1	Stair construction	47
8.2	Stairway handrails	53
Section 9	Handrails	56
Section 10	Doorways, doors and circulation space at doorways	59
10.1	Doorway identification	59
10.2	Clear opening of doorways	59
10.3	Circulation spaces at doorways on a continuous accessible path of travel	60
10.3.1	General	60
10.3.2	Swinging doors	61
10.3.3	Sliding doors	65
10.3.4	Power operated doors	65
10.3.5	Distance between successive doorways in passages in an accessible path of travel	66
10.4	Door controls	67
10.4.1	General	67
10.4.2	Design and performance	67
10.4.3	Location	72
10.4.4	Power-operated door controls	72
Section 11	Switches and general purpose outlets (power points)	73
11.1	General	73
11.2	Accessible sole-occupancy units and accessible sanitary facilities	73
Section 12	Sanitary facilities	74
12.1	General	74
12.2	Accessible unisex sanitary facilities	74
12.2.1	Water taps	74
12.2.2	WC pan clearances	74
12.2.3	Seat	75
12.2.4	Backrest	75
12.2.5	Flushing control	76
12.2.6	Toilet paper dispenser	77
12.2.7	Grabrails	78
12.2.8	Circulation space	79
12.2.9	WC doors	80
12.2.10	Washbasins for unisex accessible sanitary facilities	81
12.3	Washbasins	81
12.3.1	General	81
12.3.2	Accessible sole occupancy units	83
12.4	Fixtures and fittings within a sanitary facility	85
12.4.1	Mirrors	85
12.4.2	Shelves	85
12.4.3	Soap dispensers, towel dispensers and similar fittings	85
12.4.4	Clothes-hanging devices	85
12.4.5	Sanitary disposal unit	85
12.4.6	Switches and general purpose outlets	85
12.5	Showers	86
12.5.1	General	86
12.5.2	Floor and waste outlet	86
12.5.3	Shower screens	90
12.5.4	Grabrails	90
12.5.5	Shower head support grabrail	90
12.5.6	Shower head and hose	90
12.5.7	Soap holder	91
12.5.8	Shower taps	91
12.5.9	Folding seat	91
12.5.10	Clothes hanging devices	91

12.5.11	Backflow prevention device and restrictor device	91
12.6	Combined sanitary facilities	91
Section 13	Sanitary compartment for people with ambulant disabilities	95
13.1	General	95
13.2	Grabrails	95
13.3	Doors	95
13.4	Signage	95
13.5	Clothes hanging device	95
Section 14	Grabrails	95
Section 15	Assembly buildings	99
15.1	Wheelchair seating spaces	99
15.2	Surfaces	99
15.3	Spatial requirements	99
Appendix A	(informative) Examples of kerbs	105
Appendix B	(informative) Measurement of luminance contrast between building elements	107
Appendix C	(informative) Vision impairment	112
Bibliography	115

Currently in preview, click buy full version.

Introduction

This document describes basic minimum technical details for accessible buildings.

The National Construction Code (NCC) and Disability (Access to Premises — Buildings) Standards (Premises Standards) provide information on which classes of buildings are to be made accessible and prescribes the specific areas within those buildings where access must be provided. The NCC and Premises Standards refer to this document and other documents as a means of compliance with the deemed-to-satisfy access provisions of the NCC and Premises Standards.

Currently in preview, click buy full version

Australian Standard®

Design for access and mobility

Part 1: General requirements for access — New building work

Section 1 Scope and general

1.1 Scope

This document specifies the design requirements for new building work, as required by the National Construction Code (NCC) and the Disability (Access to Premises — Buildings) Standards (Premises Standards), to provide access for people with disabilities. Particular attention is given to —

- (a) continuous accessible paths of travel and circulation spaces for people who use wheelchairs;
- (b) access and facilities for people with ambulatory disabilities; and
- (c) access for people with sensory disabilities.

NOTE 1 The NCC and Premises Standards set out requirements for other features of the accessible built environment not covered in this document, such as lifts, hearing augmentation, tactile ground surface indicators, signage, glazing, lighting, car parking and toilet numbers, and distribution.

This document does not include requirements for —

- (i) wheelchairs that have dimensions exceeding those shown in [Figure 1](#); or
- (ii) motorized scooters.

NOTE 2 Information on vision impairment is given in [Appendix C](#).

1.2 Application

This document is referenced by the NCC and the Premises Standards for the provision of access for people with disabilities. As an NCC and Premises Standards referenced document, it is applicable to buildings as and when specified in the NCC and Premises Standards.

NOTE 1 Conformance to this document may also be required by other regulatory authorities.

This document provides the technical detail required to achieve the level of access for a deemed-to-satisfy solution.

The requirements specified in this document are intended to permit general use of buildings and facilities by people with disabilities acting independently, or where a person's usual method of operation is with an assistant, in the company of that assistant.

NOTE 2 This document is based on data resulting from empirical testing of persons aged between 18 and 60 years and may not be appropriate when applied to persons outside this age range.

The dimensions stated in this document, relevant to the use of wheelchairs, relate to the 80th percentile wheelchair size and user (see [Figure 1](#)), except at the following locations where the 90th percentile dimensions are required:

- (a) On an accessway, at the location of a turn greater than 60°.
- (b) New accessible sanitary facilities.
- (c) At doorways, including door width and circulation space.

NOTE 3 The majority of the dimensions relevant to the 90th percentile in this document aligns with the findings of research undertaken by J. Bails, 1983 (see Bibliography).