

Australian Standard™

**Carbon steel spring wire for mechanical
springs**

This Australian Standard was prepared by Committee MT-001, Iron and Steel. It was approved on behalf of the Council of Standards Australia on 16 December 2002 and published on 8 January 2003.

The following are represented on Committee MT-001:

Australasian Railway Association
Australian Building Codes Board
Australian Chamber of Commerce and Industry
Australian Industry Group
Australian Foundry Institute
Australian Institute of Steel Construction
Bureau of Steel Manufacturers of Australia
Confederation of Australian Industry
Institute of Materials Engineering Australia

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Australia web site at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Australian Standard*, has a full listing of revisions and amendments published each month.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.com.au, or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 1580.

This Standard was issued in draft form for comment as DR 02410.

STANDARDS AUSTRALIA

RECONFIRMATION

OF

AS 1472—2003

Carbon steel spring wire for mechanical springs

RECONFIRMATION NOTICE

Technical Committee MT-001 has reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 25 November 2015.

The following are represented on Technical Committee MT-001:

Australasian Corrosion Association
Australian Building Codes Board
Australian Institute of Architects
Australian Steel Association
Australian Steel Institute
Bureau of Steel Manufacturers of Australia
Employers And Manufacturers Association
Materials Australia
New Zealand Heavy Engineering Research Association
Society of Automotive Engineers- Australasia

NOTES

Currently in preview, click buy full vers.

Australian Standard™

**Carbon steel spring wire for mechanical
springs**

Originated as AS 1472—1973.
Previous edition AS 1472—1991.
Fourth edition 2003.

COPYRIGHT

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 4996 8

PREFACE

This Standard was prepared by the Australian members of the Joint Standards Australia/Standards New Zealand Committee MT-001, Iron and Steel. After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian Standard rather than an Australian/New Zealand Standard.

The objective of this Standard is to specify requirements and tests for carbon steel spring wire of round cross-section for the manufacture of mechanical springs. Four types, or conditions, of spring wire are covered.

During revision of this Standard cognisance was taken of the three-part International Standard ISO 8458, *Steel wire for mechanical springs*. The Committee decided against its adoption as an Australian Standard because it does not cover the full range of mechanical spring wires used by Australian industry, and it imposes unacceptable restrictions on wire manufacturing practice.

Notable changes that have been introduced in the revised Standard relate to wire diameter tolerances, which have been rationalized, and to coil presentation and fast which are now more clearly specified. The Standard has been expanded in respect of optional drawn metallic coatings and now includes zinc/aluminium-alloy coatings. The coating class, previously unspecified, for both zinc and zinc/aluminium-alloy coatings has been set at W02.

The term 'informative' has been used in this Standard to define the application of the appendix to which it applies. An 'informative' appendix is only for information and guidance.

CONTENTS

	<i>Page</i>
1 SCOPE	4
2 REFERENCED DOCUMENTS	4
3 DEFINITIONS	5
4 MANUFACTURE	7
5 REQUIREMENTS FOR WIRE	9
6 TESTING	11
7 MARKING	15
8 ROUNDING OF TEST RESULT NUMBERS	16
 APPENDICES	
A PURCHASING GUIDELINES	17
B MEANS FOR DEMONSTRATING COMPLIANCE WITH THIS STANDARD	18

STANDARDS AUSTRALIA

Australian Standard

Carbon steel spring wire for mechanical springs

1 SCOPE

This Standard specifies requirements for carbon steel spring wire of round cross-section for mechanical springs, supplied in one of the following conditions:

- (a) Hard-drawn.
- (b) Drawn metallic coated, e.g. drawn-galvanized.
- (c) Oil-hardened and tempered.
- (d) Soft-drawn.

This Standard applies to wire supplied in the form of coils. It does not cover the testing of wire that is supplied in mechanically straightened cut-lengths, or wire that has been straightened by the user.

NOTES:

- 1 Spring wires for bedding and seating applications are covered by AS 2266.
- 2 In this Standard the term ‘drawing’, alone or in combination or a variation of ‘drawing’, such as ‘drawn’, is intended to embrace any other technically possible means, such as ‘rolling’, by which cold-working of steel feedstock enables wire of round cross-section to be achieved.
- 3 Mechanical straightening introduces small, but significant, changes in diameter and mechanical properties (e.g. tensile strength) of as-drawn spring wire, and the degree of change varies with the straightening technique employed.
- 4 Advice and recommendations on information to be supplied by the purchaser at the time of enquiry or order are contained in the purchasing guidelines set out in Appendix A.
- 5 Alternative means for determining compliance with this Standard are given in Appendix B.

2 REFERENCED DOCUMENTS

The documents below are referred to in this Standard:

AS

1199	Sampling procedures and tables for inspection by attributes
1391	Methods for tensile testing of metals
1399	Guide to AS 1199—Sampling procedures and tables for inspection by attributes
1442	Carbon steels and carbon-manganese steels—Hot-rolled bars and semifinished products
2266	Carbon steel spring wire for bedding and seating
2538	Preferred dimensions of wrought metal products
2505	Metallic materials
2505.5	Method 5: Wire—Simple torsion test
2505.6	Method 6: Wire—Wrapping test
2706	Numerical values—Rounding and interpretation of limiting values
3942	Quality control—Variables charts—Guide