

Australian Standard

**SAA SUBMARINE
PIPELINE CODE**

The following scientific, industrial and governmental organizations and departments were officially represented on the committee entrusted with the preparation of this standard:

Australasian Corrosion Association
Australasian Institute of Mining and Metallurgy
Australian Gas Association
Australian Institute of Energy
Australian Institute for Non-Destructive Testing
Australian Institute of Petroleum
Australian Liquefied Petroleum Gas Association
Australian Petroleum Exploration Association
Australian Pipelines Industry Association
Australian Welding Institute
Australian Welding Research Association
Bureau of Steel Manufacturers of Australia
Department of Industrial Relations, N.S.W.
Department of Minerals and Energy, Victoria
Department of Mines and Energy, S.A.
Department of Mines, Queensland
Department of Mines, W.A.
Energy Authority of New South Wales
Institution of Engineers, Australia
Institute of Petroleum, U.K.
Metal Trades Industry Association of Australia
National Association of Australian State Road Authorities
New South Wales Institute of Technology
Pipelines Authority of South Australia
Railways of Australia Committee
Snowy Mountains Engineering Corporation
The Pipeline Authority

This standard, prepared by Committee ME/38, Gas and Liquid Petroleum Piping Systems, was approved on behalf of the Council of the Standards Association of Australia on 23 January 1981, and was published on 1 August 1981.

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This standard was issued in draft form for public review as DR 79059.

Australian Standard

**GAS AND LIQUID PETROLEUM
SUBMARINE PIPELINES
KNOW AS THE
SAA SUBMARINE
PIPELINE CODE**

First published	1976
Second edition	1981

PUBLISHED BY STANDARDS AUSTRALIA
(STANDARDS ASSOCIATION OF AUSTRALIA)
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 2206 2

PREFACE

This edition of this standard was prepared by the Association's Committee on Gas and Liquid Petroleum Piping Systems.

This edition includes a major revision of Section 8—Corrosion Mitigation, and also includes the changes made in Amendment No 1 which, in the main, incorporated requirements for determining a safe operating pressure for a corroded pipeline. The items which have been technically revised in this edition are listed in the 'Annex' following the Index.

The purpose of this standard is to establish requirements for safe design, construction, inspection, testing, operation, and maintenance of submarine petroleum pipelines constructed from steel pipe. Such requirements are necessary for the protection of the general public, the Operating Authority personnel, and the environment as well as to provide reasonable protection for the pipeline against accidental damage resulting from activities other than those of the Operating Authority.

The standard sets out requirements for good engineering practice based on known experience and on appropriate existing Australian and overseas standards. Close attention has been given to AS 1697, SAA Gas Pipeline Code; AS 2018, SAA Liquid Petroleum Pipeline Code; AS 1978, SAA Code for Field Pressure Testing of Pipelines; API 1104, Standard for Welding Pipe Lines and Related Facilities; USA Minimum Federal Safety Standards for Liquid Pipelines (Part 195, Title 49, Code of Federal Regulations); the USA Department of Transportation—Office of Pipeline Safety Register Volume 35, No 161 Part III—Transporting of Natural Gas by Pipelines; the UK Institute of Petroleum Model Code of Safe Practice, Part 6—Submarine Pipeline Supplement 1971, and other standards. Acknowledgement is made of the assistance provided from these sources.

Although safety is the basic consideration of this standard, other requirements will also control the specifications for any pipeline and these must be considered. The standard is not a design handbook and, although certain sections contain specific

requirements, does not replace the need for appropriate experience and competent engineering judgement. Fundamental engineering principles should be followed. Provided that there is no specific prohibition, materials and procedures not included in this standard may be qualified for use as described in the applicable sections.

Environmental conditions are of importance in the design of submarine pipelines and must be considered fully in the design stage. In view of the wide range of conditions likely to be encountered in the submarine environment and the wide variations in available information concerning it, specific requirements cannot be incorporated in this standard. However recommendations for a route survey together with meteorological and hydrographic investigations are given in Appendix E. Whilst each recommendation requires consideration, the extent of the investigations necessary in a particular location will depend on the amount and reliability of the environmental information already available.

Attention is drawn to the requirements of both Commonwealth and State legislation, and to guides and codes issued by statutory authorities and local government bodies which may affect pipelines; this standard should be regarded as complementary to such requirements where these are applicable. Notes on Statutory Requirements are included as Appendix D.

This standard does not deal with, and is not intended to supplant, any matter of personnel safety with respect to work practices or such matters as the safe use of equipment and machinery in construction which may be required by law or which are current industrial practice.

This standard makes reference to a wide range of materials and components listed in standards originating from Australia, Great Britain, and the United States of America. Many of these standards require the reporting of results of tests. Such reporting should be in the form of approved test certificates. Listings of relevant standards are given in Appendices A and B.

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced or stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

	<i>Page</i>		<i>Page</i>
SECTION 1. GENERAL REQUIREMENTS		4.13 Inspection and Testing of Production Welds	54
1.1 Scope	5	4.14 Non-destructive Testing	54
1.2 Application	5	4.15 Standards of Acceptability for Non-destructive Testing	55
1.3 Safety	7	4.16 Removal of Unacceptable Defects in Welds	60
1.4 Symbols and Definitions	7	4.17 Welding or Cutting on Steel Pipelines Containing Hydro- carbons	60
1.5 Standards and Specifications	11	4.18 Attachment of Electrical Connections	61
1.6 Interpretation	11		
SECTION 2. MATERIALS AND COMPONENTS		SECTION 5. CONSTRUCTION AND INSTALLATION	
2.1 General	12	5.1 General	63
2.2 Qualification Categories of Materials and Components	12	5.2 Inspection	63
2.3 Qualifying Procedures—General	12	5.3 Location	63
2.4 Qualifying Requirements for New or Used Pipe Complying with a Standard or Specification not Listed in the Standard	13	5.4 Survey	63
2.5 Fracture Toughness	14	5.5 Handling, Transportation and Storing	63
2.6 Valves, Fittings, and Accessories	16	5.6 Repair of Fabricated Items and Pipes	63
2.7 External Protective Coating	16	5.7 Bends, Mises and Elbows	64
2.8 Internal Protective Lining	17	5.8 Pipelines	64
2.9 Weight Coating	17	5.9 Protective Coatings	64
2.10 Galvanic Anodes	17	5.10 Pipeline Crossings	64
SECTION 3. DESIGN		5.11 Valves	64
3.1 Design Considerations	18	5.12 Connections to Pipelines	64
3.2 Design Pressure	18	5.13 Warnings and Markers	64
3.3 Design Temperatures	19	5.14 Corrosion Control	65
3.4 Stability of Pipeline	19	5.15 Safety Devices and Instruments	65
3.5 Allowable Hoop Stress	19	5.16 Fire Protection	65
3.6 Stress Limits	19	5.17 Electrical Installations	65
3.7 Allowances	19	5.18 Assembly of Components	65
3.8 Design of Components	19	5.19 Manifolds	65
3.9 Design of Closures for Pipe Ends	24	5.20 Hot Taps	65
3.10 Design of Flanges	24		
3.11 Design of Reducers	24	SECTION 6. INSPECTION AND TESTING	
3.12 Design of Other Pressure- containing Components	24	6.1 Inspection	67
3.13 Limits to Selection of Components	25	6.2 Repair of Defects	67
3.14 Used Components	27	6.3 Testing	68
3.15 Limits to Selection of Joints	27	6.4 Pressure Testing	68
3.16 Pipeline Flexibility, Supports, and Restraints	27	6.5 Records	69
3.17 Cathodic Protection	27		
3.18 Instrument Control, and Sampling Piping	29	SECTION 7. OPERATION AND MAINTENANCE OF PIPELINES	
3.19 Control of Pipeline Pressure	32	7.1 Operation and Maintenance Pro- cedures Affecting the Safety of Pipelines	70
3.20 Records	32	7.2 Pipeline Operation and Main- tenance	70
SECTION 4. WELDING		7.3 Pipeline Repairs	71
4.1 General	33	7.4 Safe Working with Gas and Liquid Petroleum	71
4.2 Safety in Welding	33	7.5 Records	72
4.3 Welding Equipment	33	7.6 Abandoning a Pipeline	73
4.4 Electrodes, Fluxes, Filler Rods, and Gas Mixtures	33	7.7 Corrosion	73
4.5 Prohibition of Welding	34		
4.6 Definitions and Terms	34	SECTION 8. CORROSION MITIGATION	
4.7 General Provisions for Welding	34	8.1 General	74
4.8 Preheating	37	8.2 Qualification of Personnel	74
4.9 Postweld Heat Treatment	41	8.3 Rate of Corrosion	74
4.10 Qualification of Welding Procedures	42	8.4 Corrosion Mitigation Methods	75
4.11 Qualification Testing of Welded Joints	44	8.5 Internal Corrosion Mitigation	75
4.12 Welder Qualification	48		

8.6 External Corrosion Mitigation . . . 75

8.7 Installation of Galvanic Anodes . . 77

8.8 Timing of Application of
Corrosion Mitigation 77

8.9 Inspection for the Detection of
Corrosion 77

8.10 Corrosion Defects 78

8.11 Records 78

SECTION 9. CHANGES IN MAXIMUM ALLOWABLE
OPERATING PRESSURE OF EXISTING
PIPELINES

9.1 General 79

9.2 Increasing the Maximum Allowable
Operating Pressure 79

9.3 Records 79

APPENDICES

A Nominated Standards and Specifi-
cations 80

B Reference Standards 83

C Identification and Addresses of
Standards-issuing and Other
Bodies Referred to in this Code . . 84

D Notes on Statutory Requirements . 85

E Recommendations for Naviga-
tional Systems, and Hydro-
graphic and Meteorological
Investigations 86

F Fracture Toughness for Steel Pipe-
lines 88

G Figures Relating to Weld Reinforce-
ment 90

H Recommended Welding Sequence
for Hot Tap Fittings 95

J Assessment of Corroded Pipelines 96

INDEX 104

ANNEX 110

RECORD OF AMENDMENTS 111

Currently in preview, click buy full version

STANDARDS ASSOCIATION OF AUSTRALIA

Australian Standard
for
GAS AND LIQUID PETROLEUM SUBMARINE PIPELINES

SECTION 1. GENERAL REQUIREMENTS

1.1 SCOPE. This standard sets out minimum requirements for materials, design, construction, installation, inspection, testing, operation, and maintenance of submarine petroleum pipelines located on or in the sea bed of bays, estuaries, and the territorial sea and on or in the continental shelf, and used for the transport of hydrocarbon fluids such as natural gas, crude oils, natural gasoline, natural gas liquids, liquefied petroleum gas, and liquid petroleum products, in either a single or a dual phase condition, where—

- (a) those pipelines are manufactured from steel and qualify for use in terms of the relevant sections of the standard; and
- (b) the temperature of the pipe transporting the fluid does not exceed 230°C and is not less than -30°C at any point in the pipeline.

1.2 APPLICATION. This standard is applicable to those parts of a pipeline which are located sea-

ward of a mark which is not more than 100 m landward from the point where the pipeline crosses the highest high-water mark recorded (see Fig. 1.1) and to those parts of a pipeline that are located on platforms, piers, trestles, jetties, wharves, quays, and other structures (see Fig. 1.2).

The standard is applicable also to off-shore pipeline manifolds, whether sub-sea or on a structure, and to the launching and receiving traps or other scrapers or spheres and their associated piping, other than those located more than 100 m landward of the highest high-water mark.

Flowlines and gathering pipelines between subsea production facilities and fixed or floating processing or storage facilities are usually covered by the standard, but it is not possible to define the terminal points of such lines more precisely than to say that they are those points at which the pipeline is connected to facilities designed according to other standards.

The terminal point of a pipeline associated with off-shore loading or discharge of a tanker is that




Fig. 1.1. LIMITATIONS OF STANDARD—SUBSEACOMPLETION TO PLATFORM AND PLATFORM TO SHORE (The arrangement shown is typical only)