

Australian Standard™

**Oil of sandalwood [*Santalum spicatum*  
(R.Br) A.DC.]**

This Australian Standard was prepared by Committee CH-021, Essential Oils. It was approved on behalf of the Council of Standards Australia on 22 August 2003 and published on 9 October 2003.

---

The following are represented on Committee CH-021:

Australian Association of Certification Bodies  
Australian Society of Cosmetic Chemists  
Australian Society of Perfumers and Flavourists  
Cosmetic Toiletry Fragrance Association of Australia  
Essential Oil Products Association of Australia  
Flavour and Fragrance Association of Australia  
New South Wales Agriculture  
New South Wales Farmers Association  
The Royal Australian Chemical Institute  
University of New South Wales  
University of Tasmania  
University of Western Sydney

---

#### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Australia website at [www.standards.com.au](http://www.standards.com.au) and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at [mail@standards.com.au](mailto:mail@standards.com.au), or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

---

Australian Standard™

**Oil of sandalwood [*Santalum spicatum*  
(R.Br) A.DC.]**

Originated as AS K174—1967.  
Previous edition AS 2112—1977.  
Second edition 2003.

**COPYRIGHT**

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd  
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 5503 8

## PREFACE

This Standard was prepared by the Standards Australia Committee CH-021, Essential Oils, to supersede AS 2112—1977, *Oil of sandalwood, Australia*.

The objective of this Standard is to provide characteristics of oil of sandalwood, Australia for the essential oils industry to control the quality of the oil for domestic and international markets.

This edition includes flashpoint requirements and also data derived by chromatographic analysis of the oil.

The term 'informative' has been used in this Standard to define the application of the appendix to which it applies. An 'informative' appendix is only for information and guidance.

---

## CONTENTS

	<i>Page</i>
1 SCOPE.....	3
2 REFERENCED DOCUMENTS.....	3
3 DEFINITION.....	3
4 CHARACTERISTICS.....	4
5 SAMPLING.....	5
6 LABELLING AND PACKAGING.....	5
APPENDIX A TYPICAL CHROMATOGRAMS OF OIL OF SANDALWOOD [ <i>SANTALUM SPECIATUM</i> (R.Br) A.DC.].....	6

## STANDARDS AUSTRALIA

## Australian Standard

Oil of sandalwood [*Santalum spicatum* (R.Br) A.DC.]**1 SCOPE**

This Standard specifies certain characteristics of oil of sandalwood [*Santalum spicatum* (R.Br) A.DC.].

NOTE: Typical chromatograms in accordance with AS 5025, Parts 1 and 2 and AS 5027 are given for information in Appendix A.

**2 REFERENCED DOCUMENTS**

The following documents are referred to in this Standard:

## AS

- |        |  |
|--------|--|
| 2106   | Methods for the determination of the flashpoint of flammable liquids (closed cup) (series) |
| 4550   | Essential oils—Sampling  |
| 5025   | Essential oils—General guidance on chromatographic profiles                                |
| 5025.1 | Part 1: Preparation of chromatographic profiles for presentation in Standards              |
| 5025.2 | Part 2: Utilization of chromatographic profiles of samples of essential oils               |
| 5027   | Essential oils—Analysis by gas chromatography on capillary columns—General method          |

## ISO

- |        |   |
|--------|---|
| TR 210 | Essential oils—General rules for packaging, conditioning and storage        |
| TR 211 | Essential oils—General rules for labelling and marking of containers        |
| 279    | Essential oils—Determination of relative density at 20°C (Reference method) |
| 280    | Essential oils—Determination of refractive index                            |
| 356    | Essential oils—Preparation of test samples                                  |
| 592    | Essential oils—Determination of optical rotation                            |
| 709    | Essential oils—Determination of ester value                                 |
| 875    | Essential oils—Evaluation of miscibility in ethanol                         |
| 1242   | Essential oils—Determination of the acid value                              |

Australian Code for the Transport of Dangerous Goods by Road and Rail

**3 DEFINITION**

For the purpose of this Standard, the following definition applies.

**3.1 Oil of sandalwood**

The oil obtained by steam distillation to exhaustion or solvent extraction and subsequent vacuum distillation from the heartwood of the tree *Santalum spicatum* (R.Br) A.DC. occurring in western Australia.