

Australian Standard<sup>®</sup>

---

**Elastomeric hose and hose  
assemblies for steam-cleaning  
machines**

---

This Australian Standard was prepared by Committee RU/1, Industrial Hose. It was approved on behalf of the Council of Standards Australia on 6 June 1990 and published on 12 November 1990.

---

The following interests are represented on Committee RU/1:

Australian Gas Association  
Australian Institute of Petroleum  
Confederation of Australian Industry  
Department of Administrative Services, N.S.W.  
Department of Minerals and Energy, N.S.W.  
Plastics and Rubber Institute  
Plastics Industry Association  
Railways of Australia Committee  
Water Board, Sydney

---

**Review of Australian Standards.** To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standard users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications, this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

---

*This Standard was issued in draft form for comment as DR 89145.*

Australian Standard®

---

**Elastomeric hose and hose  
assemblies for steam-cleaning  
machines**

---

First published as AS K155—1966.  
Revised and redesignated AS 2283—1979.  
Second edition 1990.

## PREFACE

This Standard was prepared by the Standards Australia Committee on Industrial Hose under the direction of the Committee RU/-, Standards for the Rubber Industry to supersede AS 2283—1979, *Elastomeric hose and hose assemblies for steam-cleaning machines*.

A test for ozone, and a requirement for high pressure hose (21 MPa) have been included in this edition. Also, the range of internal diameters has been modified to allow for hoses larger than those dealt with in the previous edition.

In the preparation of this Standard, account was taken of US Military Specification MIL-H-28596B, *Hose and hose assembly, rubber, steam*.

## CONTENTS

	Page
FOREWORD .....	3
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE .....	4
1.2 REFERENCED DOCUMENTS .....	4
1.3 DESIGNATION .....	4
1.4 MATERIALS AND CONSTRUCTION .....	4
1.5 DIMENSIONS AND TOLERANCES .....	4
1.6 MARKING .....	5
SECTION 2 PERFORMANCE REQUIREMENTS	
2.1 TENSILE STRENGTH AND ELONGATION .....	6
2.2 ADHESION .....	6
2.3 HYDROSTATIC PRESSURE .....	6
2.4 AGEING .....	6
2.5 RESISTANCE TO DETERGENTS AND OIL .....	6
2.6 HOSE AND COUPLING COMPATIBILITY .....	6
2.7 RESISTANCE TO OZONE .....	6

### © Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

## FOREWORD

In railway operations, the steam cleaning of heavy oil deposits from locomotive and general mechanical parts is a heavily demanding activity, and problems have occurred leading to an unsatisfactory short life for some types of steam hoses. Hence this Standard covers hose for conveying water, steam and cleaning agents up to a temperature of 200°C.

Oils, solvents, cleaning chemicals and hot, strong sunlight that occur in the work area reduce the life of elastomeric hose; thus requirements for resistance to detergents, oils and ozone have been included, which should help prolong the working life of hoses.

Currently in preview, click buy full vers.