

STANDARDS AUSTRALIA

---

RECONFIRMATION

OF

AS 2300.8.6—2004

Methods of chemical and physical testing for the dairying industry  
Method 8.6: Anhydrous milk fat—Determination of peroxide value

---

RECONFIRMATION NOTICE

Technical Committee FT-024 has reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 10 October 2019.

The following are represented on Technical Committee FT-024:

Australian Institute of Food Science and Technology  
Consumers Federation of Australia  
CSIRO  
Meat and Livestock Australia  
National Association of Testing Authorities Australia  
National Measurement Institute  
NSW Food Authority  
Royal Australian Chemical Institute

NOTES

Currently in preview, click buy full vers.

## Australian Standard™

**Methods of chemical and physical testing for the dairying industry****Method 8.6: Anhydrous milk fat—Determination of peroxide value**

## PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee FT-010, Chemical Analysis of Dairy Products, to supersede AS 2300.8.6—1983, *Methods of chemical and physical testing for the dairying industry—Part 8.6: Anhydrous milk fat—Determination of peroxide value*.

This Standard was prepared by the Australian members of the Joint Standards Australia/Standards New Zealand Committee FT-010. After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian Standard rather than an Australian/New Zealand Standard.

The Committee considered ISO 3976:1977, *Anhydrous milk fat—Determination of peroxide value (Reference method)* for adoption. It was highlighted that the apparatus specified for the method is not used in Australia and the calibration curves are different to the Australian method. The ISO approach is not used in Australia as such laboratories cannot comply with the ISO Standard. Due to the above reasons, the Committee did not recommend the adoption of the ISO Standard as the Australian Standard. Therefore, it was recommended to re-issue the Australian Standard without any modification.

## METHOD

**1 SCOPE**

This Standard sets out a method for the determination of the peroxide value of anhydrous milk fat.

**2 APPLICATION**

The method is applicable to anhydrous milk fat having a peroxide value not in excess of 1.0 milligram-equivalents of oxygen per kilogram.

**3 REFERENCED DOCUMENTS**

The following document is referred to in this Standard:

AS	
2300	Methods of chemical and physical testing for the dairying industry
2300.8.1	Part 8.1: Anhydrous milk fat—General requirements