

Australian Standard[®]

**Methods of test for single sided and
double sided pressure sensitive
adhesive tape**

Part 0: Method selection guide

STANDARDS
Australia



This Australian Standard® was prepared by Committee PK-025, Packaging Code. It was approved on behalf of the Council of Standards Australia on 19 September 2006. This Standard was published on 23 October 2006.

The following are represented on Committee PK-025:

- Australian Paints Manufacturers Federation
 - Canmakers Institutes of Australia
 - Printing Industries Associations of Australia
-

This Standard was issued in draft form for comment as DR 0646.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through public comment period.

Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting www.standards.org.au

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

Australian Standard[®]

**Methods of test for single sided and
double sided pressure sensitive
adhesive tape**

Part 0: Method selection guide

Originally as AS 2313.0—2005.
Second edition 2006.

COPYRIGHT

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 476, Sydney, NSW 2001, Australia
ISBN 0 7337 7802 X

PREFACE

This Standard was prepared by Standards Australia Committee PK-025, Packaging Code.

The objective of the Standard is to list and provide commentary on the test methods in the AS 2313 series of Standards. This edition adds ten newly published test methods to the list.

The part and method titles in the AS 2313, *Methods of test for single sided and double sided pressure-sensitive adhesive tape* series are as follows:

AS

- | | |
|-----------|-----------------------------------------------------------------------------------------------------|
| 2313 | Methods of test for single sided and double sided pressure-sensitive adhesive tape |
| 2313.0 | Part 0: Method selection guide |
| 2313.1.1 | Method 1.1: Adhesion—Peel adhesion |
| 2313.1.2 | Method 1.2: Adhesion—Quickstick |
| 2313.1.3 | Method 1.3: Adhesion—Rolling ball tack |
| 2313.1.4 | Method 1.4: Adhesion—Adhesion strength after immersion |
| 2313.1.5 | Method 1.5: Adhesion—Adhesion strength to own backing |
| 2313.1.6 | Method 1.6: Adhesion—Unwind force |
| 2313.1.7 | Method 1.7: Adhesion—Resistance to static shear load at elevated temperature |
| 2313.1.8 | Method 1.8: Adhesion—Resistance to dynamic shear load at elevated temperature |
| 2313.1.9 | Method 1.9: Adhesion—Resistance to shear peel at elevated temperature |
| 2313.1.10 | Method 1.10: Adhesion—Resistance to static shear load at ambient temperature |
| 2313.1.11 | Method 1.11: Adhesion—Resistance to dynamic shear load at ambient temperature |
| 2313.1.12 | Method 1.12: Adhesion—Resistance to shear peel at ambient temperature |
| 2313.1.13 | Method 1.13: Adhesion—Resistance to shear (holding power) at ambient temperature |
| 2313.2.1 | Method 2.1: Physical properties—Breaking strength |
| 2313.2.2 | Method 2.2: Physical properties—Elongation |
| 2313.2.3 | Method 2.3: Physical properties—Length |
| 2313.2.4 | Method 2.4: Physical properties—Thickness |
| 2313.2.5 | Method 2.5: Physical properties—Water vapour transmission rate |
| 2313.2.6 | Method 2.6: Physical properties—Determining the thickness of release liner |
| 2313.2.7 | Method 2.7: Physical properties—Determining grammage of release liner |
| 2313.3.1 | Method 3.1: Ageing properties—Accelerated ageing |
| 2313.3.2 | Method 3.2: Ageing properties—Stability of cellulose tape by accelerated ageing |
| 2313.3.3 | Method 3.3: Ageing properties—Mending stability |
| 2313.3.4 | Method 3.4: Ageing properties—Determination of resistance to accelerated ageing by artificial light |
| 2313.3.5 | Method 3.5: Ageing properties—Determining dimensional stability of label stock |
| 2313.4.1 | Method 4.1: Printing properties—Determining indelibility of printed labels |
| 2313.4.2 | Method 4.2: Printing properties—Determining lightfastness of printed labels |
| 2313.4.3 | Method 4.3: Printing properties—Determining abrasive resistance |

CONTENTS

	<i>Page</i>
FOREWORD.....	5
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE	6
1.2 REFERENCED DOCUMENTS	6
1.3 DEFINITIONS	6
SECTION 2 ADHESION TEST METHODS	
2.1 GENERAL	7
2.2 METHOD 1.1: PEEL ADHESION	7
2.3 METHOD 1.2: QUICKSTICK	7
2.4 METHOD 1.3: ROLLING BALL TACK	7
2.5 METHOD 1.4: ADHESIVE STRENGTH AFTER IMMERSION	8
2.6 METHOD 1.5: ADHESIVE STRENGTH TO OWN BACKING	8
2.7 METHOD 1.6: UNWIND FORCE	8
2.8 METHOD 1.7: RESISTANCE TO STATIC SHEAR LOAD AT ELEVATED TEMPERATURE	8
2.9 METHOD 1.8: RESISTANCE TO DYNAMIC SHEAR LOAD AT ELEVATED TEMPERATURE	9
2.10 METHOD 1.9: RESISTANCE TO SHEAR PEEL AT ELEVATED TEMPERATURE	9
2.11 METHOD 1.10: RESISTANCE TO STATIC SHEAR LOAD AT AMBIENT TEMPERATURE	9
2.12 METHOD 1.11: RESISTANCE TO DYNAMIC SHEAR LOAD AT AMBIENT TEMPERATURE	10
2.13 METHOD 1.12: RESISTANCE TO SHEAR PEEL AT AMBIENT TEMPERATURE	10
2.14 METHOD 1.13: RESISTANCE TO SHEAR (HOLDING POWER) AT AMBIENT TEMPERATURE	10
SECTION 3 PHYSICAL PROPERTIES TEST METHODS	
3.1 GENERAL	11
3.2 METHOD 2.1: BREAKING STRENGTH.....	11
3.3 METHOD 2.2: ELONGATION.....	11
3.4 METHOD 2.3: LENGTH	11
3.5 METHOD 2.4: THICKNESS.....	11
3.6 METHOD 2.5: WATER VAPOUR TRANSMISSION RATE.....	12
3.7 METHOD 2.6: DETERMINING THE THICKNESS OF RELEASE LINER.....	12
3.8 METHOD 2.7: DETERMINING GRAMMAGE OF RELEASE LINER.....	12
SECTION 4 AGEING PROPERTIES TEST METHODS	
4.1 GENERAL	13
4.2 METHOD 3.1: ACCELERATED AGEING	13
4.3 METHOD 3.2: STABILITY OF CELLULOSE TAPE BY ACCELERATED AGEING.....	13
4.4 METHOD 3.3: MENDING STABILITY.....	13
4.5 METHOD 3.4: DETERMINATION OF RESISTANCE TO ACCELERATED AGEING BY ARTIFICIAL LIGHT	14

4.6 METHOD 3.5: DETERMINING DIMENSIONAL STABILITY OF LABEL STOCK 14

SECTION 5 PRINTING PROPERTIES TEST METHODS

5.1 GENERAL 15
5.2 METHOD 4.1: DETERMINING INDELIBILITY OF PRINTED LABELS 15
5.3 METHOD 4.2: DETERMINING LIGHTFASTNESS OF PRINTED LABELS..... 15
5.4 METHOD 4.3: DETERMINING ABRASIVE RESISTANCE 15

Currently in preview, click buy full version

FOREWORD

The testing and evaluation of the properties of single sided and double sided adhesive tape are determined by four categories, adhesion, physical properties and ageing properties. Each of these characteristics are covered by Standards which are part of the AS 2313 series, which comprises test methods to measure these characteristics.

This Standard gives guidance to help the testing technician to determine the appropriate test that will measure the characteristics, which are required.

Currently in preview, click buy full version

STANDARDS AUSTRALIA

Australian Standard

Methods of test for single sided and double sided pressure-sensitive adhesive tape

Part 0: Method selection guide

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE

This Standard gives guidance on the selection of the appropriate test methods in the AS 2313 series for the testing and evaluation of single sided and double sided pressure sensitive adhesive tape.

1.2 REFERENCED DOCUMENTS

The following documents are referenced in this Standard.

AS

2400 Packaging

2400.1 Part 1: Glossary of packaging terms

1.3 DEFINITIONS

For the purpose of this Standard, the terms and definitions in AS 2400.1 apply.