

AS 2359.14—2005

ISO 2330:2002

Reconfirmed 2016

AS 2359.14—2005

Australian Standard™

Powered industrial trucks

Part 14: Fork arms - Technical
characteristics and testing

STANDARDS
Australia



This Australian Standard was prepared by Committee ME-026, Industrial Trucks. It was approved on behalf of the Council of Standards Australia on 23 June 2005. This Standard was published on 4 August 2005.

The following are represented on Committee ME-026:

Australian Chamber of Commerce and Industry
Australian Council of Trade Unions
Australian Electrical and Electronic Manufacturers Association
Australian Industrial Truck Association
Australian Industry Group
Construction and Mining Equipment Association of Australia
Department of Consumer & Employment Protection, WorkSafe Division W.A.
Safety Institute of Australia (Incorporated)
Victorian WorkCover Authority
WorkCover New South Wales

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard. Each Standard should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to the Chief Executive, Standards Australia, GPO Box 476, Sydney, NSW 2001.

This Standard was issued in draft form for comment as DR 05094.

STANDARDS AUSTRALIA

RECONFIRMATION

OF

AS 2359.14—2005

Powered industrial trucks

Part 14: Fork arms—Technical characteristics and testing

RECONFIRMATION NOTICE

Technical Committee ME-026 has reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 17 August 2016.

The following are represented on Technical Committee ME-026:

Australian Industrial Truck Association
Australian Industry Group
Construction and Mining Equipment Industry Group
Hire and Rental Industry Association of Australia
Safety Institute of Australia
SafeWork NSW
WorkSafe Victoria

NOTES

Currently in preview, click buy full vers.

Australian Standard™

Powered industrial trucks

**Part 14: Fork arms—Technical
characteristics and testing**

First published as AS 2359.14—2005.

COPYRIGHT

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 476, Sydney, NSW 2001, Australia

ISBN 0 7337 6794 X

PREFACE

This Standard was prepared by the Standards Australia Committee ME-026, Industrial Trucks.

It is identical with and has been reproduced from ISO 2330:2002, *Fork-lift trucks—Fork arms—Technical characteristics and testing*.

This Standard is Part 14 of AS 2359, *Powered industrial trucks*, which is published in part as follows:

- Part 1: General requirements
- Part 2: Operation
- Part 3: Counterbalanced fork-lift trucks—Stability tests
- Part 4: Reach and straddle fork-lift trucks—Stability tests
- Part 5: Symbols for operator controls and other displays
- Part 6: Safety Code
- Part 7: Terminology
- Part 8: Pallet stackers and high-lift platform trucks—Stability tests
- Part 9: High-lift rider trucks—Overhead guards—Specific tests and testing
- Part 10: Fork-lift trucks—Hook-on type fork arms—Vocabulary
- Part 11: Fork-lift trucks—Hook-on type fork arms and fork carriers—Mounting dimensions
- Part 12: Hazardous areas
- Part 13: Brake performance and component strength
- Part 14: Fork arms—Technical characteristics and testing (this Standard)
- Part 15: Fork arm extension and telescopic fork arms—Technical characteristics and strength requirements
- Part 16: Safety signs and hazard pictorials—General principles
- Part 17: Stability tests for rough terrain trucks
- Part 18: Stability tests for industrial variable-reach trucks
- Part 19: Additional stability tests for industrial variable-reach trucks handling freight containers of length 6 m and above

As this Standard is reproduced from an International Standard, the following applies:

(a) Terminology The words ‘this Australian Standard’ should replace the words ‘this International Standard’ whenever they appear.

(b) Decimal comma The decimal point should replace the decimal comma wherever it appears.

References to international Standards should be replaced by references, where appropriate, to the following Australian Standards:

<i>Reference to International Standard</i>	<i>Australian Standard</i>
ISO	AS
2331 Fork-lift trucks—Hook-on type fork arms—Vocabulary	2359 Powered industrial trucks
	2359.10 Part 10: Fork-lift trucks—Hook-on type fork arms—Vocabulary
2328 Fork-lift trucks—Hook-on type fork arms and fork carriers—Mounting dimensions	2359.11 Part 11: Fork-lift trucks—Hook-on type fork arms and fork carriers—Mounting dimensions

Currently in preview, click buy full vers.

AUSTRALIAN STANDARD

Powered industrial trucks

Part 14: Fork arms—Technical characteristics and testing

1 Scope

This International Standard specifies manufacturing, testing and marking requirements for solid-section fork arms, for quantity production and with all types of mounting. These include, but are not limited to, hook, shaft type, bolt-on and roller type fork arms.

By agreement between the fork arm manufacturer and the purchaser, these requirements may also be applied to fork arms not intended for quantity manufacture.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this International Standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 148:1983, *Steel — Charpy impact test (V-notch)*

ISO 683-1:1987, *Heat-treatable steels, alloy steels and free-cutting steels — Part 1: Direct-hardening unalloyed and low-alloyed wrought steel in form of different black products*

ISO 2328:1993, *Fork-lift trucks — Hook-on type fork arms and fork arm carriages — Mounting dimensions*

ISO 2331:1974, *Fork lift trucks — Hook-on type fork arms — Vocabulary*

3 Terms and definitions

For the purposes of this International Standard, the terms and definitions given in ISO 2331 and the following apply.

3.1

prototype fork arm

fork arm intended for quantity production where any combination of the blade, shank cross-section, material specification, hook or fork heel design is new to production

4 Manufacture

The fork arms shall be manufactured from material of solid cross-section.

5 Testing

5.1 A prototype fork arm shall be subjected to, and meet the requirements of, the yield test in clause 6 and the impact test in clause 7.