

Australian Standard™

**Electroplated coatings—Chromium for  
engineering applications**

This Australian Standard was prepared by Committee MT-009, Metal Finishing. It was approved on behalf of the Council of Standards Australia on 23 February 2004 and published on 2 April 2004.

---

The following are represented on Committee MT-009:

Australasian Institute of Metal Finishing  
Australian Aluminium Council  
Australian Chamber of Commerce and Industry  
Australian Industry Group  
Australian Paint Manufacturer's Federation  
Department of Defence  
Galvanizers Association of Australia  
Institute of Materials Engineering Australia  
The Royal Australian Chemical Institute  
Society of Automotive Engineers—Australasia  
Telstra Corporation

---

### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at [www.standards.com.au](http://www.standards.com.au) and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at [mail@standards.org.au](mailto:mail@standards.org.au), or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

---

STANDARDS AUSTRALIA

---

RECONFIRMATION

OF

AS 2453—2004

Electroplated coatings—Chromium for engineering applications

---

RECONFIRMATION NOTICE

Technical Committee MT-009 has reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 20 March 2017.

The following are represented on Technical Committee MT-009:

Australasian Institute of Surface Finishing  
Australian Chamber of Commerce and Industry  
Australian Industry Group  
Australian Steel Institute  
Bureau of Steel Manufacturers of Australia  
Galvanizers Association of Australia  
Galvanizing Association of New Zealand  
New Zealand Metal Roofing Manufacturers

NOTES

Currently in preview, click buy full vers.

Australian Standard™

**Electroplated coatings—Chromium for  
engineering applications**

Formulated as AS (E)CK501—1945 and AS (E)K515—1945.  
Previous edition AS 2453—1981.  
Second edition 2004.

**COPYRIGHT**

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd  
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 5842 8

## PREFACE

This Standard was prepared by the Australian members of the Joint Standards Australia/Standards New Zealand Committee MT-009, Metal Finishing, to supersede AS 2453—1981, *Electroplated coatings of chromium for engineering applications*. After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian rather than an Australian/New Zealand standard.

The objective of this Standard is to specify the requirements for electroplating hard chromium for engineering applications.

The objective of this revision is to introduce the requirements for pre-treatment and post-treatment for iron and steel to reduce hydrogen embrittlement and the service condition numbers, which relate to the corrosion categories that are specified in AS/NZS 2102.

During the preparation of this Standard, cognizance was taken of the following ISO Standards:

ISO

9587 Metallic and other inorganic coatings—Pretreatment of iron or steel to reduce the risk of hydrogen embrittlement

9588 Metallic and other inorganic coatings—Post-coating treatments of iron or steel to reduce the risk of hydrogen embrittlement

No international (ISO) Standards have been published on this subject which were acceptable to the Committee for adoption as Australian Standards.

The terms 'normative' and 'informative' has been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

## CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE .....	4
1.2 REFERENCED DOCUMENTS .....	4
1.3 DEFINITIONS .....	5
1.4 SERVICE CONDITION NUMBER .....	5
1.5 CONDITION OF THE ITEM BEFORE ELECTROPLATING .....	5
1.6 CLASSIFICATION .....	6
SECTION 2 COATING REQUIREMENTS FOR CHROMIUM	
2.1 GENERAL .....	8
2.2 APPEARANCE .....	8
2.3 COATING THICKNESS .....	9
2.4 ADHESION .....	10
2.5 HARDNESS .....	10
2.6 POROSITY OF POROUS CHROMIUM .....	10
2.7 SEPARATE SPECIMENS .....	11
2.8 HEAT TREATMENT AFTER ELECTROPLATING .....	11
2.9 CORROSION TESTING .....	11
APPENDICES	
A PURCHASING GUIDELINES .....	12
B MEANS FOR DEMONSTRATING COMPLIANCE WITH THIS STANDARD .....	13
C POROSITY TYPES .....	15
D PRETREATMENT OF IRON OR STEEL TO REDUCE THE RISK OF HYDROGEN EMBRITTLEMENT .....	22
E POST-COATING TREATMENTS OF IRON OR STEEL TO REDUCE THE RISK OF HYDROGEN EMBRITTLEMENT .....	25
F STRESS RELIEVING USING NON HEAT TREATMENT PROCESSES .....	29
G THICKNESS OF COATING AND UNDERCOAT APPLICATIONS .....	30
H ATMOSPHERIC CORROSIVITY CATEGORIES .....	32

## STANDARDS AUSTRALIA

**Australian Standard****Electroplated coatings—Chromium for engineering applications**

## SECTION 1 SCOPE AND GENERAL

**1.1 SCOPE**

This Standard specifies requirements for electroplated coatings of hard chromium on ferrous and non-ferrous metals for engineering applications.

The minimum purchasing requirements are specified in Appendix A.

## NOTES:

- 1 The means for demonstrating compliance with this Standard are shown in Appendix B.
- 2 The thickness of coating and undercoat applications are shown in Appendix G.
- 3 The categories for atmospheric corrosivity are shown in Appendix H.

**1.2 REFERENCED DOCUMENTS**

The following documents are referred to in this Standard

## AS

- |           |  |
|-----------|--|
| 1199      | Sampling procedures for inspection by attributes   |
| 1199.0    | Part 0: Introduction to the ISO 2859 attribute sampling system   |
| 1199.1    | Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection               |
| 1247      | Metallic coatings—Rating of test specimens and manufacturers articles subject to corrosion tests           |
| 2331      | Method of test for metallic and related coatings   |
| 2331.1.1  | Method 1.1: Local thickness tests—Micrographic examinations of cross-sections                              |
| 2331.1.2  | Method 1.2: Local thickness tests—Coulometric method   |
| 2331.1.3  | Method 1.3: Local thickness tests—Magnetic method  |
| 2331.3.1  | Method 3.1: Corrosion and related property tests—Neutral salt spray (NSS) test                             |
| 2331.3.9  | Method 3.9: Corrosion and related property tests—Metallic coatings—Porosity tests—Ferroxyl test            |
| 2331.3.10 | Method 3.10: Corrosion and related property tests—Cracks and pores in chromium                             |
| 2331.4.1  | Method 4.1: Physical tests—Qualitative adhesion tests  |
| 2331.4.4  | Method 4.4: Physical tests—Assessment of intensity of shot-peening   |
| 2483      | Metal finishing—Recommended sampling plans for the inspection and testing of coatings (ISO 4519:1980, MOD) |
| 4108      | Metal finishing—Glossary of terms used in electroplating and related processes                             |
| 4291      | Mechanical properties of fasteners made of carbon steel and alloy steel                                    |
| 4291.1    | Part 1: Bolts, screws and studs  |