

Australian Standard™

**Steel cylinders for compressed
gases—Welded two-piece
construction—0.1 kg to 35 kg**

This Australian Standard was prepared by Committee ME/2, Gas Cylinders. It was approved on behalf of the Council of Standards Australia on 31 July 1998 and published on 5 October 1998.

The following interests are represented on Committee ME/2:

A.C.T. WorkCover
Airconditioning and Refrigeration Wholesalers Association
Australasian Railway Association
Australian Association of Certification Bodies
Australian Chamber of Commerce and Industry
Australian Chamber of Manufactures
Australian Gas Association
Australian Institute of Pressure Equipment Engineers
Australian Liquefied Petroleum Gas Association
Boiler and Pressure Vessel Manufacturers Association of Australia
Bureau of Steel Manufacturers of Australia
Department of Defence, Australia
Department for Administrative and Information Services, S.A.
Department of Mines and Energy, Qld
Department of Training and Industrial Relations, Qld
Fire Protection Association of Australia
Institute of Metals and Materials Australasia
Institution of Engineers Australia
Victorian WorkCover Authority
Welding Technology Institute of Australia
Work Health Authority, N.T.
WorkCover New South Wales
Workplace Standards Authority, Tas.

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

Australian Standard™

**Steel cylinders for compressed
gases—Welded two-piece
construction—0.1 kg to 35 kg**

Originated as part of AS B15—1950.
Previous edition AS 2469—1989.
Third edition 1998.

PREFACE

This Standard was prepared by the Standards Australia/Standards New Zealand Committee ME/2, Gas Cylinders to supersede AS 2469—1989, *Steel cylinders for compressed gases—Welded—0.1 kg to 11 kg*. It is the result of a consensus amongst representatives of the Joint Committee to provide it as an Australian Standard.

This Standard is one of a suite of four Standards for welded and brazed cylinders for compressed gases, the other Standards being as follows:

AS

2468 Steel cylinders for compressed gases—Brazed—0.1 kg to 11 kg.

2470 Steel cylinders for compressed gases—Welded three-piece construction with longitudinal joint—11 kg to 150 kg

3577 Steel cylinders for compressed gases—Welded—150 kg to 500 kg.

This Standard provides for gas cylinders produced in large quantities. Users of this Standard should note that a competent person or body will require either quality control procedures to be employed at the point of manufacture in Australia or, for cylinders manufactured overseas, sampling and testing at the point of entry into Australia. It should also be noted that before a gas cylinder can be first filled in Australia it must be stamped with a Standards Australia Certificated Gas Cylinder Test Station registered mark in accordance with the relevant Standard in the AS 2030 series.

The construction now allows two piece welded cylinder to be made with capacities up to 35 kg water capacity.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

	<i>Page</i>
1 SCOPE	4
2 REFERENCED DOCUMENTS	4
3 DEFINITIONS	4
4 CARBON STEEL	4
5 DESIGN AND CONSTRUCTION	5
6 WELDING AND INSPECTION	6
7 HEAT TREATMENT	7
8 MECHANICAL TESTS	11
9 PRESSURE TESTS	12
10 TYPE TESTS	13
11 SURFACE COATINGS	15
12 RECORD AND TEST CERTIFICATE(S)	15
13 STAMPING	16
14 PREPARATION FOR DESPATCH	17
 APPENDICES	
A WELDED STAINLESS STEEL GAS CYLINDERS	18
B SUGGESTED MINIMUM INFORMATION TO BE SUPPLIED BY THE PURCHASER	20
C LIST OF REFERENCED DOCUMENTS	21
D RESISTANCE SPOT WELDING FOR NON-PRESSURE-RETAINING ATTACHMENTS	23
E LOCATIONS OF TEST SPECIMENS	24
F SUGGESTED FORM OF MANUFACTURER'S RECORD AND TEST CERTIFICATE	25

STANDARDS AUSTRALIA

Australian Standard

**Steel cylinders for compressed gases—Welded
two-piece construction—0.1 kg to 35 kg**

1 SCOPE This Standard specifies requirements for welded carbon and stainless steel cylinders with no longitudinal joint and one circumferential joint, of water capacity not less than 0.1 kg nor more than 35 kg, which have test pressures from 1750 kPa to 7000 kPa and are intended for the storage and transport of compressed gases in accordance with AS 2030.1. Stainless steel cylinders shall be constructed in accordance with Appendix A.

NOTES:

- 1 A gas cylinder manufactured by welding but which includes any brazing of, or on, the pressure-retaining portions is for the purpose of this Standard considered to be a brazed gas cylinder.
- 2 Other Australian Standards for brazed and welded gas cylinders are AS 2468, AS 2470, and AS 3577.
- 3 Appendix B lists the suggested minimum information that should be supplied by the purchaser when ordering gas cylinders to this Standard.

2 REFERENCED DOCUMENTS A list of documents referred to in this Standard is given in Appendix C.

3 DEFINITIONS For the purpose of this Standard, the definitions given in AS 2030.1 and those below apply.

3.1 Attachment—any fitting attached to the pressure-retaining sections of the cylinder by welding, including bosses, pads, valve protection rings, and footrings.

3.2 Inspection Body—a body responsible for inspection, which may cover any one or more of the following:

- (a) Design verification.
- (b) Fabrication inspection.
- (c) In-service inspection.

3.3 Inspector—a person, acceptable to the competent person or body, who ensures and certifies that all the inspections specified herein have been carried out and that the cylinders comply with all the requirements of this Standard.

4 CARBON STEEL**4.1 Cylinder halves**

4.1.1 Steelmaking process The steel shall be made by the open hearth, basic oxygen, or an electric process. Rimmed steels shall not be used for arc welded components.

NOTE: Rimmed steels are considered not suitable for arc welded components because of problems associated with welding of the slit edge due to the possibility of lamination and segregation problems.

4.1.2 Cast analysis The cast analysis shall conform to Table 1, except that where resistance-welded attachments are to be added to the cylinder the maximum carbon content of the pressure-retaining portion of the joint shall be 0.15%.