



Cathodic protection of metals

Part 1: Pipes and cables

STANDARDS
Australia

Currently in preview, click buy full version

This Australian Standard® was prepared by Committee MT-014, Corrosion of Metals. It was approved on behalf of the Council of Standards Australia on 8 January 2015. This Standard was published on 27 January 2015.

The following are represented on Committee MT-014:

- Australasian Corrosion Association
 - Australian Chamber of Commerce and Industry
 - Australian Electrolysis Committee
 - Australian Industry Group
 - Australian Paint Manufacturers' Federation
 - Australian Pipeline Industry Association
 - Austroads
 - Bureau of Steel Manufacturers of Australia
 - CSIRO Manufacturing and Materials Technology
 - Galvanizers Association of Australia
 - Galvanizing Association of New Zealand
 - Materials Australia
 - New Zealand Abrasive Blasting Association
 - New Zealand Heavy Engineering Association
 - United Water International
 - Water Services Association of Australia
-

This Standard was issued in draft form for comment as DR AS 2832.1.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting www.standards.org.au

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

Australian Standard[®]

Cathodic protection of metals

Part 1: Pipes and cables

Original as AS 2832.1—1985.
Previous edition AS 2832.1—2004.
Current edition AS 2832.1:2015.

COPYRIGHT

© Standards Australia Limited

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968.

Published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001, Australia

ISBN 978 1 74342 958 7

PREFACE

This Standard has been prepared by the Australian members of the Joint Standards Australia/Standards New Zealand Committee MT-014, Corrosion of Metals, to supersede AS 2832.1—2004, *Cathodic protection of metals, Part 1: Pipes and cables*.

After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian Standard rather than an Australian/New Zealand Standard.

The objective of this Standard is to specify the technical requirements for the cathodic protection of buried pipes and cables.

The objective of this revision is—

- (a) to cater for changes in government legislation, which affect stray current control on cathodic protection systems on structures;
- (b) to make changes that better reflect the present understanding of corrosion caused by stray direct current interference; and
- (c) to generally update the technical aspects of the standard in line with current industry practice.

This Standard is Part 1 of the AS 2832 series of Standards. The other parts are as follows:

AS	
2832	Cathodic protection of metals
2832.2	Part 2: Compact buried structures
2832.3	Part 3: Fixed immersed structures
2832.4	Part 4: Internal surfaces
2832.5	Part 5: Steel in concrete structures

The terms ‘normative’ and ‘informative’ have been used in this Standard to define the application of the appendix to which they apply. A ‘normative’ appendix is an integral part of a Standard, whereas an ‘informative’ appendix is only for information and guidance.

CONTENTS

	<i>Page</i>
FOREWORD.....	6
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE.....	7
1.2 REFERENCED DOCUMENTS.....	7
1.3 DEFINITIONS.....	9
1.4 COMPETENCE OF PERSONNEL.....	13
SECTION 2 CRITERIA FOR CATHODIC PROTECTION	
2.1 SCOPE AND GENERAL.....	14
2.2 PROTECTION CRITERIA.....	14
2.3 OVERPROTECTION.....	18
SECTION 3 MEASURING TECHNIQUES AND EQUIPMENT	
3.1 GENERAL.....	19
3.2 POTENTIAL MEASUREMENT AND EQUIPMENT.....	19
3.3 CURRENT MEASUREMENT AND EQUIPMENT.....	20
SECTION 4 DESIGN OF STRUCTURES TO ACCOMMODATE CATHODIC PROTECTION	
4.1 SCOPE AND GENERAL.....	21
4.2 MATERIALS OF CONSTRUCTION.....	21
4.3 COATED AND UNCOATED STRUCTURES.....	21
4.4 ELECTRICAL HAZARDS AND DISTURBANCES.....	22
4.5 TEST POINTS.....	23
4.6 INSULATING JOINTS (ISOLATION JOINTS).....	24
4.7 ROAD, RAIL AND OTHER CROSSINGS.....	26
4.8 ELECTRICAL ISOLATION.....	27
4.9 ELECTRICAL CONTINUITY.....	27
SECTION 5 DESIGN OF CATHODIC PROTECTION SYSTEMS	
5.1 SCOPE AND GENERAL.....	28
5.2 SAFETY STANDARDS.....	28
5.3 DESIGN REQUIREMENTS.....	29
5.4 DESIGN DATA.....	30
5.5 MATERIALS.....	30
5.6 TEST POINTS.....	32
5.7 REFERENCE ELECTRODES.....	32
5.8 ELECTRICAL EARTHING.....	32
5.9 ENVIRONMENTAL, INDIGENOUS AND HISTORIC HERITAGE.....	32
SECTION 6 CATHODIC PROTECTION OF STRUCTURES SUBJECT TO STRAY DIRECT TRACTION CURRENT	
6.1 SCOPE AND GENERAL.....	33
6.2 MINIMIZATION OF STRAY CURRENT EFFECTS.....	33

SECTION 7 INSTALLATION OF CATHODIC PROTECTION SYSTEMS	
7.1	SCOPE..... 36
7.2	APPROVAL TO INSTALL..... 36
7.3	INSTALLATION PRACTICE..... 36
7.4	INSPECTION REQUIREMENTS FOR MATERIALS AND EQUIPMENT 37
7.5	INSTALLATION OF GALVANIC ANODE SYSTEMS 38
7.6	INSTALLATION OF IMPRESSED CURRENT ANODE SYSTEMS 38
7.7	INSTALLATION OF INSULATING JOINTS 39
SECTION 8 CONTROL OF INTERFERENCE WITH FOREIGN STRUCTURES	
8.1	SCOPE AND GENERAL 40
8.2	INTERFERENCE TESTING..... 40
8.3	MINIMIZATION OF INTERFERENCE CURRENT 41
SECTION 9 COMMISSIONING OF CATHODIC PROTECTION SYSTEMS	
9.1	SCOPE AND GENERAL 46
9.2	PRE-ENERGIZATION TESTING 46
9.3	SYSTEM OPERATION AND ADJUSTMENT..... 47
9.4	POST-ENERGIZATION TESTS..... 47
9.5	RECORDS..... 47
9.6	OPERATION MANUALS..... 48
SECTION 10 OPERATION OF CATHODIC PROTECTION SYSTEMS	
10.1	SCOPE AND GENERAL 49
10.2	SYSTEM OPERATION CHECKS 49
10.3	EQUIPMENT INSPECTIONS..... 49
10.4	CATHODIC PROTECTION POTENTIAL SURVEYS..... 50
10.5	REPEAT INTERFERENCE TESTING 50
10.6	RECORDS..... 51
SECTION 11 DOCUMENTATION OF CATHODIC PROTECTION SYSTEMS	
11.1	SYSTEM DESIGN DOCUMENTATION 52
11.2	COMMISSIONING DOCUMENTATION..... 52

Page

APPENDICES

A	GUIDANCE ON THE GENERAL USE OF CATHODIC PROTECTION	53
B	MEASUREMENT OF PROTECTION STATUS.....	57
C	CALIBRATION AND MAINTENANCE OF REFERENCE ELECTRODES.....	61
D	INFORMATION FOR THE DESIGN OF STRUCTURES TO ACCOMMODATE CATHODIC PROTECTION.....	63
E	COATINGS FOR USE WITH CATHODIC PROTECTION	65
F	MITIGATION OF A.C. EFFECTS FROM HIGH VOLTAGE ELECTRICAL POWERLINES	68
G	INFORMATION FOR THE DESIGN OF CATHODIC PROTECTION SYSTEMS	76
H	EXAMPLE OF CATHODIC PROTECTION SYSTEM DESIGN DOCUMENTATION FOR PIPELINES	87
I	CONTROL OF INTERFERENCE CURRENTS—LIST OF ELECTROLYSIS COMMITTEES	89
J	STRUCTURE INSPECTIONS	90
K	COMPARISON OF STRUCTURE/ELECTROLYTE POTENTIALS OBTAINED WHEN MEASURED WITH VARIOUS REFERENCE ELECTRODES.....	91
L	TESTING OF PIPELINES INSTALLED WITHIN HORIZONTAL DIRECTIONAL DRILLED CROSSINGS.....	93
M	GUIDANCE ON THE TESTING OF ELECTRICAL ISOLATION BETWEEN STRUCTURE AND METAL CASINGS.....	97
N	MEASUREMENT, ANALYSIS AND INTERPRETATION OF SOIL RESISTIVITY MEASUREMENTS.....	99
O	POTENTIAL ISSUES BETWEEN PIPELINE ELECTRICAL HAZARD MITIGATION EQUIPMENT AND CATHODIC PROTECTION SYSTEMS	101
P	TESTING OF INSULATING JOINTS.....	104

FOREWORD

Corrosion of a metal is an electrochemical reaction between it and its environment, which results in wastage of the metal. Therefore, corrosion is a combination of chemical effects with an associated flow of electrical energy (corrosion current).

In many practical situations where it is impossible to change the nature of the environment, corrosion may be prevented by employing cathodic protection on a buried or submerged structure. This is achieved by applying an appropriate direct current flowing in opposition to the original corrosion current, therefore preventing the natural tendency of the metal to react with its environment. In practice, the electrical potential of the metal at risk is used to judge whether adequate protection is being achieved.

To employ cathodic protection, a circuit is established by connecting a suitable source of direct current to the structure to be protected.

Two types of cathodic protection systems are available as follows:

- (a) Galvanic anode systems, which employ metallic anodes that are consumed to provide the source of direct current for protection of the structure. The driving voltage for the protective current comes from the natural potential difference that exists between the structure and a second metal (the galvanic anode).
- (b) Impressed current systems, in which the driving voltage for the protective current between the structure and the anode is supplied by an external direct current power source.

Corrosion control for a structure should be considered at the conceptual design stage. Factors that affect the corrosion of metallic structures are listed in Paragraph A3 of Appendix A. The practices recommended in this Standard relate to steps that need to be taken following a decision to apply cathodic protection to a structure. These steps are as follows:

- (i) Designing the structure to be compatible with cathodic protection and including cathodic protection facilities during construction. For existing structures, determine the measures to be taken to apply cathodic protection effectively, and the facilities necessary for cathodic protection monitoring.
- (ii) For new structures, deciding whether to coat, and if so, deciding which particular coating system should be employed. The nature and condition of any coating on existing structures needs to be considered when determining the requirements for the cathodic protection system.
- (iii) Designing the cathodic protection system. If the structure is already installed, the design parameters may be measured and an optimum design provided. If the structure is not installed, a number of assumptions, especially in regard to interference, will be required for the estimation of design parameters.
- (iv) Installing the cathodic protection system.
- (v) Commissioning the cathodic protection system and achieving a balance of cathodic protection current to enable the entire structure to be protected with minimum current, and with as uniform a potential distribution as is practicable.
- (vi) Monitoring cathodic protection at regular intervals, adjusting the system as necessary, and maintaining complete records of its operation.

While cathodic protection can prevent corrosion there are circumstances where it may not be effective, even if protection is indicated by potential monitoring techniques carried out at test points. Therefore, the determination that cathodic protection is achieved is a risk based judgement dependent on an evaluation of a number of parameters.

STANDARDS AUSTRALIA

Australian Standard
Cathodic protection of metals

Part 1: Pipes and cables

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE

This Standard specifies requirements for the cathodic protection of buried or submerged metallic pipes and cables. This Standard does not apply to offshore submarine pipelines.

The Standard specifically covers the following subjects, which relate to cathodic protection:

- (a) Pertinent aspects of the design of structures requiring cathodic protection.
- (b) Coatings for use on submerged and buried structures.
- (c) Criteria for the cathodic protection of a structure.
- (d) Measuring techniques and equipment.
- (e) The design of cathodic protection systems.
- (f) The installation of cathodic protection systems.
- (g) The control of interference currents on foreign structures.
- (h) The cathodic protection of structures subject to stray direct current and telluric effects.
- (i) The operation and maintenance of cathodic protection systems.
- (j) Electrical hazards associated with the cathodic protection of buried structures.

NOTE: Guidance on the general use and design of cathodic protection systems and factors affecting the corrosion of buried metallic structures are given in Appendix A.

This Standard employs conventional (positive) current flow, for consistency with accepted practice, and uses the potential sign conventions specified in AS/NZS 1852 (series). In order to understand the various electrochemical reactions that occur at electrodes during cathodic protection, it should be recognized that electron flow occurs in the opposite direction to conventional current flow.

1.2 REFERENCED DOCUMENTS

The following documents are referred to in this Standard:

AS	
1100	Technical drawing
1100.401	Part 401: Engineering survey and engineering survey design drawing
1627	Metal finishing—Preparation and pretreatment of surfaces
1627.2	Part 2: Power tool cleaning
1627.4	Part 4: Abrasive blast cleaning of steel
2239	Galvanic (sacrificial) anodes for cathodic protection
2374	Power transformers (series)