

AS 2859—1986
Reconfirmed 2016

Australian Standard[®]

**TEXTILES—
SEAM TYPES—
CLASSIFICATION AND
TERMINOLOGY**

This Australian standard was prepared by Committee TX/-, Textile Standards Board. It was approved on behalf of the Council of the Standards Association of Australia on 25 February 1986 and published on 5 May 1986.

The following interests are represented on Committee TX/-:

Australian Confederation of Apparel Manufacturers
Australian Knitting Industries Council
Australian Retailers Association
Australian Wholesale Softgoods Federation
Australian Wool Corporation
Australian Wool Testing Authority Ltd
Carpet Institute of Australia
Commonwealth Scientific and Industrial Research Organization
Department of Defence
Department of Industry Technology & Commerce
Department of Primary Industry
Drycleaning Institute of Australia
Railways of Australia Committee
Society of Dyers and Colourists of Australia and New Zealand
Textile Clothing and Footwear Council of Australia Limited
Textile Rental and Laundry Association (Aust) Ltd
University of New South Wales
Wool Textile Manufacturers of Australia

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This standard was issued in draft form for comment as DR 82007.

STANDARDS AUSTRALIA

RECONFIRMATION

OF

AS 2859—1986

Textiles—Seam types—Classification and terminology

RECONFIRMATION NOTICE

Technical Committee TX-020 has reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 6 July 2016.

The following are represented on Technical Committee TX-020:

Ag Research
Australian Wool Processors Council
AWTA Textile Testing
Council of Textile and Fashion Industries of Australia
Drycleaning Institute of Australia
National Association of Testing Authorities Australia
RMIT University
The Textile Institute

NOTES

Currently in preview, click buy full vers.

Australian Standard[®]

**TEXTILES—
SEAM TYPES—
CLASSIFICATION AND
TERMINOLOGY**

First published 1986

PUBLISHED BY STANDARDS AUSTRALIA
(STANDARDS ASSOCIATION OF AUSTRALIA)
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 4139 3

PREFACE

This standard was prepared by the Association's Textile Standards Board. It is identical with and has been reproduced from the International standard ISO 4916, drawn up by ISO/TC 38, Textiles.

The standard covers a classification and terminology of seam types. It embodies designation numbers to define different configurations of seams using single or multi-component fabric systems as indicated in the introduction.

This document should be of value in the defining of seam types in textile product manufacturing industries.

For the purpose of this Australian Standard, the text of the ISO standard used should be modified as follows:

- (a) *Terminology*: The words 'Australian Standard' should replace the words 'International Standard' wherever they appear.
- (b) *Decimal sign*: A dot on the line should replace the comma wherever it appears as a decimal sign.
- (c) *Cross-reference*: The references to International Standards should be replaced by references to Australian Standards as follows:

<i>Reference to International Standard</i>	<i>Appropriate Australian Standard</i>
ISO 4915, Textiles—Stitch types—Classification and terminology	AS 2860, Textiles—Stitch Types—Classification and Terminology

Contents

	Page
0 Introduction	3
1 Scope and field of application	3
2 Reference	3
3 Definition	3
4 Classification	3
5 Designation	6
6 Conventions used in the illustrations	6
7 Illustrations	8
Annex: Previous national and ISO designations	64

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

Textiles — Seam types — Classification and terminology

0 Introduction

This classification of stitched seams should provide valuable information for purchasing officers, garment manufacturers, machine manufacturers, students and others. The document primarily provides a descriptive guide for purposes of identification and ease of reference.

Stitched seams, for the purpose of this International Standard, consist of a sequence of stitch types as defined in ISO 4915, together with a number of components and their configuration, which appear in this International Standard.

In order for a seam specification to be meaningful, the designation of the stitch type has to be added after the designation of the stitched seam. If two or more stitch types are used, they should be stated from left to right.

The ISO designations, together with previous national designations, are listed in the annex.

NOTE — Further seam types which may be developed in the future should be notified to the secretariat of ISO/TC 38 in order to obtain, after consultation with ISO/TC 38, the correct classification.

1 Scope and field of application

This International Standard classifies, illustrates and designates the various kinds of stitched seams. It is not intended to be fully comprehensive but to illustrate a number of the most used seam types. It is applicable to seams used most particularly in the clothing industry. All illustrations show the cross-section of the material configuration only.

This International Standard should be read in conjunction with ISO 4915.

2 Reference

ISO 4915, *Textiles — Stitch types — Classification and terminology*.

3 Definition

seam : The application of a series of stitches or stitch types to one or several thicknesses of material.

4 Classification

Stitched seams are divided into eight classes according to the types and minimum number of components within the seam. The components are termed as being of “limited” or “unlimited” width (see 6.3). The characteristics of each class are shown in the table, and indicated below.

4.1 Class 1

In this class, seams are produced with a minimum of two components, both limited on the same side. Any other component is either similar to one of these two or limited on two sides.

4.2 Class 2

In this class, seams are produced with a minimum of two components of which one is limited on one side and the second on the other side. These two components are opposite and at different levels and overlap each other. Any other component is either similar to one of these two or limited on two sides.

4.3 Class 3

In this class, seams are produced with a minimum of two components, one of which is limited on one side with the second, limited on both sides, straddling the edge of the former. Any other component is similar to one of these two.

4.4 Class 4

In this class, seams are produced with a minimum of two components of which one is limited on one side and the second on the other. These two components are opposite and on the same level. Any other component is either similar to one of these or limited on two sides.

4.5 Class 5

In this class, seams are produced with a minimum of one component unlimited on two sides. Any other component may be either limited on one side, or limited on two sides.