

Australian Standard[®]

**METHODS OF TEST FOR TEAT
SKIN DISINFECTANTS**

This Australian Standard was prepared by Committee FT/18, Testing of Teat Skin Sanitizers. It was approved on behalf of the Council of the Standards Association of Australia on 22 December 1987 and published on 15 July 1988.

The following interests are represented on Committee FT/18:

Agricultural & Veterinary Chemicals Association of Australia
Australian Chemical Specialties Manufacturers Association
Australian Dairy Farmers Federation
Australian Veterinary Association
CSIRO, Division of Animal Health
Department of Agriculture, N.S.W.
Department of Agriculture, S.A.
Department of Agriculture, Tas.
Department of Agriculture, Vic.
Department of Agriculture, W.A.
Department of Primary Industry
Department of Primary Industries, Qld

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This Standard was issued in draft form for comment as DR 83158.

Australian Standard[®]

**METHODS OF TEST FOR TEAT
SKIN DISINFECTANTS**

First published as AS 3559—1988.

PUBLISHED BY STANDARDS AUSTRALIA
(STANDARDS ASSOCIATION OF AUSTRALIA)
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 5140 2

PREFACE

This Standard was prepared by the Association's Committee on Testing Teat Skin Disinfectants at the direction of the Food Technology Standards Board of the Standards Association of Australia.

The Food Technology Standards Board considers that teat skin disinfectants which are used to assist in the control of mastitis should be effective for that purpose and should not harm the cows treated with them, and should not impart any residue to milk. Standard methods of test are required to demonstrate these properties although it is acknowledged that a product need not necessarily be submitted to the tests described in this Standard if alternative evidence is available which a Regulatory Authority accepts as satisfactory for approval and registration.

In the preparation of these methods, the Committee took account of the work carried out by the National Mastitis Council in the United States of America and by the International Dairy Federation.

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

	<i>Page</i>
SECTION 1. SCOPE AND GENERAL	
1.1 SCOPE	5
1.2 APPLICATION	5
1.3 DEFINITION	5
1.4 CHARACTERISTICS TO BE ASSESSED	5
1.5 SUPERVISION OF TESTS	5
SECTION 2. PROCEDURE FOR SCREENING TEAT SKIN DISINFECTANTS FOR THEIR IRRITANT EFFECTS ON THE TEAT	
2.1 SCOPE	5
2.2 EXPERIMENTAL DESIGN	6
2.3 PROCEDURE	6
2.4 RESULTS	6
SECTION 3. GUIDELINES FOR DETERMINING RESIDUES IN MILK RESULTING FROM THE USE OF TEAT DISINFECTANTS	
3.1 SCOPE	7
3.2 PRINCIPLE	7
3.3 EXPERIMENTAL DESIGN	7
3.4 SAMPLES	7
3.5 CHEMICAL ANALYSIS	7
3.6 RESULTS	7
3.7 DISPOSAL OF MILK DURING TRIALS	7
SECTION 4. PROCEDURE FOR SCREENING TEAT SKIN DISINFECTANTS FOR EFFECTIVENESS IN REDUCING THE BACTERIAL POPULATION ON TEAT SKIN	
4.1 SCOPE	8
4.2 EXPERIMENTAL DESIGN	8
4.3 PROCEDURE	8
4.4 INTERPRETATION OF RESULTS	8
4.5 REFERENCE	9
SECTION 5. PROCEDURE FOR DETERMINING THE EFFICACY OF A TEAT SKIN DISINFECTANT IN REDUCING THE INCIDENCE OF NATURALLY OCCURRING NEW INTRAMAMMARY INFECTIONS	
5.1 SCOPE	10
5.2 PRINCIPLE	10
5.3 SELECTION OF QUARTERS FOR TESTING	10
5.4 TEAT DISINFECTING	10
5.5 SAMPLING SCHEDULE AND PROCEDURES	10
5.6 BACTERIOLOGICAL PROCEDURES	10
5.7 CRITERIA FOR DETERMINING INFECTIONS	10
5.8 SIZE AND DURATION OF TRIAL	10
5.9 REPORT	10
5.10 REFERENCE	10
SECTION 6. PROCEDURE FOR DETERMINING THE EFFICACY OF A TEAT SKIN DISINFECTANT IN PREVENTING INTRAMAMMARY INFECTION FOLLOWING EXPERIMENTAL EXPOSURE OF THE TEATS TO MASTITIS ORGANISMS	
6.1 SCOPE	11
6.2 PRINCIPLE	11

	<i>Page</i>
6.3 SELECTION OF QUARTERS FOR TESTING	11
6.4 EXPERIMENTAL EXPOSURE OF TEATS	11
6.5 TEAT DISINFECTING	11
6.6 SAMPLING SCHEDULES AND PROCEDURES	11
6.7 BACTERIOLOGICAL PROCEDURES	11
6.8 CRITERIA FOR DETERMINING INFECTIONS	11
6.9 SIZE AND DURATION OF TRIAL	11
6.10 REPORT	11
 APPENDICES	
A PREPARATION OF CULTURES AND SWABS USED IN SECTION 4, TEST FOR BACTERICIDAL EFFICACY	12
B SELECTION OF EXPERIMENTAL HERDS, COWS AND QUARTERS FOR MASTITIS CONTROL FIELD TRIALS	13
C SIZE AND DURATION OF MASTITIS CONTROL FIELD TRIALS	15
D PREPARATION OF CHALLENGE CULTURE FOR MASTITIS CONTROL FIELD TRIALS	17

STANDARDS ASSOCIATION OF AUSTRALIA

Australian Standard

METHODS OF TEST FOR TEAT SKIN DISINFECTANTS

SECTION 1. SCOPE AND GENERAL

1.1 SCOPE. This Standard sets out a series of tests to assess those characteristics of teat skin disinfectants which determine that they are efficacious and are not harmful to the treated animals.

The characteristics considered are listed and described in Clause 1.4.

1.2 APPLICATION. The procedures are intended for assessment of teat skin disinfectants which are used for control of mastitis in cows. Tests described provide evidence that a product will not cause harm to cows and that it is effective in aiding the control of mastitis. One of the tests also provides data on the levels of contamination of the milk by the teat skin disinfectant but toxicological implications resulting from such contamination are not discussed.

1.3 DEFINITION. For the purpose of this Standard, the following definition applies:

Teat skin disinfectant—a preparation which is applied to the skin of the teats of a cow in order to control mastitis.

1.4 CHARACTERISTICS TO BE ASSESSED.

1.4.1 Irritancy to teat skin. A screening procedure to establish that a product is neither harmful nor irritant to the bovine teat or udder is set out in Section 2.

1.4.2 Residues in milk. Guidelines for determining residues in milk resulting from the use of teat skin disinfectants are set out in Section 3.

1.4.3 Bactericidal efficacy. A challenge test for bactericidal efficacy is set out in Section 4.

NOTE: Satisfactory performance in this test does not necessarily indicate that the product is effective in controlling mastitis under field conditions.

1.4.4 Control of mastitis. Two alternative procedures involving long term experimental field trials on dairy herds, for determining the efficacy of teat skin disinfectants in controlling mastitis are set out in Sections 5 and 6.

The method described in Section 5 is for determining the efficacy of a teat skin disinfectant in reducing the natural occurrence of new intramammary infections in cows.

The method described in Section 6 requires a shorter time than that in Section 5 and is for determining the efficacy of a teat skin disinfectant in reducing the occurrence of new intramammary infections during a period of experimental exposure of the teats to *Staphylococcus aureus*.

1.5 SUPERVISION OF THE TESTS. Tests described in this Standard shall be carried out under the supervision of a registered veterinary surgeon to ensure correct diagnosis of the test animals' condition and so that immediate remedial action can be instituted if mastitis occurs during the tests.