

Australian Standard[®]

**Supplementary cementitious
materials for use with portland and
blended cement**

Part 1: Fly ash

This Australian Standard was prepared by Committee BD/31, Supplementary Cementitious Materials for Use with Portland and Blended Cement. It was approved on behalf of the Council of Standards Australia on 14 November 1997 and published on 5 January 1998.

The following interests are represented on Committee BD/31:

Ash Development Association of Australia
The Association of Consulting Engineers Australia
Australasian Slag Association
Australian Pre-Mixed Concrete Association
AUSTROADS
Bureau of Steel Manufacturers of Australia
Cement and Concrete Association of Australia
Concrete Institute of Australia
CSIRO, Division of Building, Construction and Engineering
Department of Public Works and Services, N.S.W.
Pacific Power

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

All details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

Australian Standard[®]

**Supplementary cementitious
materials for use with portland and
blended cement**

Part 1: Fly ash

Originated as part of AS 1129—1971 and AS 1130—1971.
Previous edition AS 3582.1—1991.
Second edition 1998.

Incorporating:
Amdt 1—1999

PREFACE

This Standard was prepared by the Standards Australia Committee BD/31, Supplementary Cementitious Materials for Use with Portland and Blended Cement, to supersede AS 3582.1—1991, *Supplementary cementitious materials for use with portland cement, Part 1: Fly ash*.

Significant changes in this edition include the introduction of a special grade and deletion of requirements for determination of magnesia content and autoclave expansion. Limits on fineness and loss on ignition, set out in Table 1, have been tightened.

The term 'informative' has been used in this Standard to define the application of the appendix to which it applies. An 'informative' appendix is only for information and guidance.

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

	<i>Page</i>
FOREWORD	4
1 SCOPE	5
2 REFERENCED DOCUMENTS	5
3 DEFINITIONS	5
4 MARKING	5
5 GRADING	5
6 REQUIREMENTS	6
7 TEST METHODS	7
8 RETESTS	7
9 TEST CERTIFICATE	8
APPENDICES	
A MEANS FOR DEMONSTRATING COMPLIANCE WITH THIS STANDARD	9
B SAMPLING AND PREPARATION OF SAMPLES	11
C SUITABLE TEST CERTIFICATE	13

FOREWORD

With the ever-increasing use of fly ash and the expansion of knowledge of its characteristics, this latest revision of the Standard is an important update. The specification of grades of fly ash to reflect use in concrete of materials from coal-fired power stations across Australia with different coal sources and firing and collection systems has been the subject of much investigation and debate. The resulting provisions as set out in Table 1 now provide for grades, with each having associated with it limits on fineness, limits on loss on ignition and uniform limits on moisture and SO₃ content. The requirements on fineness and loss on ignition have been tightened. A new special grade has been introduced for highly reactive fly ash.

Since fly ash available in Australia does not contain expansive periclase, the requirements for magnesia determination and autoclave expansion testing have been withdrawn.

There was much debate during the revision over requirements for relative water requirement and relative strength. While each of these tests may provide a means of comparing performance of ashes from within a power station, they are proving to be not necessarily so helpful in assessing the relative merits of ashes from different power stations. Based on data reported to the Committee the caution about the effects of cement on the results obtained with each of these two tests has been retained.

In addition, again because of experience in the field, further documentation requirements have been specified, e.g. more data on the test certificate, as shown in Figure 1.

Attention is also drawn to the extensive changes made to the frequency of testing provisions as set out in Table B1. Again, this was the subject of much debate between the specifier/user and supplier representatives on the Committee and the end result represents the consensus between the parties.

Where a manufacturer or supplier can demonstrate an audited and registered quality management system complying with the requirements of this Standard for a supplier's quality system, this may provide the necessary confidence that the specified requirements will be met. The quality assurance requirements need to be agreed between the customer and supplier and should include a quality or inspection and test plan to ensure product conformity.

STANDARDS AUSTRALIA

Australian Standard

Supplementary cementitious materials for use with portland and blended cement

Part 1: Fly ash

1 SCOPE This Standard sets out requirements for fly ash as a cementitious material for use in concrete and mortar.

NOTE: Alternative methods for determining compliance with this Standard are given in Appendix A.

2 REFERENCED DOCUMENTS The following documents are referred to in this Standard:

AS

- | | |
|---------|---|
| 1199 | Sampling procedures and tables for inspection by attributes |
| 1399 | Guide to AS 1199—Sampling procedures and tables for inspection by attributes |
| 3583 | Methods of test for supplementary cementitious materials for use with portland cement |
| 3583.1 | Method 1: Determination of fineness by the 45 μm sieve |
| 3583.2 | Method 2: Determination of moisture content |
| 3583.3 | Method 3: Determination of loss on ignition |
| 3583.5 | Method 5: Determination of relative density |
| 3583.6 | Method 6: Determination of relative water requirement and relative strength |
| 3583.8 | Method 8: Determination of sulfuric anhydride content |
| 3583.12 | Method 12: Determination of available alkali |
| 3583.13 | Method 13: Determination of chloride ion content |

AS/NZS

- | | |
|------------|--|
| ISO 9000 | Quality management and quality assurance standards |
| ISO 9000.1 | Part 1: Guidelines for selection and use |
| ISO 9004 | Quality management and quality system elements |
| ISO 9004.1 | Part 1: Guidelines |

SAA

- | | |
|---------|--|
| HB18 | Guidelines for third-party certification and accreditation |
| HB18 28 | Guide 28—General rules for a model third-party certification scheme for products |

3 DEFINITIONS For the purpose of this Standard the definition below applies.

3.1 Fly ash—solid material extracted from the flue gases of a boiler fired with pulverized coal.

NOTE: The term does not apply to ash extracted from the bottom of a boiler (furnace ash) or economizer grits.