

Australian Standard<sup>®</sup>

**Concrete structures**

STANDARDS  
Australia



This Australian Standard® was prepared by Committee BD-002, Concrete Structures. It was approved on behalf of the Council of Standards Australia on 8 October 2009. This Standard was published on 23 December 2009.

---

The following are represented on Committee BD-002:

- AUSTRROADS
  - Association of Consulting Engineers Australia
  - Australian Building Codes Board
  - Bureau of Steel Manufacturers of Australia
  - Cement Concrete & Aggregates Australia—Cement
  - Cement Concrete & Aggregates Australia—Concrete
  - Concrete Institute of Australia
  - Engineers Australia
  - La Trobe University
  - Master Builders Australia
  - National Precast Concrete Association Australia
  - Steel Reinforcement Institute of Australia
  - University of Adelaide
  - University of Melbourne
  - University of New South Wales
  - University of Western Sydney
- 

This Standard was issued in draft form for comment as DR 05252.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

---

#### **Keeping Standards up-to-date**

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting [www.standards.org.au](http://www.standards.org.au)

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at [mail@standards.org.au](mailto:mail@standards.org.au), or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

---

# Australian Standard<sup>®</sup>

## Concrete structures

First published as AS CA2—1934.  
AS A26 first published 1934.  
AS CA2 first published 1937.  
MP 13 first published 1957.  
AS CA2—1937 and AS A26—1934 revised, amalgamated and redesignated AS CA2—1958.  
Third edition 1963.  
MP 13—1957 revised and redesignated AS CA35—1963.  
Second edition 1973.  
Fourth edition AS CA2—1973.  
AS CA2—1973 revised and redesignated AS 1480—1974.  
AS CA35—1973 revised and redesignated AS 1481—1974.  
Second edition AS 1481—1978.  
Second edition AS 1480—1982.  
AS 1480—1982 and AS 1481—1978 revised, amalgamated and redesignated AS 3600—1988.  
Fourth edition 2009.  
Reissued incorporating Amendment No. 1 (November 2010).  
Reissued incorporating Amendment No. 2 (March 2013).

### COPYRIGHT

© Standards Australia Limited

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968.

Published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001, Australia

ISBN 0 7337 9347 9

## PREFACE

This Standard was prepared by Standards Australia Committee BD-002, *Concrete Structures*, to supersede AS 3600—2001.

*This Standard incorporates Amendment No. 1 (November 2010) and Amendment No. 2 (March 2013). The changes required by the Amendment are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure or part thereof affected.*

### Objective of the Standard

The principal objective of the Standard is to provide users with nationally acceptable unified rules for the design and detailing of concrete structures and members, with or without steel reinforcement or prestressing tendons, based on the principles of structural engineering mechanics. The secondary objective is to provide performance criteria against which the finished structure can be assessed for compliance with the relevant design requirements.

### Background to the fourth edition

Amendment No. 1 to the 2001 edition of the Standard was issued in May 2002 to address various editorial errors in the Standard. At the time the committee embarked on a full revision of the Standard to include design rules for advanced concrete design, including the use of high strength concrete as well as a restructure of the design procedures section to align the Standard to the new editions of the AS/NZS 1170 series, *Structural design actions*.

Amendment No. 2 was published in October 2004 to address two matters the committee believed required immediate attention. These matters included the use of low Ductility Class L reinforcement and its limited ability to distribute moments as implied by the simplified analysis. The minimum reinforcement requirements for crack control introduced in the 2001 edition were also amended as they increased the amount of reinforcement required sometimes by up to 50% of that which was required for the minimum strength provisions.

These two Amendments have been incorporated into this revised edition of AS 3600 as well as a number of other changes.

Areas of major change in the Standard are as follows:

- (a) Increase in concrete strength specified in design rules from 65 MPa to 100 MPa. This has resulted in the review of all equations in AS 3600 for strength and has meant, in some instances, modification of equations such as the rectangular stress block model and inclusion of requirements for confinement to the core of columns.
- (b) Section 2, Design procedures, actions and loads, has been revised to align with the provisions of AS/NZS 1170 series, *Structural design actions*, and contains additional design check methods for designers to consider.
- (c) Section 3, Design properties of materials, (previously Section 6) has been reviewed to—
  - (i) include new shrinkage equations, which will address autogenous and drying shrinkage; and
  - (ii) revisions to creep calculations, which modify the creep factor by revising the  $k_2$  and  $k_3$  factors and include the addition of environmental and humidity factors.
- (d) Specification of additional severe exposure classifications and requirements for sulfate soils introduced in Section 4 on durability.

- (e) The fire resistance criteria in Section 5, Design for fire resistance, have been reviewed to take into account the latest developments in EN 1992-1-2:2004, Eurocode 2. *Design of concrete structures Part 1-2: General rules—Structural fire design*.
- (f) Section 6, Methods of structural analysis, (previously Section 7) has been completely revised.
- (g) A new Section 7, Strut-and-tie modelling, which provides rules on strut-and-tie modelling, has been included.
- (h) Clause 10.7.3 regarding confinement to the core of columns in Section 10 has been significantly changed due the importance of this issue for high strength concrete.
- (i) Section 11, Design of walls, has been revised to be more consistent with Section 10, Design of columns for strength and serviceability.
- (j) Section 13, Stress development, splicing of reinforcement and coupling of tendons, has been completely revised.
- (k) Section 17, Liquid retaining structures—Design requirements, and Section 18, Marine structures, of the 2001 edition of the Standard have been deleted as they did not provide specific design advice.
- (l) This Standard traditionally used the terms ‘tie’ and ‘fitment’ interchangeably. The word ‘tie’ is now used only in the strut-and-tie analysis section while the term ‘fitment’ is used for units such as stirrups and ligatures that perform various functions, such as restraining the longitudinal reinforcement and resisting shear.

Statements expressed in mandatory terms in notes to tables are deemed to be requirements of this Standard.

The terms ‘normative’ and ‘informative’ have been used in this Standard to define the application of the appendix to which they apply. A ‘normative’ appendix is an integral part of a Standard, whereas an ‘informative’ appendix is only for information and guidance.

## CONTENTS

	<i>Page</i>
<b>SECTION 1 SCOPE AND GENERAL</b>	
1.1 SCOPE AND APPLICATION.....	8
1.2 NORMATIVE REFERENCES.....	9
1.3 EXISTING STRUCTURES.....	9
1.4 DOCUMENTATION.....	9
1.5 CONSTRUCTION.....	9
1.6 DEFINITIONS.....	10
1.7 NOTATION.....	10
<b>SECTION 2 DESIGN PROCEDURES, ACTIONS AND LOADS</b>	
2.1 DESIGN PROCEDURES.....	28
2.2 DESIGN FOR STRENGTH.....	28
2.3 DESIGN FOR SERVICEABILITY.....	33
2.4 ACTIONS AND COMBINATIONS OF ACTIONS.....	35
<b>SECTION 3 DESIGN PROPERTIES OF MATERIALS</b>	
3.1 PROPERTIES OF CONCRETE.....	37
3.2 PROPERTIES OF REINFORCEMENT.....	43
3.3 PROPERTIES OF TENDONS.....	44
3.4 LOSS OF PRESTRESS IN TENDONS.....	46
3.5 MATERIAL PROPERTIES FOR NON-LINEAR STRUCTURAL ANALYSIS.....	49
<b>SECTION 4 DESIGN FOR DURABILITY</b>	
4.1 GENERAL.....	50
4.2 METHOD OF DESIGN FOR DURABILITY.....	50
4.3 EXPOSURE CLASSIFICATION.....	50
4.4 REQUIREMENTS FOR CONCRETE FOR EXPOSURE CLASSIFICATIONS A1, A2, B1, B2, C1 AND C2.....	53
4.5 REQUIREMENTS FOR CONCRETE FOR EXPOSURE CLASSIFICATION U.....	54
4.6 ABRASION.....	54
4.7 FREEZING AND THAWING.....	54
4.8 AGGRESSIVE SOILS.....	55
4.9 RESTRICTIONS ON CHEMICAL CONTENT IN CONCRETE.....	57
4.10 REQUIREMENTS FOR COVER TO REINFORCING STEEL AND TENDONS.....	57
<b>SECTION 5 DESIGN FOR FIRE RESISTANCE</b>	
5.1 SCOPE.....	60
5.2 DEFINITIONS.....	60
5.3 DESIGN PERFORMANCE CRITERIA.....	62
5.4 FIRE RESISTANCE PERIODS (FRPs) FOR BEAMS.....	63
5.5 FIRE RESISTANCE PERIODS (FRPs) FOR SLABS.....	66
5.6 FIRE RESISTANCE PERIODS (FRPs) FOR COLUMNS.....	69
5.7 FIRE RESISTANCE PERIODS (FRPs) FOR WALLS.....	72
5.8 INCREASE OF FIRE RESISTANCE PERIODS (FRPs) BY USE OF INSULATING MATERIALS.....	75

	<i>Page</i>
<b>SECTION 6 METHODS OF STRUCTURAL ANALYSIS</b>	
6.1 GENERAL.....	77
6.2 LINEAR ELASTIC ANALYSIS .....	80
6.3 ELASTIC ANALYSIS OF FRAMES INCORPORATING SECONDARY BENDING MOMENTS.....	81
6.4 LINEAR ELASTIC STRESS ANALYSIS.....	82
6.5 NON-LINEAR FRAME ANALYSIS .....	82
6.6 NON-LINEAR STRESS ANALYSIS.....	83
6.7 PLASTIC METHODS OF ANALYSIS .....	83
6.8 ANALYSIS USING STRUT-AND-TIE MODELS .....	84
6.9 IDEALIZED FRAME METHOD OF ANALYSIS .....	84
6.10 SIMPLIFIED METHODS OF FLEXURAL ANALYSIS .....	86
<b>SECTION 7 STRUT-AND-TIE MODELLING</b>	
7.1 GENERAL.....	94
7.2 CONCRETE STRUTS.....	94
7.3 TIES .....	99
7.4 NODES.....	99
7.5 ANALYSIS OF STRUT-AND-TIE MODELS .....	100
7.6 DESIGN BASED ON STRUT-AND-TIE MODELLING.....	100
<b>SECTION 8 DESIGN OF BEAMS FOR STRENGTH AND SERVICEABILITY</b>	
8.1 STRENGTH OF BEAMS IN BENDING.....	101
8.2 STRENGTH OF BEAMS IN SHEAR.....	106
8.3 STRENGTH OF BEAMS IN TORSION .....	110
8.4 LONGITUDINAL SHEAR IN COMPOSITE AND MONOLITHIC BEAMS .....	112
8.5 DEFLECTION OF BEAMS.....	114
8.6 CRACK CONTROL OF BEAMS .....	117
8.7 VIBRATION OF BEAMS .....	119
8.8 T-BEAMS AND L-BEAMS .....	119
8.9 SLENDERNESS LIMITS FOR BEAMS .....	120
<b>SECTION 9 DESIGN OF SLABS FOR STRENGTH AND SERVICEABILITY</b>	
9.1 STRENGTH OF SLABS IN BENDING.....	121
9.2 STRENGTH OF SLABS IN SHEAR.....	124
9.3 DEFLECTION OF SLABS.....	128
9.4 CRACK CONTROL OF SLABS .....	131
9.5 VIBRATION OF SLABS .....	134
9.6 MOMENT RESISTING WIDTH FOR ONE-WAY SLABS SUPPORTING CONCENTRATED LOADS.....	134
9.7 LONGITUDINAL SHEAR IN COMPOSITE SLABS.....	134
<b>SECTION 10 DESIGN OF COLUMNS FOR STRENGTH AND SERVICEABILITY</b>	
10.1 GENERAL.....	135
10.2 DESIGN PROCEDURES .....	135
10.3 DESIGN OF SHORT COLUMNS.....	136
10.4 DESIGN OF SLENDER COLUMNS .....	137
10.5 SLENDERNESS.....	138
10.6 STRENGTH OF COLUMNS IN COMBINED BENDING AND COMPRESSION.....	142
10.7 REINFORCEMENT REQUIREMENTS FOR COLUMNS.....	145
10.8 TRANSMISSION OF AXIAL FORCE THROUGH FLOOR SYSTEMS.....	153

## SECTION 11 DESIGN OF WALLS

11.1 GENERAL.....	154
11.2 DESIGN PROCEDURES .....	154
11.3 BRACED WALLS.....	155
11.4 EFFECTIVE HEIGHT.....	155
11.5 SIMPLIFIED DESIGN METHOD FOR WALLS SUBJECT TO VERTICAL COMPRESSION FORCES .....	156
11.6 DESIGN OF WALLS FOR IN-PLANE SHEAR FORCES .....	156
11.7 REINFORCEMENT REQUIREMENTS FOR WALLS .....	157

SECTION 12 DESIGN OF NON-FLEXURAL MEMBERS, END ZONES AND  
BEARING SURFACES

12.1 GENERAL.....	159
12.2 STRUT-AND-TIE MODELS FOR THE DESIGN OF NON-FLEXURAL MEMBERS.....	159
12.3 ADDITIONAL REQUIREMENTS FOR CONTINUOUS CONCRETE SLABS AND CORBELS .....	161
12.4 ADDITIONAL REQUIREMENTS FOR STEPPED JOINTS IN BEAMS AND SLABS.....	161
12.5 ANCHORAGE ZONES FOR PRESTRESSING ANCHORAGES .....	161
12.6 BEARING SURFACES.....	163
12.7 CRACK CONTROL .....	163

## SECTION 13 STRESS DEVELOPMENT OF REINFORCEMENT AND TENDONS

13.1 STRESS DEVELOPMENT IN REINFORCEMENT.....	164
13.2 SPLICING OF REINFORCEMENT.....	170
13.3 STRESS DEVELOPMENT IN TENDONS .....	172
13.4 COUPLING OF TENDONS .....	173

## SECTION 14 JOINTS, EMBEDDED ITEMS AND FIXINGS

14.1 JOINTS.....	174
14.2 EMBEDDED ITEMS.....	175
14.3 FIXINGS .....	175

## SECTION 15 PLAIN CONCRETE PEDESTALS AND FOOTINGS

15.1 GENERAL.....	177
15.2 DURABILITY.....	177
15.3 PEDESTALS.....	177
15.4 FOOTINGS.....	177

## SECTION 16 SLAB-ON-GROUND FLOORS, PAVEMENTS AND FOOTINGS

16.1 GENERAL.....	179
16.2 DESIGN CONSIDERATIONS .....	179
16.3 FOOTINGS.....	179

## SECTION 17 MATERIAL AND CONSTRUCTION REQUIREMENTS

17.1 MATERIAL AND CONSTRUCTION REQUIREMENTS FOR CONCRETE AND GROUT .....	180
17.2 MATERIAL AND CONSTRUCTION REQUIREMENTS FOR REINFORCING STEEL .....	182
17.3 MATERIAL AND CONSTRUCTION REQUIREMENTS FOR PRESTRESSING DUCTS, ANCHORAGES AND TENDONS .....	185

	<i>Page</i>
17.4 CONSTRUCTION REQUIREMENTS FOR JOINTS AND EMBEDDED ITEMS .....	187
17.5 TOLERANCES FOR STRUCTURES AND MEMBERS .....	187
17.6 FORMWORK .....	188
APPENDICES	
A REFERENCED DOCUMENTS .....	192
B TESTING OF MEMBERS AND STRUCTURES .....	194
C REQUIREMENTS FOR STRUCTURES SUBJECT TO EARTHQUAKE ACTIONS .....	200
BIBLIOGRAPHY .....	206

## STANDARDS AUSTRALIA

**Australian Standard**  
**Concrete structures**

## SECTION 1 SCOPE AND GENERAL

**1.1 SCOPE AND APPLICATION****1.1.1 Scope**

This Standard sets out minimum requirements for the design and construction of concrete building structures and members that contain reinforcing steel or tendons, or both. It also sets out minimum requirements for plain concrete pedestals and footings.

## NOTES:

- 1 The general principles of concrete design and construction and the criteria embodied in this Standard may be appropriate for concrete structures other than buildings, members not specifically mentioned herein and to materials outside the limits given in Clause 1.1.2.
- 2 It is intended that the design of a structure or member to which this Standard applies be carried out by, or under the supervision of, a suitably experienced and competent person.
- 3 For guidance on the design of maritime structures, refer to AS 4997.

This Standard is not intended to apply to the design of mass concrete structures.

**1.1.2 Application**

This Standard applies to structures and members in which the materials conform to the following:

- (a) Concrete with—
  - (i) characteristic compressive strength at 28 days ( $f'_c$ ) in the range of 20 MPa to 100 MPa; and
  - (ii) with a saturated surface-dry density in the range 1800 kg/m<sup>3</sup> to 2800 kg/m<sup>3</sup>.
- (b) Reinforcing steel of Ductility Class N in accordance with AS/NZS 4671.  
NOTE: These reinforcing materials may be used, without restriction, in all applications referred to in this standard.
- (c) Reinforcing steel of Ductility Class L in accordance with AS/NZS 4671—
  - (i) may be used as main or secondary reinforcement in the form of welded wire mesh, or as wire, bar and mesh in fitments; but
  - (ii) shall not be used in any situation where the reinforcement is required to undergo large plastic deformation under strength limit state conditions.  
NOTE: The use of Ductility Class L reinforcement is further limited by other clauses within the Standard.
- (d) Prestressing tendons complying with AS/NZS 4672.1 and tested in accordance with AS/NZS 4672.2.

**1.1.3 Exclusions**

The requirements of this Standard shall not take precedence over design requirements and material specifications set out in other Australian Standards that deal with specific types of structures, such as concrete residential slabs and footings, and swimming pools.