

AS 3774 Supplement 1—1997

**Loads on bulk solids containers—
Commentary**

(Supplement 1 to AS 3774—1996)

This Australian Standard was prepared by Committee BD/65, Loads on Bulk Solids Containers. It was approved on behalf of the Council of Standards Australia on 31 October 1997 and published on 5 December 1997.

The following interests are represented on Committee BD/65:

CSIRO, Division of Building, Construction and Engineering
Institution of Engineers Australia
Swinburne University of Technology
University of Melbourne
University of Sydney
University of Wollongong

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standard users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications, and information is supplemented each month by the magazine 'The Australian Standard', which subscribers receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This Standard was issued in draft form for comment as DR 96535.

AS 3774 Supplement 1—1997

**Loads on bulk solid containers—
Commentary**

(Supplement 1 to AS 3774—1996)

Originated as AS 3774 Supplement 1—1990.
Second edition 1997.

PREFACE

This Supplement was prepared by the Standards Australia Committee BD/65, Loads on Bulk Solids Containers, as a commentary on AS 3774—1996, *Loads on bulk solids containers*.

This new edition of the Supplement incorporates several corrections and amendments to the previous edition. These include changes to Paragraphs C6.2.3.3 and C7.4.

The Supplement provides background information on the Standard, guidance on its use and suggestions on good practice.

The paragraphs in this Commentary refer directly to the respective clauses in the Standard, e.g. Paragraph C5.3.1 refers to Clause 5.3.1. Where there is no commentary to a clause of the Standard or to a complete section, the appropriate number and title of the clause or section do not appear. References are listed as the last item of the section or appendix in which they occur.

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

	<i>Page</i>
SECTION C4 LOAD CLASSIFICATION, LOAD COMBINATIONS, AND LOAD FACTORS	
C4.1 GENERAL	4
C4.2 LOAD COMBINATIONS	4
C4.3 LOAD FACTORS	4
SECTION C6 DETERMINATION OF NORMAL SERVICE LOADS (GROUP B)	
C6.1 RELEVANT PROPERTIES OF STORED BULK SOLID	4
C6.2 INITIAL LOADS ON SYMMETRICALLY FILLED CONTAINER WALLS (LOAD TYPE B.2)	6
C6.3 LOADS INDUCED BY FLOW DURING SYMMETRICAL DISCHARGES (LOAD TYPE B.3)	9
C6.4 INITIAL LOADS ON ECCENTRICALLY FILLED CONTAINER WALLS (LOAD TYPE B.2)	11
C6.5 FLOW LOADS ON ECCENTRICALLY DISCHARGED CONTAINER WALLS (LOAD TYPE B.3)	11
C6.6 LOADS ASSOCIATED WITH GATES AND FEEDERS	12
C6.7 LIVE LOADS ON PLATFORMS AND ROOFS (LOAD TYPE B.5)	12
C6.9 FORCES FROM LATERAL RESTRAINTS (LOAD TYPE B.7)	12
C6.10 LOADS ON INTERNAL STRUCTURAL ELEMENTS WITHIN THE STORED SOLID (LOAD TYPE B.8)	12
SECTION C7 DETERMINATION OF ENVIRONMENTAL LOADS (GROUP C)	
C7.1 WIND LOADS (LOAD TYPE C.1)	15
C7.2 LOADS DUE TO DIFFERENTIAL SETTLEMENT OF FOUNDATIONS (LOAD TYPE C.2)	15
C7.3 LOADS DUE TO DIFFERENTIAL TEMPERATURE (LOAD TYPE C.3)	15
C7.4 SEISMIC LOADS (LOAD TYPE C.4)	16
C7.5 LOADS DUE TO SWELLING OF STORED BULK SOLIDS (LOAD TYPE C.5)	16
APPENDICES	
CC TESTING TO DETERMINE PROPERTIES OF BULK SOLIDS	17
CD PRESSURE CAUSED BY INTERNAL EXPLOSION	18

STANDARDS AUSTRALIA

Australian Standard

Loads on bulk solids containers—Commentary

SECTION C4 LOAD CLASSIFICATION,
LOAD COMBINATIONS, AND LOAD
FACTORS

C4.1 GENERAL The main purpose of the load classification is to enable easy reference to various load types. The load types enumerated in Table 4.1 are typical in this class of structure, but each structure should be individually treated and any additional load types considered.

C4.2 LOAD COMBINATIONS Each element of the structure should be designed for loads and load combinations appropriate to its function. Upper and lower characteristic values of loads should be applied to each structural element in considering its limit state of strength and serviceability.

The probability of all loads in a load combination acting at their upper characteristic values should be considered in view of the fact that all loads are randomly variable. In the absence of routine methods for statistical probabilistic analysis, Section 4 gives general guidance for combining loads.

Special care is needed to identify structural elements which are prone to strength reduction when one or more load types in the load combinations drop to their lower characteristic values. Typical examples are—

- (a) walls of cylindrical containers under axial loads when the lateral pressure from the bulk solid is taken into consideration in the buckling analysis; and
- (b) anchor bolts under uplift loads due to environmental loads.

C4.3 LOAD FACTORS Two sets of load factors are specified: one set for strength design and another for serviceability design.

The values of load factors given in Clause 4.3 reflect the probabilistic concepts of the ultimate limit states codes in that they vary in accordance with the classes of loads included in each particular load combination. Since it is impossible to cover every conceivable load combination in a wide variety of containers, the designer should carefully investigate all special conditions that may arise and apply appropriate values of load factors.