

Australian Standard™

**Rack conveyor washers for
health care facilities**

This Australian Standard was prepared by Committee ME/3, Sterilizing Equipment. It was approved on behalf of the Council of Standards Australia on 24 July 1998 and published on 5 October 1998.

The following interests are represented on Committee ME/3:

Australian Chamber of Commerce and Industry
Australian Chamber of Manufactures
Australian Dental Association
Australian Dental Industry Association
Australian Stainless Steel Development Association
Commonwealth Department of Health and Family Services
Department of Human Services (Victoria)
Department of Public Works and Services, N.S.W.
Health Department of W.A.
Institute of Hospital Engineering, Australia
Medical Industry Association of Australia
Metal Trades Industry Association of Australia
Queensland Health
Royal College of Pathologists of Australasia
South Australian Health Commission
Sterilizing Research and Advisory Council of Australia (N.S.W. Branch)

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

Australian Standard™

**Rack conveyor washers for
health care facilities**

First published as AS 3836—1998.

PREFACE

This Standard was prepared by the Standards Australia Committee ME/3, Sterilizing Equipment.

This Standard is intended to ensure the safety and performance of machines that comply.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE	5
1.2 INNOVATION	5
1.3 REFERENCED DOCUMENTS	5
1.4 DEFINITIONS	6
SECTION 2 MATERIALS	
2.1 GENERAL	7
2.2 EXTERNAL PANELS	7
2.3 FRAMEWORK	7
2.4 CHAMBERS AND THE LIKE	7
2.5 NOZZLES	7
2.6 PIPEWORK AND PIPE FITTINGS	7
2.7 VALVES	7
2.8 PUMPS	7
2.9 FANS	7
2.10 STRAINERS, STRAINER PANS AND HOLD DOWN SCREENS	7
2.11 RACKS AND BASKETS	7
2.12 GALVANIZING	7
SECTION 3 DESIGN AND CONSTRUCTION	
3.1 ACCESSIBILITY	8
3.2 SUPPORT	8
3.3 PANELS	8
3.4 ACCESS DOORS	8
3.5 CHAMBER SEALING	8
3.6 INTERNAL SURFACES	8
3.7 EXTENSION HOOD	9
3.8 WASHING AND RINSING WATER TANKS	9
3.9 PUMPS	9
3.10 DRAINAGE	9
3.11 CHEMICAL DISPENSERS	9
3.12 PIPEWORK STRAINERS	9
3.13 PIPEWORK AND PIPE FITTINGS	10
3.14 BASKETS	10
3.15 NOZZLES	10
3.16 VALVES	10
3.17 RACK CONVEYOR	10
3.18 HEATING SYSTEM	10
3.19 DRYING SYSTEM	10
3.20 EXHAUST CONNECTION	11
3.21 EQUIPMENT ON THE CONTROL PANEL	11
3.22 INDICATING LIGHTS	11
3.23 TEMPERATURE INDICATORS	11
3.24 TEMPERATURE CONTROLLERS	12

3.25	ELECTRICAL	12
3.26	THERMAL INSULATION	12
3.27	NOISE	13
3.28	PROCESS RECORDER	13
3.29	ELECTROMAGNETIC DISTURBANCE	13
3.30	ULTRASONIC CLEANING STAGE	13
3.31	THERMAL DISINFECTION STAGE	13
SECTION 4 OPERATION		
4.1	BASIC OPERATING SEQUENCE	14
4.2	OPERATOR FUNCTIONS	14
4.3	COLD WATER PRE-WASHING STAGE	14
4.4	WASHING STAGE	14
4.5	RINSING STAGE	14
4.6	FINAL RINSING STAGE	14
4.7	DRYING STAGE	15
4.8	COMPLETION	15
4.9	FAULT	15
SECTION 5 MARKING AND INFORMATION		
5.1	LANGUAGE	16
5.2	MARKING	16
5.3	TECHNICAL INFORMATION	16
SECTION 6 TESTING		
6.1	OPERATING TEST	17
6.2	PERFORMANCE TESTING	17
6.3	COMMISSIONING TEST	17
6.4	DEMONSTRATION OF COMPLIANCE	18
APPENDICES		
A	INFORMATION TO BE SUPPLIED WITH ENQUIRIES AND ORDERS	19
B	STANDARDS FOR MACHINES THAT WASH, STERILIZE OR DRY MEDICAL EQUIPMENT IN HEALTH CARE FACILITIES	20
C	DRYNESS TEST	21
D	SOIL REMOVAL TEST	22

STANDARDS AUSTRALIA

Australian Standard

Rack conveyor washers for health care facilities

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE This Standard specifies requirements for washers with a rack transport system that pre-wash, wash and rinse medical and surgical equipment in hospitals and other non-industrial applications.

NOTES:

- 1 These washers may include an ultrasonic cleaning stage and a drying stage.
- 2 These washers are not intended to treat certain types of equipment, such as suction tubing, single-use equipment, mechanical components and electrical components.
- 3 Guidance on information that should be supplied with enquiries and orders is given in Appendix A.
- 4 AS 4187 gives guidance for the use of washers.
- 5 Standards for machines that wash, sterilize or dry medical equipment in health care facilities are listed in Appendix B.

1.2 INNOVATION Any use of new or unusual materials or methods to achieve the intent of this Standard is encouraged. Manufacturers employing innovative materials or methods shall show documented third-party proof that the innovation is not inferior to that of the intent of this Standard.

1.3 REFERENCED DOCUMENTS The following documents are referred to in this Standard:

AS

- | | |
|--------|---|
| 1081 | Acoustics—Measurement of airborne noise emitted by rotating electrical machinery |
| 1081.2 | Part 2: Survey method |
| 1192 | Electroplated coatings—Nickel and chromium |
| 1217 | Acoustics—Determination of sound power levels of noise sources |
| 1217.7 | Part 7: Survey method |
| 1271 | Safety valves, other valves, liquid level gauges, and other fittings for boilers and unfired pressure vessels |
| 1442 | Carbon steels and carbon-manganese steels—Hot-rolled bars and semifinished products |
| 1447 | Wrought alloy steels—Stainless and heat-resisting steel plate, sheet and strip |
| 1627 | Metal finishing—Preparation and pretreatment of surfaces |
| 1627.5 | Part 5: Pickling, descaling and oxide removal |
| 1650 | Hot-dipped galvanized coatings on ferrous articles |
| 1910 | Water supply—Float control valves for use in hot and cold water |
| 1939 | Degrees of protection provided by enclosures for electrical equipment (IP Code) |