

Australian Standard[®]

**Tilt-up concrete and precast
concrete elements for use in
buildings**

Part 1: Safety requirements

This Australian Standard was prepared by Committee BD/66, Tilt-up Construction. It was approved on behalf of the Council of Standards Australia on 6 August 1990 and published on 12 November 1990.

The following interests are represented on Committee BD/66:

Association of Consulting Engineers of Australia
Australian Federation of Construction Contracts
Australian Institute of Building Surveyors
Building Workers Industrial Union
Cement and Concrete Association of Australia
Concrete Institute of Australia
Crane Industry Council of Australia
Department of Employment, Vocational Education, Training, and Industrial Relations, Queensland
Department of Labour, Victoria
Federated Engine Drivers and Firemen's Association
Master Builders Construction and Housing Association, Australia
Precast Concrete Manufacturers Association of New South Wales
Precast Concrete Manufacturers Association of Victoria
Steel Reinforcement Institute of Australia
Tilt-up Construction Contractors Association of Australia
Tilt-up Construction Association of Queensland
Workcover Authority, New South Wales

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

Australian Standard[®]

**Tilt-up concrete and precast
concrete elements for use in
buildings**

Part 1: Safety requirements

First published as AS 3850.1—1990.

PUBLISHED BY STANDARDS AUSTRALIA
(STANDARDS ASSOCIATION OF AUSTRALIA)
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 6494 6

PREFACE

This Standard was prepared by the Standards Australia Committee on Tilt-up Construction in response to the call from industry organizations for assistance in this rapidly expanding form of construction. The Standard should be read in conjunction with AS 3600, *Concrete structures*. When complete, the series will be as follows:

AS 3850.1 *Safety requirements* (this Standard)

AS 3850.2 *Guide to design, casting and erection of tilt-up panels*

AS 3850.3 *Guide to erection of precast concrete members*.

The other Standards in the series provide additional information and recommendations on good working practices.

CONTENTS

	<i>Page</i>
1 SCOPE	3
2 REFERENCED DOCUMENTS	3
3 DEFINITIONS	3
4 MATERIALS, COMPONENTS, EQUIPMENT AND FIXING METHODS	4
5 DESIGN	6
6 CASTING	7
7 ERECTION	7
APPENDIX A TESTING OF MATERIALS AND COMPONENTS USED WITH TILT-UP CONCRETE AND PRECAST CONCRETE ELEMENTS FOR USE IN BUILDINGS	9

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

STANDARDS AUSTRALIA

Australian Standard

Tilt-up concrete and precast concrete elements for use in buildings

Part 1: Safety requirements

1 SCOPE This Standard sets out safety requirements for the erection of —

- (a) concrete tilt-up panels that are cast on site and tilted and lifted into place; and
- (b) precast concrete building members that are transported to the site and lifted into place.

Requirements are also provided for the design and casting of these elements where they relate to the erection process.

These requirements are in addition to those in the appropriate Clauses of AS 3600.

NOTES:

1. Where design of elements, systems, components etc is specified in this Standard, it is intended that it be carried out for or under the supervision of a suitably qualified engineer (see Clause 3.4).
2. In addition to the requirements set out in this Standard, recommendations on good design and practice for tilt-up panels are provided in AS 3850.2.

2 REFERENCED DOCUMENTS The following documents are referred to in this Standard:

AS

- 1012 Methods of testing concrete
- 1110 ISO metric hexagon precision bolts and screws
- 1170 SAA Loading Code
- 1170.1 Part 1: Dead and live loads and load combinations
- 1170.2 Part 2: Wind loads
- 1418 SAA Crane Code
- 1544 Methods for impact tests on metals
- 1544.2 Part 2: Charpy V-notch
- 1544.5 Part 5: Assessment of fracture surface appearance of steel
- 3600 Concrete structures
- 3610 Formwork for concrete
- 3850 Tilt-up concrete and precast concrete elements for use in buildings
- 3850.2 Part 2: Guide to design, casting and erection of tilt-up panels

ASTM

- D 618 Methods for conditioning plastics and electrical insulating materials for testing
- D 695 Test method for compressive properties of rigid plastics

3 DEFINITIONS For the purpose of this Standard, the definitions given in AS 3600 and those below apply.

3.1 Casting bed — a surface upon which the tilt-up panels are cast.

3.2 Edge-lifting — a method of lifting whereby lifting inserts are cast within the element edge, generally resulting in incomplete development of the concrete shear cone.

NOTE: Edge-lift inserts normally rely on component reinforcement ('shear bars' and 'tail bars') to achieve their working load capacities.

3.3 Element (building element) — either a tilt-up panel or a precast member.

3.4 Engineer — a person qualified for Corporate Membership of the Institution of Engineers, Australia, or equivalent, and competent to practice in the appropriate field required by this Standard.

3.4.1 Certifying Engineer — the engineer undertaking the certification of the shop drawings.

3.5 Erection platform — the base upon which the crane is supported during erection of the elements.

3.6 Face-lifting — a method of lifting whereby lifting inserts are cast within the element face at a sufficient distance from any element edge to ensure the complete development of the concrete shear cone.

3.7 Factor of safety against failure — the figure by which the failure load (see Clause 4.2) is divided to give the working load limit.