



The storage and handling of liquefied natural gas

STANDARDS
Australia

Currently in preview, click buy full version

This Australian Standard® was prepared by Committee ME-070, Liquefied Natural Gas Storage and Handling. It was approved on behalf of the Council of Standards Australia on 9 February 2017.

This Standard was published on 13 March 2017.

The following are represented on Committee ME-070:

- Australasian Fire and Emergency Service Authorities Council
 - Australian Chamber of Commerce and Industry
 - Australian Industry Group
 - Australian Pipelines and Gas Association
 - Gas Energy Australia
 - Gas Technical Regulators Committee
-

This Standard was issued in draft form for comment as DIS S 3961:2016.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting www.standards.org.au

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

Australian Standard®

**The storage and handling of liquefied
natural gas**

Original as AS 3961—1991.
Previous edition 2005.
Third edition AS 3961:2017.

COPYRIGHT

© Standards Australia Limited

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968.

Published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001, Australia

ISBN 978 1 76035 696 5

PREFACE

This Standard was prepared by the Standards Australia Committee ME-070, Liquefied Natural Gas Storage and Handling, to supersede AS 3961—2005.

The objective of this Standard is to provide requirements for the design, construction and operation of installations for the storage and handling of liquefied natural gas (LNG), covering installations of atmospheric-type tanks for supplying marine terminals, pipeline peak shaving, and pressure tanks.

The LNG industry has developed considerably since the previous editions and this edition draws upon this experience. Requirements that were modelled on the storage of LP Gas and flammable liquids have been rewritten to reflect the properties and usage of LNG.

Changes have included the following:

- (a) Removal of requirements for pressure storages of less than 5 m³ as small storages are not in use in the industry and the cryogenic properties of LNG are such that small storage is generally not practical.
- (b) Reinforcing the containment and separation aspects of firefighting, as the use of water sprays can exacerbate a fire situation.
- (c) Removing requirements that are in the scope of other standards and are adequately covered in those standards. Examples are pressure vessel requirements in the scope of AS 1210, *Pressure vessels*, and transport requirements in the scope of the ADG Code and AS 2809, *Road tank vehicles for dangerous goods*, Parts 1 and 6.
- (d) Revision of the fill coupling requirements to align with International Standards and allow for the use of dry-break couplings.

Statements expressed in mandatory terms in notes to tables are deemed to be requirements of this Standard.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix provides information and guidance only.

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE AND APPLICATION.....	5
1.2 REFERENCED DOCUMENTS.....	5
1.3 DEFINITIONS.....	5
SECTION 2 GENERAL INSTALLATION REQUIREMENTS	
2.1 SCOPE OF SECTION	9
2.2 TANKS.....	9
2.3 PRESSURE AND VACUUM RELIEF	9
2.4 GAUGES AND CONTROLS	10
2.5 PLANT EMERGENCY SHUTDOWN SYSTEMS.....	11
2.6 LOCATIONS.....	11
2.7 POTENTIAL FLAME IMPINGEMENT	15
2.8 ROAD AND RAIL TANKER TRANSFER INSTALLATIONS	15
2.9 PIPING, VALVES AND ACCESSORIES.....	17
2.10 INSULATION	19
2.11 VAPORIZER DESIGN AND CONSTRUCTION	19
2.12 VAPORIZER INSTALLATION.....	19
2.13 SECURITY AND DAMAGE PROTECTION	20
2.14 EARTHING AND BONDING.....	20
2.15 PERSONAL PROTECTIVE EQUIPMENT	21
2.16 ODORIZERS	21
2.17 MARKINGS AND NOTICES	21
2.18 LIGHTING	21
SECTION 3 PRESSURE TANK STORAGES	
3.1 SCOPE OF SECTION	22
3.2 TANK DESIGN AND CONSTRUCTION	22
3.3 CONTROLS OF LNG CUTFLOWS	22
3.4 LOCATION AND INSTALLATION	23
SECTION 4 ATMOSPHERIC TANK STORAGES	
4.1 SCOPE OF SECTION	24
4.2 TANK DESIGN AND CONSTRUCTION	24
4.3 GAUGES AND CONTROLS	24
4.4 LOCATION AND INSTALLATION	25
4.5 SPILLAGE CONTAINMENT AND CONTROL	25
4.6 MARINE TRANSFER INSTALLATIONS	27
SECTION 5 AUTOMOTIVE REFUELLING STATIONS	
5.1 SCOPE OF SECTION	29
5.2 CONTROL OF IGNITION SOURCES.....	29
5.3 TANK AND PIPING	29
5.4 FILLING AREA	29
5.5 DISPENSERS.....	30
5.6 NOTICES, SIGNS, AND INSTRUCTIONS.....	31

SECTION 6 OPERATIONS

6.1	SCOPE OF SECTION	32
6.2	ESTABLISHMENT OF PROCEDURES	32
6.3	SUPERVISION	35
6.4	RECORDS	35
6.5	COMPLIANCE WITH PROCEDURES	35
6.6	SPECIFIC OPERATING PROCEDURES	35
6.7	MAINTENANCE, INSPECTION AND TESTING	36
6.8	TANK TRANSPORT OR REMOVAL	39
6.9	ROAD TANKER OPERATION	39
6.10	GENERAL PRECAUTIONS FOR BULK TRANSFER	40
6.11	SUPERVISION OF TRANSFER	41
6.12	TRANSFER PROCEDURES	41
6.13	MARINE TRANSFER	43
6.14	AUTOMOTIVE-REFUELLING STATION OPERATIONS	43

SECTION 7 FIRE SAFETY

7.1	SCOPE OF SECTION	44
7.2	DESIGN REQUIREMENTS	44
7.3	DETAILED REQUIREMENTS	45

APPENDICES

A	LIST OF REFERENCED DOCUMENTS	46
B	CHARACTERISTICS OF LNG	48
C	ZONES IN HAZARDOUS AREAS	50
D	MAXIMUM FILLING LEVEL OF PRESSURE TANKS	53
E	IMPACT PROTECTION	54

STANDARDS AUSTRALIA

Australian Standard

The storage and handling of liquefied natural gas

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE AND APPLICATION**1.1.1 Scope**

This Standard specifies requirements for the design, construction and operation of installations for the storage and handling of liquefied natural gas (LNG).

1.1.2 Application

This Standard applies to two basic types of installation, being—

- (a) installations of atmospheric tanks for marine terminals, pipeline peak shaving, and the like; and
- (b) pressure tanks, which are usually a part of a distribution system for LNG by road tanker.

1.1.3 Where this Standard does not apply

This Standard does not apply to or deal with—

- (a) the functional design of liquefaction equipment;
- (b) frozen-ground storage techniques;
- (c) aspects of natural gas distribution and use that are covered by other Standards and publications such as pipeline and allocation codes, appliance and vehicle installation codes, and the like;
- (d) any transport operations that are covered by the ADG Code;
- (e) the transport of LNG by ship; or
- (f) any aspect of transport or piped distribution outside the perimeter of the static storage installation.

1.2 REFERENCE DOCUMENTS

A list of documents referred to in this Standard is given in Appendix A.

1.3 DEFINITIONS

For the purpose of this Standard, the definitions below apply.

1.3.1 ADG Code

The Australian Dangerous Goods Code.

1.3.2 Atmospheric tank

A tank which operates at a nominal vapour pressure not exceeding 50 kPa or, for a pressure vessel, less than the pressure specified in AS 1210.

1.3.3 Authority

The authority having statutory (legal) control of the installation.