

Australian Standard™

**Lead sulfide concentrates—Chemical
analysis**

**Part 1: Determination of lead content—
EDTA titration method after acid
digestion**

[ISO title: Lead sulfide concentrates—Determination of lead content—EDTA
titrimetric method after acid digestion]



This Australian Standard was prepared by Committee MN-005, Copper, Lead, Zinc, Gold and Silver Ores and Concentrates. It was approved on behalf of the Council of Standards Australia on 16 November 2001 and published on 4 January 2002.

The following interests are represented on Committee MN-005:

Australasian Institute of Mining and Metallurgy
CSIRO Minerals
Minerals Council of Australia
The Royal Australian Chemical Institute

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Australia web site at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Australian Standard*, has a full listing of revisions and amendments published each month.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.com.au, or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

Australian Standard™

**Lead sulfide concentrates—Chemical
analysis**

**Part 1: Determination of lead content—
EDTA titration method after acid
digestion**

Originated as AS 4030.1—1992.
Second edition 2002.

COPYRIGHT

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 4227 0

PREFACE

This Standard was prepared by the Standards Australia Committee MN-005, Copper, Lead, Zinc, Gold and Silver Ores and Concentrates as part of a programme of standardizing methods for the determination of elements of commercial interest in such materials.

The Standard supersedes AS 4030.1—1992, *Methods for the analysis of lead sulfide concentrates, Part 1: Determination of lead content—Acid dissolution solvent extraction EDTA titration method*.

The objective of this Standard is to provide those involved in the analysis of lead sulfide concentrates with a standardized method of determining lead content supported by precision data obtained from an inter-laboratory test programme.

This Standard is identical with and has been reproduced from ISO 13545:2000, *Lead sulfide concentrates—Determination of lead content—EDTA titration method after acid digestion*, which has been prepared by ISO/TC 183 Copper, Lead and Zinc Ores and Concentrates. Australia holds the Chairmanship and Secretariat of ISO/TC 183 and has made a significant contribution to the preparation of ISO 13545.

As this Standard is reproduced from an International Standard, the following applies:

- Its number does not appear on each page of text and its identity is shown only on the cover and title page.
- In the source text 'this International Standard' should read 'this Australian Standard'.
- A full point should be substituted for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to equivalent Australian or Australian/New Zealand Standards, as follows:

| <i>Reference to International Standard</i> | | <i>Australian/New Zealand Standard</i> | |
|--|--|--|--|
| ISO | | AS | |
| 9599 | Copper, lead and zinc sulfide concentrates—Determination of hygroscopic moisture in the analysis sample—Gravimetric method | 2816 | Copper, lead and zinc sulfide concentrates—Determination of hygroscopic moisture in the analysis sample—Gravimetric method |
| 385 | Laboratory glassware—Burettes | — | |
| 385-1 | Part 1: General requirements | — | |
| 648 | Laboratory glassware—One-mark pipettes | — | |
| 1042 | Laboratory glassware—One-mark volumetric flasks | — | |
| 3696 | Water for analytical laboratory use—specification and test methods | — | |
| 4737 | Laboratory glassware—Volumetric glassware—Methods for use and testing of capacity | — | |
| Guide 35 | Certification of reference materials—General and statistical principles | — | |

CONTENTS

| | <i>Page</i> |
|--|-------------|
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Principle | 1 |
| 4 Reagents | 2 |
| 5 Apparatus | 4 |
| 6 Sampling | 4 |
| 7 Procedure | 5 |
| 8 Expression of results | 7 |
| 9 Accuracy | 8 |
| 10 Test report | 10 |
| Annex A (normative) Procedure for the preparation and determination of the mass of a predried test portion | 11 |
| Annex B (normative) Flowchart of the procedure for the acceptance of analytical values for test samples | 13 |
| Annex C (informative) Derivation of precision equations | 14 |

Currently in preview, click buy full version

AUSTRALIAN STANDARD

Lead sulfide concentrates—Chemical analysis**Part 1: Determination of lead content—EDTA titration method after acid digestion****1 Scope**

This International Standard specifies a lead sulfate precipitation EDTA titrimetric method after acid decomposition for determination of the lead content of lead sulfide concentrates.

The method is applicable to lead sulfide concentrates having lead content in the range 50 % (m/m) to 80 % (m/m). The method is not applicable to lead concentrates containing more than 1 % (m/m) of barium.

2 Normative references

The following normative documents contain certain provisions which, through reference in this text, constitute provisions of this International Standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 385-1:1984, *Laboratory glassware — Burettes — Part 1: General requirements.*

ISO 648:1977, *Laboratory glassware — One-mark pipettes.*

ISO 1042:1998, *Laboratory glassware — One-mark volumetric flasks.*

ISO 3696:1987, *Water for analytical laboratory use — Specification and test methods.*

ISO 4787:1984, *Laboratory glassware — Volumetric glassware — Methods for use and testing of capacity.*

ISO 9599:1991, *Copper, lead and zinc sulfide concentrates — Determination of hygroscopic moisture in the analysis sample — Gravimetric method.*

ISO Guide 35:1988, *Certification of reference materials — General and statistical principles.*

3 Principle

Decomposition of the test portion in nitric and sulfuric acids and bromine, and removal of arsenic, antimony and tin by hydrobromic acid treatment. Separation of lead from interfering elements by precipitation of lead sulfate. Dissolution of the precipitate in an ammonium acetate solution. Titration of the solution with EDTA using xylenol orange as the indicator.