

Australian Standard™

---

**Fire sprinkler systems**

**Part 1.8: Components—  
Pressure-reducing valves**

---

This Australian Standard was prepared by Committee FP/4, Automatic Fire Sprinkler Systems. It was approved on behalf of the Council of Standards Australia on 29 January 1999 and published on 5 May 1999.

---

The following interests are represented on Committee FP/4:

Association of Consulting Engineers Australia  
Australasian Fire Authorities Council  
Australian Building Codes Board  
Australian Chamber of Commerce and Industry  
Australian Industry Group  
Department of Defence (Australia)  
FPA Australia  
Institution of Engineers Australia  
Insurance Council of Australia  
Property Council of Australia  
Testing interests (Australia)

---

**Review of Australian Standards.** To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

---

*This Standard was issued in draft form for comment as DR 98457.*

AS 4118.1.8—1999

Australian Standard™

---

**Fire sprinkler systems**

**Part 1.8: Components—  
Pressure-reducing valves**

---

First published as AS 4118.1.8—1999.

Published by Standards Australia  
(Standards Association of Australia)  
1 The Crescent, Homebush NSW 2140

ISBN 0 7337 2572 4

## PREFACE

This Standard was prepared by the Standards Australia Committee FP/4, Automatic Sprinkler Installations.

The revisions to AS 2118 have included Standards Australia's requirements to keep installation (AS 2118 series) and product (AS 4118 series) Standards separate.

The series to date comprises the following:

## AS

2118	Automatic fire sprinkler systems
2118.1	Part 1: Standard
2118.2	Part 2: Wall wetting sprinklers (drenchers)
2118.3	Part 3: Deluge
2118.4	Part 4: Residential
2118.5	Part 5: Domestic
2118.6	Part 6: Combined sprinkler and hydrant
2118.8	Part 8: Minor modifications
2118.9	Part 9: Piping support and installation
2118.10	Part 10: Approval documentation
4118	Fire sprinkler systems
4118.1.1	Part 1.1: Components—Sprinklers and spray nozzles
4118.1.2	Part 1.2: Components—Alarm valves (wet)
4118.1.3	Part 1.3: Components—Water motor alarm
4118.1.4	Part 1.4: Components—Valve monitoring
4118.1.5	Part 1.5: Components—Deluge and pre-action valves
4118.1.6	Part 1.6: Components—Stop valves and non-return valves
4118.1.7	Part 1.7: Components—Alarm valves
4118.1.8	Part 1.8: Components—Pressure-reducing valves (this Standard)
4118.2.1	Part 2.1: Piping—General

ISO 6182 series, *Fire protection—Automatic fire sprinkler systems*, has been drawn on for the development of this Standard and the assistance received is hereby acknowledged.

© Copyright – STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

## CONTENTS

	<i>Page</i>
FOREWORD .....	4
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE .....	5
1.2 APPLICATION .....	5
1.3 OBJECTIVE.....	5
1.4 NEW DESIGNS AND INNOVATIONS .....	5
1.5 APPROVAL AND LISTINGS .....	5
1.6 REFERENCED DOCUMENTS .....	5
1.7 DEFINITIONS .....	5
SECTION 2 REQUIREMENTS	
2.1 NOMINAL SIZES.....	7
2.2 CONNECTIONS .....	7
2.3 RATED WORKING PRESSURES.....	7
2.4 BODIES AND COVERS.....	7
2.5 STRENGTH OF BODY .....	7
2.6 MECHANICAL STRENGTH .....	8
2.7 ACCESS FOR MAINTENANCE.....	8
2.8 COMPONENTS .....	8
2.9 NON-METALLIC COMPONENTS.....	9
2.10 SEALING ASSEMBLY ELEMENTS.....	9
2.11 CLEARANCES .....	9
2.12 OPERATING TORQUE.....	10
2.13 PROVISION FOR VALVE SECURITY.....	10
2.14 SPRINGS AND DIAPHRAGMS .....	10
2.15 OPERATIONAL PERFORMANCE.....	11
2.16 BACK PRESSURE.....	11
2.17 DURABILITY.....	11
2.18 LEAKAGE.....	11
SECTION 3 TEST METHODS	
3.1 BODY STRENGTH TEST .....	12
3.2 MECHANICAL STRENGTH TEST .....	12
3.3 NON-METALLIC COMPONENTS TEST.....	12
3.4 OPERATING TORQUE TEST .....	14
3.5 SPRING AND DIAPHRAGM TEST.....	14
3.6 OPERATIONAL TESTS .....	14
3.7 LEAKAGE TEST.....	15
3.8 DURABILITY TEST .....	16
3.9 FIRE EXPOSURE TEST FOR PRESSURE-REDUCING VALVES MADE OF METALLIC MATERIALS WITH MELTING POINTS LESS THAN 800°C OR OF NON-METALLIC MATERIALS.....	16
SECTION 4 MARKING	
4.1 GENERAL .....	17
4.2 BODY MARKINGS.....	17
SECTION 5 MANUFACTURER'S INSTRUCTIONS .....	
	18

## FOREWORD

A pressure-reducing valve's function is to maintain a constant outlet pressure, relative to ambient atmospheric pressure, under conditions of varying inlet pressure, which must always be greater than the required outlet pressure.

The valve is usually self-actuating by means of a compression-spring-loaded, or control pressure-loaded, diaphragm connected to the valve disc or plug. Valve outlet pressure is applied to one side of the diaphragm, while the spring force plus atmospheric pressure, or the control pressure, is applied to the other side.

Valve outlet pressure is changed by adjustment of the spring compression or of the control pressure.

## STANDARDS AUSTRALIA

**Australian Standard**  
**Fire sprinkler systems**

**Part 1.8: Components—Pressure-reducing valves**

SECTION 1 SCOPE AND GENERAL

**1.1 SCOPE**

This Standard details the requirements for valves intended for pressure control or pressure reduction purposes in fire protection systems.

**1.2 APPLICATION**

This Standard applies to all automatic fire sprinkler systems where a pressure-reducing valve is specified.

**1.3 OBJECTIVE**

The objective of this Standard is to provide designers and manufacturers of sprinkler components with a set of requirements to enable the design, manufacture and testing of pressure-reducing valves suitable for automatic fire sprinkler systems.

**1.4 NEW DESIGNS AND INNOVATIONS**

Any alternative materials, designs, methods of assembly and procedures that do not comply with the specific requirements of this Standard, or are not mentioned in it but give equivalent results to those specified are not necessarily prohibited. The specified approval remains the prerogative of an authority having jurisdiction.

**1.5 APPROVAL AND LISTINGS**

Any pressure-reducing valve that has been listed and approved by an internationally recognized test and approval body shall be deemed to satisfy the requirements of this Standard.

NOTE: Examples of test and approval bodies are Factory Mutual (FM), Loss Prevention Council (LPC), Scientific Services Laboratory (SSL) and Underwriters Laboratories (UL).

**1.6 REFERENCED DOCUMENTS**

The following documents are referred to in this Standard:

AS 1593	Methods for test of elastomers
AS 1683.11	Part 11: Tension testing of vulcanised rubber
2118	Automatic fire sprinkler systems
2118.1	Part 1: Standard
2345	Dezincification resistance of copper alloys
2484	Fire—Glossary of terms
2484.1	Part 1: Fire tests