

Australian Standard™

**Fire detection, warning, control and  
intercom systems—Control and  
indicating equipment**

**Part 3: Fire brigade panel**

This Australian Standard was prepared by Committee FP-002, Fire Detection, Warning, Control and Intercom Systems. It was approved on behalf of the Council of Standards Australia on 12 May 2004 and published on 1 June 2004.

---

The following are represented on Committee FP-002:

Audio Engineering Society  
Australasian Fire Authorities Council  
Australian Building Codes Board  
Australian Chamber of Commerce and Industry  
Australian Electrical and Electronic Manufacturers Association  
Department of Defence  
Fire Protection Association Australia  
Institute of Security Executives  
National Electrical and Communications Association of Australia  
Property Council of Australia  
Scientific Services Laboratory AGAL—Department of Administrative Services

---

#### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at [www.standards.com.au](http://www.standards.com.au) and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at [mail@standards.org.au](mailto:mail@standards.org.au), or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

---

*This Standard was issued in draft form for comment as DR 03645.*

Australian Standard™

**Fire detection, warning, control and  
intercom systems—Control and  
indicating equipment**

**Part 3: Fire brigade panel**

First published as AS 4428.3—2004.

**COPYRIGHT**

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd  
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 6076 7

## PREFACE

This Standard was prepared by the Standards Australia Committee FP-002, Fire Detection, Warning, Control and Intercom Systems. It has been published as a companion Standard to AS 7240.2, *Fire detection and alarm systems Part 2: Control and indicating equipment (ISO 7240-2:2003, MOD)* and specifies a subset of controls and indicators that are used by firefighters in response to a fire alarm. It is based on Swedish Standard SS 3654, *Fire detection and alarm systems—Fire brigade panel and fire brigade key*.

In specifying the controls and indicators, care has been taken to ensure that the requirements for the operation of controls, the functions they perform and when and how the indicators operate, as specified in AS 7240.2, are not duplicated, added to or altered by this Standard.

This Standard specifies controls and indicators similar to those detailed in AS 7240.1, *Control and indicating equipment, Part 1: Fire*, specifically the firefighter's facility.

Statements expressed in mandatory terms in notes to tables are deemed to be requirements of this Standard.

## CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE .....	4
1.2 APPLICATION .....	4
1.3 REFERENCED DOCUMENTS .....	4
1.4 DEFINITIONS .....	4
SECTION 2 REQUIREMENTS	
2.1 GENERAL .....	5
2.2 INDICATORS AND CONTROLS .....	5
2.3 POWER SUPPLY EQUIPMENT .....	9
2.4 ACCESS LEVEL.....	9
2.5 LAYOUT AND MEASUREMENTS.....	9
2.6 MARKING .....	10
2.7 DOCUMENTATION.....	10
SECTION 3 ASSESSMENT OF COMPLIANCE.....	11

## STANDARDS AUSTRALIA

## Australian Standard

## Fire detection, warning, control and intercom systems—Control and indicating equipment

## Part 3: Fire brigade panel

## SECTION 1 SCOPE AND GENERAL

**1.1 SCOPE**

This Standard specifies requirements for fire brigade panels integrated in control and indicating equipment or constructed as a separate unit. Separately connected fire brigade panels use some of the functions given for the standardized input/output interface according to AS 7240.2, Clause 12 and Annex H.

**1.2 APPLICATION**

The Standard is primarily applicable to control and indicating equipment without individual visual indicators per zone in the fire alarm condition. The installation requirements are specified in AS 1670.1.

AS/NZS 3100 shall be read in conjunction with this Standard.

**1.3 REFERENCED DOCUMENTS**

The following documents are referred to in this Standard:

AS	
1670	Fire detection, warning, control and intercom systems—System design, installation, and commissioning
1670.1	Part 1: Fire
2484	Fire—Glossary of terms
2484.2	Part 2: Fire detection and firefighting equipment
7240	Fire detection and alarm systems
7240.2	Part 2: Control and indicating equipment
7240.4	Part 4: Power supply equipment
AS/NZS	
3100	Approval and test specification—General requirements for electrical equipment
ISO	
7240	Fire detection and alarm systems
7240-1	Part 1: General and definitions

**1.4 DEFINITIONS**

For the purpose of this Standard the definitions given in ISO 7240-1, AS 2484.2 and the one below apply.

**1.4.1 Optional function**

A function that may be provided, and, where provided, the requirements are met in full.