

AS 4457.2:2024



STANDARDS  
Australia



# Earth-moving machinery — Off-the-road wheels, rims and tyres — Maintenance and repair

Part 2: Tyres

currently in review, click buy full version

AS 4457.2:2024

This Australian Standard ® was prepared by ME-063, Earthmoving Equipment. It was approved on behalf of Standards Australia's Standards Development and Accreditation Committee on 02 December 2024.

This Standard was published on 13 December 2024.

The following are represented on Committee ME-063:

Australasian Institute of Mining & Metallurgy  
Australian Industry Group  
Better Regulation Division (Fair Trading, SafeWork NSW, TestSafe)  
Construction and Mining Equipment Industry Group  
Department of Primary Industries and Regional Development  
Engineers Australia  
Forestry Corporation of NSW  
Institute of Instrumentation, Control & Automation Australia  
Minerals Council of Australia  
Resources Safety & Health Queensland  
University of Queensland  
Victorian WorkCover Authority (WorkSafe Victoria)

This Standard was issued in draft form for comment as DR AS 4457.2:2024.

#### **Keeping Standards up-to-date**

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

[www.standards.org.au](http://www.standards.org.au)

ISBN 978 1 76139 968 8

# **Earth-moving machinery — Off-the-road wheels, rims and tyres — Maintenance and repair**

## **Part 2: Tyres**

Origin: technical standard AS 4457.2—2008.  
Second edition 2024.

© Standards Australia Limited 2024

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

## Preface

This Standard was prepared by the Standards Australia Committee ME-063, Earth-moving Equipment, to supersede AS 4457.2—2008.

The objective of this document is to set requirements for the identification, inspection, repair, retreading and maintenance of off-the-road (OTR) pneumatic tyres in order to assist repairers and retreaders of tyres and users of earth-moving machinery to minimize health and safety risks.

A list of all parts in the AS 4457 series can be found in the Standards Australia online catalogue.

The major changes in this edition are as follows:

- (a) Inclusion of a revised methodology for the repair classification of tyre damage.
- (b) Additional clarifications and descriptions to assist repairers and retreaders of tyres and users of earth-moving machinery.
- (c) Identification of specific hazards related to the repair and maintenance of tyres, and risk mitigation strategies.

The terms “normative” and “informative” are used in Standards to define the application of the appendices to which they apply. A “normative” appendix is an integral part of a Standard, whereas an “informative” appendix is only for information and guidance.

# Contents

Preface .....	ii
Introduction .....	v
<b>1 Scope and general .....</b>	<b>1</b>
1.1 Scope .....	1
1.2 Normative references .....	1
1.3 Terms and definitions .....	1
<b>2 Maintenance of in-service tyres (practical maintenance) .....</b>	<b>7</b>
2.1 Selection of tyre .....	7
2.2 Mounting inspection .....	8
2.3 Periodic inspection .....	8
2.4 Handling, transport and storage .....	8
<b>3 Inspection to determine repairability .....</b>	<b>8</b>
3.1 General .....	8
3.2 Internal inspection .....	9
3.3 External inspection .....	9
<b>4 Repair limits .....</b>	<b>10</b>
4.1 General .....	10
4.2 Repair limits for bias ply tyres .....	12
4.2.1 Minor repairs .....	12
4.2.2 Intermediate repairs .....	13
4.2.3 Major repairs .....	15
4.2.4 Irreparable damage to bias ply tyres .....	16
4.3 Repair limits for radial tyres .....	16
4.3.1 Minor repairs .....	16
4.3.2 Intermediate repairs .....	17
4.3.3 Major repairs .....	18
4.3.4 Irreparable damage to radial ply tyres .....	19
4.3.5 Number of repairs .....	20
4.4 Disposal of irreparable tyres .....	21
<b>5 Method of repair .....</b>	<b>21</b>
5.1 General .....	21
5.2 Repair principles .....	21
5.2.1 General principles .....	21
5.2.2 Preparation of damage for repairing .....	21
5.2.3 Minor repair principles .....	21
5.2.4 Intermediate repair principles .....	21
5.2.5 Major repair principles .....	22
5.3 Measurement of damage .....	22
5.4 Damage area preparation .....	22
5.5 Patch application .....	22
5.6 Curing .....	23
5.6.1 General .....	23
5.6.2 Hot-curing .....	23
5.6.3 Hot cure of tread and sidewall repair rubber .....	23
5.6.4 Hot cure repair rubber (plug) and/or cold (chemical) cured patch system .....	23
5.6.5 Cold curing (chemical) patch application .....	24
5.7 Inspection after curing .....	24
5.7.1 Visual inspection of repair .....	24
5.7.2 Final inspection .....	24
<b>6 Retreading of tyres .....</b>	<b>24</b>
6.1 General .....	24
6.1.1 Restrictions .....	24

6.1.2	Use of materials.....	24
6.1.3	Buffing.....	24
6.1.4	Inspection after buffing.....	24
6.1.5	Buffing damage.....	25
6.1.6	Repairs.....	25
6.1.7	Cement or solution application.....	25
6.1.8	Undertread gauge.....	25
6.1.9	Building.....	25
6.1.10	Curing.....	26
6.1.11	Inspection.....	26
6.2	Load and speed index for retreaded tyres.....	26
6.3	Marking of retreaded tyres.....	26
<b>7</b>	<b>Marking of repaired tyres.....</b>	<b>26</b>
7.1	Repaired tyre identification.....	26
7.2	Single (X) marking.....	27
7.3	Double (XX) marking.....	27
7.4	Triple (XXX) marking.....	27
7.5	Retreaded tyre identification.....	27
<b>8</b>	<b>Maintenance of tyres (service records).....</b>	<b>27</b>
8.1	Recording.....	27
8.2	Service record.....	27
8.3	Recorded history.....	28
8.4	Repairs and retreading.....	28
8.5	Sale or transfer of tyres.....	28
8.6	Replacement of tyre identification.....	28
<b>Appendix A (informative) Example of a pre-mounting inspection sheet.....</b>		<b>29</b>
<b>Bibliography.....</b>		<b>30</b>

## Introduction

Earth-moving tyres can cause hazardous situations that may result in fatalities when the correct procedures for the repair, retreading and maintenance of tyres have not been followed. The use of repaired or retreaded tyres that are substandard and the use of tyres that have not been maintained to high standards poses risks to persons operating earth-moving machinery. To minimize these risks, controls over the repair, retreading, maintenance and inspection of tyres are considered necessary.

All hazards need to be identified, and the appropriate risk controls put into place.

This document notes where hazards exist, but does not provide an exhaustive list.

In some cases, the document notes a generally accepted risk control, but this will need to be validated against overall risk management.

Currently in preview, click buy full version.

NOTES

Currently in preview, click buy full version

# Australian Standard®

## Earth-moving machinery — Off-the-road wheels, rims and tyres — Maintenance and repair

### Part 2: Tyres

## 1 Scope and general

### 1.1 Scope

This document sets requirements for the identification, inspection, repair, retreading and maintenance of off-the-road (OTR) pneumatic tyres in order to assist repairers and retreaders of tyres and users of earth-moving machinery to minimize health and safety risks.

This document applies to tyres classified as OTR tyres by manufacturers and the international association standards (TRA, ETRTO and JATMA).

This document does not apply to tyres with D.O.T. markings, for which users should refer to AS 1973.

### 1.2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document.

NOTE Documents referenced for informative purposes are listed in the Bibliography.

AS 4457.1, *Earth-moving machinery — Off-the-road wheels, rims and tyres — Maintenance and repairs, Part 1: Wheel assemblies and rim assemblies*

### 1.3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- (a) IEC Electropedia: available at <https://www.electropedia.org/>
- (b) ISO Online browsing platform: available at <https://www.iso.org/obp>

#### 1.3.1

##### **A measurement**

designation for the dimension established between the intact casing plies on either side of the repair area

#### 1.3.2

##### **bead**

part of the tyre that is made to secure the tyre to the rim

Note 1 to entry: High tensile steel wires fashioned in a hoop shape are encased in the tyre casing or carcass structure. This comprises one bead core on each side (in the case of a radial tyre) or multiple bead cores on each side (for bias ply tyres)

Note 2 to entry: See [Figure 1](#).

#### 1.3.3

##### **bead area**

area of a tyre below the rim line, at the bottom of the sidewall

Note 1 to entry: See [Figure 1](#).