



## Series R freight containers

### Part 2: Platform and platform-based containers

STANDARDS  
Australia

Currently in preview, click buy full version

This Australian Standard® was prepared by Committee ME-068, Freight Containers. It was approved on behalf of the Council of Standards Australia on 11 June 2015. This Standard was published on 30 June 2015.

---

The following are represented on Committee ME-068:

- Australasian Railway Association (RISSB)
  - Australian Industry Group
  - Australian Logistics Council
  - Australian Maritime Safety Authority
  - Container Owners Association
  - ICHCA Australia
  - Ports of Auckland
  - Royalwolf Trading New Zealand
  - Shipping Australia
- 

This Standard was issued in draft form for comment as Draft AS 4615.2:2015.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

---

#### **Keeping Standards up-to-date**

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting [www.standards.org.au](http://www.standards.org.au)

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at [mail@standards.org.au](mailto:mail@standards.org.au), or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

---

Australian Standard<sup>®</sup>

**Series R freight containers**

**Part 2: Platform and platform-based  
containers**

Original as AS 4615.2—2000.  
Second edition AS 4615.2:2015.

**COPYRIGHT**

© Standards Australia Limited

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968.

Published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001, Australia

ISBN 978 1 76035 138 0

## PREFACE

This Standard was prepared by the Standards Australia Committee ME-068, Freight Containers, to supersede AS 4615.2—2000. After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian Standard rather than an Australian/New Zealand Standard.

The objective of this Standard is to set out basic specifications and testing requirements for series R freight containers of the platform and platform-based types with nominal lengths of 12 m (40 ft) and 6 m (20 ft).

This Standard is part of a series that applies to series R freight containers, as follows:

AS

4615 Series R freight containers

4615.1 Part 1: Requirements for container compliance

4615.2 Part 2: Platform and platform-based containers (this Standard)

Statements expressed in mandatory terms in notes to figures are deemed to be requirements of this Standard.

The term 'normative' has been used in this Standard to define the application of the appendix to which it applies. A 'normative' appendix is an integral part of a Standard.

## CONTENTS

	<i>Page</i>
1 SCOPE.....	4
2 NORMATIVE REFERENCES .....	4
3 DEFINITIONS.....	4
4 EXTERNAL DIMENSIONS AND RATING.....	5
5 DESIGN REQUIREMENTS.....	6
6 TESTING.....	9
7 MARKING AND DATA/COMPLIANCE PLATE.....	10
 APPENDICES	
A DIAGRAMMATIC REPRESENTATION OF STANDARD TEST PROCEDURES.....	17
B DETAILS OF REQUIREMENTS FOR LOAD TRANSFER AREAS IN BASE STRUCTURES OF CONTAINERS.....	23
C CARGO-SECURING DEVICES FOR PLATFORM AND PLATFORM-BASED CONTAINERS .....	29
D DIMENSIONS OF FORK-LIFT POCKETS (WHERE PROVIDED).....	31
E DIMENSIONS OF GRAPPLER ARM LIFTING AREAS.....	32
F DIMENSIONS OF STRADDLE LIFTING AREAS.....	33
G DIMENSIONS OF GOOSENECK TUNNELS .....	34

## STANDARDS AUSTRALIA

**Australian Standard**  
**Series R freight containers**

**Part 2: Platform and platform-based containers**

**1 SCOPE**

This Standard sets out basic specifications and testing requirements for series R freight containers of the platform and platform-based types with nominal lengths of 12 m (40 ft) and 6 m (20 ft).

**2 NORMATIVE REFERENCES**

The following are the normative documents referred to in this Standard:

AS

- |        |  |
|--------|--|
| 3711   | Freight containers   |
| 3711.1 | Part 1: Classification, dimensions and ratings (ISO 668:2013, MOD) |
| 3711.2 | Part 2: Terminology (ISO 830:1999, MOD)                            |
| 3711.3 | Part 3: Corner fittings (ISO 1161:1984, MOD)                       |
| 3711.9 | Part 9: Coding, identification and marking                         |
| 4615   | Series R freight containers  |
| 4615.1 | Part 1: Requirements for container compliance                      |

Australian Maritime Safety Authority  
Marine Orders Part 44 (Safe Containers)

**3 DEFINITIONS**

For the purpose of this Standard, the definitions given in AS 3711.2, and those below, apply:

**3.1 Fixed complete end structure**

Fixed end frame with a complete transverse structural connection between corner posts.

**3.2 Incomplete end structure**

Lack of any permanently fixed longitudinal load-carrying structure between the ends, other than the base.

**3.3 Platform**

Platform structure having no superstructure whatever.

NOTE. The equipment covered by this Standard is defined as a loadable platform having no superstructure whatever but having the same length and width as the base of series R containers, and equipped with bottom corner fittings, located in plan-view as on other series R containers, so that some securing and lifting devices of the same length can be used.

**3.4 Platform-based container**

Container having end walls but no sidewalls and which has a base similar to that of a platform container.