

Australian Standard[®]

**Waterproofing membranes for external
above-ground use**

Part 2: Design and installation

STANDARDS
Australia



This Australian Standard® was prepared by Committee BD-013, External Waterproofing Membranes. It was approved on behalf of the Council of Standards Australia on 2 July 2012. This Standard was published on 14 September 2012.

The following are represented on Committee BD-013:

- Australian Building Codes Board
 - Australian Chamber of Commerce and Industry
 - Australian Institute of Waterproofing
 - Australian Tile Council
 - CSIRO Manufacturing and Infrastructure Technology
 - Housing Industry Association
 - Importers Distributors and Sealants Manufacturers Association of Australia
 - Master Builders Australia
 - South Australian Housing Trust
 - TAFE NSW
-

This Standard was issued in draft form for comment as **Draft AS 4654.2**.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To remain in their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting www.standards.org.au

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

Australian Standard[®]

**Waterproofing membranes for external
above-ground use**

Part 2: Design and installation

First published as AS 4654.2—2009.
Second edition 2012.

COPYRIGHT

© Standards Australia Limited

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968.

ISBN 978 1 74342 226 7

PREFACE

This Standard was prepared by the Standards Australia Committee BD-013, External Waterproofing Membranes, to supersede AS 4654.2—2009 *Waterproofing membrane systems for exterior use—Above ground level, Part 2: Design and installation*.

This Standard has been prepared in response to numerous requests from industry representatives in the field of external waterproofing, especially in the areas of roofs, decks and balconies.

The objective of this Standard is to provide a consistent and reliable approach to the design and installation of external waterproofing membrane systems.

The objective of this revision is to align this Standard with the protocols and requirements as set out by the Australian Building Codes Board (ABCB).

This Standard is Part 2 of a series of Standards on external waterproofing, as follows:

AS

4654 Waterproofing membranes for external above-ground use

4654.1 Part 1: Materials

4654.2 Part 2: Design and installation (this Standard)

Figures throughout this Standard indicate the membrane system as a heavy dashed layer line. The system may comprise a single layer or multiple layers.

The term 'informative' has been used in this Standard to define the application of the appendix to which it applies. An 'informative' appendix is only for information and guidance.

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE.....	4
1.2 NORMATIVE REFERENCES	4
1.3 DEFINITIONS.....	4
1.4 MEMBRANE SYSTEMS.....	5
1.5 EXPOSED AND PROTECTED SYSTEMS	5
1.6 CONFORMANCE CONDITIONS	6
SECTION 2 DESIGN AND INSTALLATION	
2.1 GENERAL.....	7
2.2 PREVENTION OF DAMAGE	7
2.3 MOVEMENT	7
2.4 MEMBRANES	7
2.5 SUBSTRATE	8
2.6 LAYING MEMBRANE	9
2.7 FILLETS.....	11
2.8 TERMINATION OF MEMBRANES	11
2.9 MOVEMENT AND CONTROL JOINTS.....	25
2.10 DRAINS	26
2.11 OVERFLOWS	27
2.12 CHANGES IN DIRECTION OR UPSTANDS	29
2.13 PLANTER BOXES.....	29
2.14 PROTECTION DURING CONSTRUCTION.....	31
2.15 OVERLAYING SURFACE FINISHES.....	31
2.16 INSPECTION AND ACCEPTANCE TEST	31
APPENDICES	
A VERTICAL UPWARD TERMINATION HEIGHTS	32
B MAINTENANCE	33
BIBLIOGRAPHY	34

STANDARDS AUSTRALIA

Australian Standard

Waterproofing membranes for external above-ground use

Part 2: Design and installation

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE

This Standard sets out requirements for the design and installation of above-ground external waterproofing membranes for use in buildings and structures (for example roofs and balconies).

The waterproofing membranes covered by this Standard are also suitable for landscaped areas.

This Standard is not intended for use in applications such as structures below ground level, swimming pools and spas. It excludes concrete admixtures or penetrant sealers and decorative coatings.

1.2 NORMATIVE REFERENCES

The following are the normative documents referenced in this Standard:

NOTE: Documents referenced for informative purposes are listed in the Bibliography.

AS

4654 Waterproofing membranes for external above-ground use.

4654.1 Part 1: Materials

1.3 DEFINITIONS

For the purpose of this Standard, the definitions below apply.

1.3.1 Bioresistance

Resistance to degradation by biological attack.

1.3.2 Collar

A device to seal a sleeve to the substrate.

1.3.3 Drainage cell

A durable material used to overlay the membrane to protect it from physical damage and allow the transfer of moisture to relieve hydrostatic pressure.

NOTE: Timber and timber-based products are not acceptable for use as drainage cells.

1.3.4 External waterproofing membrane systems

A combination of membrane-associated products used in the membrane's installation such as primers, mechanical fasteners, waste outlets and flashings that form a waterproof barrier.

1.3.5 Fillet

A triangular or curved profile used at internal intersections to assist the membrane to accommodate the transition from horizontal to vertical surfaces.