

Australian Standard[®]

Temporary fencing and hoardings

STANDARDS
Australia



This Australian Standard® was prepared by Committee CE-008, Chainlink Fabric Security Fences and Gates. It was approved on behalf of the Council of Standards Australia on 11 September 2007.

This Standard was published on 18 October 2007.

The following are represented on Committee CE-008:

- Australian Chamber of Commerce and Industry
 - Australian Industry Group
 - Australian Wire Industry Association
 - Temporary Fencing Interests
 - Water Services Association of Australia
-

This Standard was issued in draft form for comment as Draft Standard S.D. 06362.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting www.standards.org.au

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

Australian Standard[®]

Temporary fencing and hoardings

First published as AS 4687—2007.

COPYRIGHT

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia, GPO Box 476, Sydney, NSW 2001, Australia

ISBN 0 7337 8418 6

PREFACE

This Standard was prepared by the Standards Australia Committee CE-008, Chainlink Fabric Security Fences and Gates.

The objective of this Standard is to establish minimum requirements for the construction and installation of temporary fencing and temporary hoarding, to provide protection to the public.

This Standard identifies the difference between temporary mesh and wire fencing, temporary fencing with shade cloth (or material attached to the fence which can alter the fence characteristics) and a solid metal or timber hoarding.

Currently in preview, click buy full vers.

CONTENTS

	<i>Page</i>
FOREWORD.....	4
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE	5
1.2 REFERENCED DOCUMENTS	5
1.3 GENERAL REQUIREMENTS	5
1.4 MAINTENANCE	5
SECTION 2 MATERIALS, PRODUCTS AND COMPONENTS	
2.1 TEMPORARY FENCE PANEL.....	6
2.2 HOARDING.....	7
SECTION 3 INSTALLATION, REMOVAL AND RELOCATION OF TEMPORARY FENCING AND TEMPORARY HOARDING	
3.1 GENERAL	8
3.2 SITE SAFETY.....	8
3.3 LINE AND LEVEL.....	8
3.4 BRACING	8
3.5 FITTINGS INSTALLATION	8
3.6 GATE SYSTEMS.....	8
3.7 ADDITIONAL OPTIONS/ACCESSORIES (SHADECLOTH, SAFETY LIGHTS, SIGNS).....	8
3.8 BASE PLATE INSTALLATION	8
3.9 WIND CATEGORY	8
3.10 STACKING AND STORAGE	8
SECTION 4 TESTING	
4.1 GENERAL	9
4.2 SIMULATED CLIMBING TEST.....	9
4.3 IMPACT TEST.....	10
4.4 FOOTHOLD CAPTURE TEST	10
4.5 WIND FORCE OVERTURNING TEST	11

FOREWORD

Temporary fencing is a self-supporting and modular system, which is interlocking and portable. The different systems vary in height and width. The panels are sheeted with a combination of synthetic material, chain link fabric and welded mesh. All temporary fence systems are supported with a base plate, block, counterweight or other fixing methods.

Temporary hoarding is a self-supporting system sheeted with timber plywood, coated steel or sturdy synthetic material. The different systems vary in height and width. All temporary hoarding systems are supported with a base plate, block, counterweight or other fixing methods.

Currently in preview, click buy full version

STANDARDS AUSTRALIA

Australian Standard Temporary fencing and hoardings

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE

This Standard sets out requirements for the construction and installation of temporary fencing and temporary hoardings.

Temporary fencing and temporary hoardings are used—

- (a) to provide a visual barrier;
- (b) to restrict access to unauthorized persons to worksites, events and restricted areas;
- (c) to contain equipment and materials;
- (d) to prevent operations within the area from impacting outside; and
- (e) to prevent materials, rubbish and debris from escaping from the worksite.

NOTE: This Standard addresses all site-specific requirements (i.e., uneven ground, sloping sites, etc.)

1.2 REFERENCED DOCUMENTS

The following documents are referred to in this Standard:

AS	
1163	Structural steel hollow sections
2423	Coated steel wire fencing products for terrestrial, aquatic and general use
AS/NZS	
1170	Structural design actions
1170.2	Part 2: General principles

1.3 GENERAL REQUIREMENTS

Temporary fencing and temporary hoarding shall remain erect and stable at all times. If at any time the fence or hoarding system is moved or altered it shall be done so by a competent and trained installer in accordance to the specific hirer's instruction/installation manual.

The design of any temporary fencing or temporary hoarding system shall take into account wind loading, impact tests and stability (see Section 4).

All temporary fencing and temporary hoarding shall be erected by a competent installer in accordance to the specific hirer's instruction/installation manual.

All temporary fences shall be a minimum height of 1500 mm.

NOTE: Where temporary fencing and temporary hoarding is not erected on private property, permits and approval may be required.

1.4 MAINTENANCE

Temporary fencing and temporary hoarding systems and all of their components shall be of a good condition and maintained regularly to prevent injury to the general public.