

Australian Standard[®]

Masonry in small buildings

Part 1: Design

STANDARDS
Australia



This Australian Standard® was prepared by Committee BD-004, Masonry Structures. It was approved on behalf of the Council of Standards Australia on 9 September 2010. This Standard was published on 8 November 2010.

The following are represented on Committee BD-004:

- Association of Consulting Engineers Australia
 - Australasian Slag Association
 - Australian Building Codes Board
 - Australian Institute of Building Surveyors
 - Building Designers Association of Australia
 - CSIRO Manufacturing & Materials Technology
 - Cement Concrete & Aggregates Australia—Cement
 - Think Brick Australia
 - Concrete Masonry Association of Australia
 - Engineers Australia
 - Housing Industry Association
 - Masonry Contractors Association of NSW
 - Master Builders Australia
 - NSW Department of Commerce
 - University of Newcastle
-

This Standard was issued in draft form for comment as DR 06422.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To remain in their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting www.standards.org.au

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

Australian Standard[®]

Masonry in small buildings

Part 1: Design

First published as AS 3700—2001.
AS 3700—2001 superseded, in part, and designated AS 4773.1—2010.
Revised incorporating Amendment No. 1 (September 2011).

COPYRIGHT

© Standards Australia Limited

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968.

Published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001, Australia

ISBN 978 0 7337 9696 8

PREFACE

This Standard was prepared by the Standards Australia Committee BD-004, Masonry Structures, to supersede, in part, AS 3700—2001, *Masonry structures*.

This Standard incorporates Amendment No. 1 (September 2011). The changes required by the Amendment are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure or part thereof affected.

The objective of this Standard is to provide minimum requirements for the design of unreinforced and reinforced masonry, including built-in components, for use in small buildings such as houses and garages. This Standard is intended for the use of designers and specifiers of small buildings and is intended as a companion document to AS 4773.2, *Masonry in small buildings, Part 2: Construction*.

The Committee acknowledges valuable assistance given by organizations and individuals experienced in various aspects of design and construction of masonry.

Statements expressed in mandatory terms in notes to tables and figures are deemed to be requirements of this Standard.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE.....	6
1.2 GENERAL LIMITATIONS.....	6
1.3 NORMATIVE REFERENCES	9
1.4 MINIMUM INFORMATION TO BE PROVIDED ON DOCUMENTS.....	9
1.5 DEFINITIONS.....	9
SECTION 2 DESIGN CRITERIA	
2.1 SCOPE OF SECTION	14
2.2 AIM.....	14
2.3 PERFORMANCE REQUIREMENTS	14
2.4 DESIGN REQUIREMENTS.....	14
2.5 SERVICEABILITY, STRENGTH AND STABILITY	15
2.6 OTHER DESIGN REQUIREMENTS.....	16
SECTION 3 MATERIALS	
3.1 SCOPE OF SECTION	18
3.2 MASONRY UNITS	18
3.3 MORTAR AND GROUT	18
3.4 BUILT-IN COMPONENTS.....	19
3.5 REINFORCEMENT	19
SECTION 4 DURABILITY	
4.1 SCOPE OF SECTION	20
4.2 MATERIAL SELECTION.....	20
4.3 EXPOSURE ENVIRONMENTS	20
4.4 ELEMENT LOCATIONS	22
SECTION 5 FIRE RESISTANCE	
5.1 SCOPE OF SECTION	24
5.2 GENERAL CRITERIA.....	24
5.3 DESIGN PERFORMANCE CRITERIA	24
SECTION 6 WALL DESIGN	
6.1 SCOPE OF SECTION	26
6.2 GENERAL CRITERIA.....	26
6.3 VERTICAL SUPPORTS	26
6.4 HORIZONTAL SUPPORTS.....	26
6.5 LOAD WIDTH	28
6.6 DESIGN FOR UPLIFT.....	28
6.7 PIERS	34
6.8 MULLIONS.....	37

SECTION 7 MASONRY VENEER WALLS	
7.1 SCOPE OF SECTION	43
7.2 GENERAL CRITERIA.....	43
7.3 WALL TIES	43
SECTION 8 CAVITY MASONRY WALLS	
8.1 SCOPE OF SECTION	45
8.2 EXTERNAL WALLS.....	45
8.3 INTERNAL WALLS.....	45
8.4 WALL TIES	45
SECTION 9 SINGLE-LEAF UNREINFORCED MASONRY WALLS	
9.1 SCOPE OF SECTION	51
9.2 EXTERNAL WALLS.....	51
9.3 INTERNAL WALLS	55
SECTION 10 REINFORCED MASONRY WALLS	
10.1 SCOPE OF SECTION	56
10.2 GENERAL CRITERIA.....	56
10.3 STARTER BARS	56
10.4 BOND BEAMS	57
10.5 VERTICAL REINFORCEMENT	61
SECTION 11 BRACING	
11.1 SCOPE OF SECTION	64
11.2 LOCATION AND DISTRIBUTION OF BRACING.....	64
11.3 BRACING CAPACITIES OF WALLS AND PIERS.....	64
11.4 SUBFLOOR BRACING.....	67
SECTION 12 LINTELS	
12.1 SCOPE OF SECTION	68
12.2 DESIGN CRITERIA.....	68
12.3 STEEL LINTELS	69
12.4 REINFORCED MASONRY LINTELS	71
SECTION 13 CONTROL JOINTS	
13.1 SCOPE OF SECTION	73
13.2 GENERAL CRITERIA.....	73
13.3 AFFILIATION JOINTS.....	73
13.4 CONTRACTION JOINTS.....	74
13.5 EXPANSION JOINTS.....	75
13.6 DETAILS.....	75
SECTION 14 DETAILING	
14.1 SCOPE OF SECTION	76
14.2 MORTAR JOINTS	76
14.3 UNREINFORCED WALL CONNECTIONS	76
14.4 REINFORCED WALL CONNECTIONS.....	76
14.5 SLIP JOINTS.....	77
14.6 ISOLATED SUBFLOOR PIERS.....	77
14.7 ARCHES	79
14.8 RESISTANCE TO MOISTURE PENETRATION.....	80
14.9 PARAPETS, CHIMNEYS AND CANTILEVERS	81

	<i>Page</i>
APPENDICES	
A BASIS OF DESIGN.....	82
B SPACING OF BRACING WALLS	87
C DEEMED-TO-SATISFY DURABILITY CLASSIFICATION.....	90
D REINFORCED MASONRY LINTEL TABLES.....	92
BIBLIOGRAPHY.....	102

Currently in preview, click buy full version

STANDARDS AUSTRALIA

Australian Standard
Masonry in small buildings

Part 1: Design

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE

This Standard specifies requirements for the design and specification of masonry in buildings of Class 1 and Class 10a, as defined by the BCA, and complying with the following:

- (a) Leaf thickness of 90 mm or greater.
- (b) The tops of all walls are laterally supported by a roof or floor structure acting as a diaphragm with the exception of parapets, chimneys and canopies in accordance with Clause 14.9 and fin walls in accordance with Table 11.
- (c) Walls are supported on concrete slabs or footings complying with AS 2870 or suspended slabs complying with AS 3600.
- (d) The geometric limitations of Clause 1.2.3.
- (e) Masonry is constructed and detailed in accordance with AS 4773.2.

The Scope of this Standard does not cover the following:

- (i) Acoustics and energy efficiency.
- (ii) Design of attachments such as basketball hoops, satellite dishes and shade structures and similar attachments.
- (iii) Structures required to be designed for earthquake actions in accordance with AS 1170.4.

NOTES:

- 1 For acoustic and energy efficiency requirements, see the BCA.
- 2 For application outside the scope of this Standard, the masonry should be designed in accordance with AS 3700.
- 3 Refer to Appendix A for the basis of design and assumptions used in the preparation of this Standard.

1.2 GENERAL LIMITATIONS

1.2.1 Materials

This Standard covers buildings constructed from clay, concrete or calcium silicate masonry units complying with AS/NZS 4455.1.

NOTES:

- 1 The properties required for these units are defined in Clause 3.2.
- 2 This Standard does not cover masonry constructed from AAC units.