

Australian Standard[®]

**Pressure-sensitive labels for stock-
paper, stock-plastic and general
purpose use**

STANDARDS
Australia



This Australian Standard® was prepared by Committee PK-025, Packaging Code. It was approved on behalf of the Council of Standards Australia on 30 September 2007. This Standard was published on 13 November 2007.

The following are represented on Committee PK-025:

- Australian Paints Manufacturers Federation
 - Canmakers Institute of Australia
 - Printing Industries Associations of Australia
-

This Standard was issued in draft form for comment as DR 0253.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting www.standards.org.au

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

Australian Standard[®]

**Pressure-sensitive labels for stock-
paper, stock-plastic and general
purpose use**

Originated as AS 2581—1983, AS 2666—1983 and AS 2776—1985.
Previous editions AS 2581—1998, AS 2666—1996 and AS 2776—1998.
Revised, incorporated and redesignated as AS 4833—2007.

COPYRIGHT

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia, GPO Box 476, Sydney, NSW 2001, Australia

ISBN 0 7337 8455 0

PREFACE

This Standard was prepared by the Standards Australia Committee PK-025, Packaging Code to supersede AS 2581—1998, *Pressure-sensitive adhesive labels for general purpose use*, AS 2666—1996, *Pressure-sensitive adhesive label stock—Paper* and AS 2776—1998, *Pressure-sensitive adhesive label stock—Plastic*.

The objective of this Standard is to specify new materials and to combine AS 2581—1998, AS 2666—1996 and AS 2776—1998 into the same Standard.

The term ‘informative’ has been used in this Standard to define the application of the appendix to which it applies. An ‘informative’ appendix is only for information and guidance.

CONTENTS

	<i>Page</i>
FOREWORD	4
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE	5
1.2 REFERENCED DOCUMENTS	5
1.3 DEFINITIONS	6
1.4 CLASSIFICATION	7
1.5 MATERIALS AND CONSTRUCTION	9
1.6 TYPE OF CUT	12
1.7 PRINT AND COLOUR	12
1.8 INFORMATION TO BE SUPPLIED BY THE LABEL STOCK MANUFACTURER	12
1.9 FINISHING, PACKAGING AND MARKING	13
1.10 INFORMATION TO BE SUPPLIED BY THE END USER WHEN SPECIFYING REQUIREMENTS	14
1.11 STORAGE	15
SECTION 2 PERFORMANCE REQUIREMENTS	
2.1 GENERAL SURFACE PROPERTIES	16
2.2 TENSILE STRENGTH	16
2.3 ADHESION	16
2.4 INITIAL TACK	16
2.5 RESISTANCE TO SHEAR (HOLDING POWER)	16
2.6 RELEASE PROPERTIES (FOR RELEASE LINER)	16
2.7 DIMENSIONAL STABILITY	16
2.8 EASE OF APPLICATION	17
2.9 INDELIBILITY OF PRINT (OPTIONAL REQUIREMENT BY THE END USER)	17
2.10 LIGHT FASTNESS	17
2.11 ABRASION (SCUFF) RESISTANCE (OPTIONAL REQUIREMENT BY THE END USER)	17
APPENDIX A PURCHASING GUIDELINES	18

FOREWORD

Pressure-sensitive adhesive labels consist of a wide variety of base materials (e.g. paper and plastic), coated uniformly with a suitable adhesive composition and wound evenly into rolls on suitable cores.

The suitability of a label for a particular labelling application depends on the base material of the label and the conditions to which the label may be subjected in transit or in service.

A knowledge of the various label constructions and their characteristics will assist the label user to choose the most suitable label for a given purpose.

Currently in preview, click buy full version

STANDARDS AUSTRALIA

Australian Standard

Pressure-sensitive labels for stock-paper, stock-plastic and general purpose use

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE

This Standard specifies requirements for pressure-sensitive adhesive (PSA) labels for general purpose use for paper-based label stock and plastic-based label stock.

NOTES:

- 1 Purchasing guidelines and the main applications of the various tapes are given in Appendix A.
- 2 Label stock is intended for conversion (by the label stock converter) to many of the plastic and paper labels for use on a variety of surfaces.
- 3 Pressure-sensitive adhesive (PSA) labels are sometimes known as a 'self-adhesive label' or 'label'.

1.2 REFERENCED DOCUMENTS

The following documents are referred to in this Standard:

AS

- | | |
|-----------|---|
| 1599 | Pressure-sensitive and water activated adhesive tape for packaging and office applications |
| 2313 | Methods of test for single sided and double sided pressure-sensitive adhesive tape |
| 2313.1.1 | Method 1.1: Adhesion—Tape adhesion |
| 2313.1.2 | Method 1.2: Adhesion—Quickstick |
| 2313.1.10 | Method 1.10: Adhesion—Resistance to static shear load at ambient temperature |
| 2313.1.13 | Method 1.13: Adhesion—Resistance to shear (holding power) at ambient temperature |
| 2313.2.1 | Method 2.1: Physical properties—Breaking strength |
| 2313.2.6 | Method 2.6: Physical properties—Determining the thickness of release liner |
| 2313.2.7 | Method 2.7: Physical properties—Determining the grammage of release liner |
| 2313.3.5 | Method 3.5: Ageing properties—Determining dimensional stability of label stock |
| 2313.4.1 | Method 4.1: Printing properties—Determining indelibility of printed labels |
| 2313.4.2 | Method 4.2: Printing properties—Determining lightfastness of printed labels |
| 2313.4.3 | Method 4.3: Printing properties—Determining abrasive resistance |
| 2400 | Packaging |
| 2400.1 | Part 1: Glossary of packaging terms |
| AS/NZS | |
| 1301 | Methods of test for pulp and paper |
| 1301.426s | Method 426s: Determination of thickness and apparent bulk density or apparent sheet density |