

Australian Standard™

**Digital television—Requirements for  
receivers**

**Part 1: VHF/UHF DTT television  
broadcasts**



This Australian Standard was prepared by Committee CT/2, Broadcasting and Related Services. It was approved on behalf of the Council of Standards Australia on 24 December 1999 and published on 30 March 2000.

---

The following interests are represented on Committee CT/2:

Australian Broadcasting Authority  
Australian Broadcasting Corporation  
Australian Caption Centre  
Australian Chamber of Commerce and Industry  
Australian Communications Authority  
Australian Electrical and Electronic Manufacturers Association  
Australian Information Industry Association  
Australian Subscription Television and Radio Association  
Community Broadcasting Association of Australia  
Consumer Electronics Suppliers Association, Australia  
Consumers Telecommunications Network, Australia  
Department of Communications, Information Technology and the Arts, Australia  
Department of Industry Science and Resources (Commonwealth), Australia  
Electronic Services Industry Association, Australia  
Federation of Australian Commercial TV Stations  
Ministry of Commerce New Zealand  
National Transmission Agency, Australia  
ntl Australia  
Optus Communications, Australia  
Special Broadcasting Service, Australia  
Television New Zealand  
Telstra Corporation, Australia

Additional interests participating in the preparation of this Standard:

Austar Entertainment  
Consultants  
Foxtel  
Intermedia  
JJB Associates  
Matsushita Electric Co (Aust)  
Modern Antenna Systems  
Motorola Semiconductor Products  
NDS Asia Pacific  
Nine Network Australia  
Philips Public Telecommunications Systems  
Samsung Electronics Australia  
Sanyo Australia  
Seven Network  
Sharp Corporation of Australia  
Sony (Australia)  
TEN Network

---

#### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Australia web site at [www.standards.com.au](http://www.standards.com.au) and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Australian Standard*, has a full listing of revisions and amendments published each month.

We also welcome suggestions for the improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at [mail@standards.com.au](mailto:mail@standards.com.au), or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

Australian Standard™

**Digital television—Requirements for  
receivers**

**Part 1: VHF/UHF DVB-T television  
broadcasts**

First published as AS 4933.1—2000.  
Reissued incorporating Amendment No. 1 (July 2001).

**COPYRIGHT**

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd  
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 3247 X

## PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee CT-002, Broadcasting and Related Services. It is the result of a consensus among the representatives to the Joint Committee to produce it as an Australian Standard.

A1 | *This Standard incorporates Amendment No. 1 (July 2001). The changes required by the Amendment are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure or part thereof affected.*

The objective of this Standard is to provide television receiver manufacturers with the technical specifications and requirements of digital television receivers in order to achieve successful reception from free-to-air DTTB transmissions that comply with the Australian DTTB transmission Standard, AS 4599 — 1999, *Digital television — Terrestrial broadcasting — Characteristics of digital terrestrial television transmissions*.

Some interoperability considerations are included for DVB-S Satellite and DVB-C Cable transmissions in Australia. Other interoperability issues including Datacasting will be addressed in other parts of this Standard.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

## CONTENTS

|  |    |
|--|----|
| FOREWORD.....  | 5  |
| 1 SCOPE AND APPLICATION .....  | 6  |
| 1.1 Scope .....  | 6  |
| 1.2 Application.....   | 6  |
| 2 REFERENCED DOCUMENTS .....   | 7  |
| 3 MINIMUM REQUIREMENTS FOR TERRESTRIAL RECEPTION .....                 | 9  |
| 3.1 General.....   | 9  |
| 3.2 RF and transport stream demodulation characteristics.....          | 9  |
| 3.2.1 Transmission channel bandwidth.....                              | 9  |
| 3.2.2 Notional receiver noise figure .....                             | 9  |
| 3.2.3 RF connector .....   | 10 |
| 3.2.4 Terrestrial receiver tuner's frequency range .....               | 10 |
| 3.2.5 Tuning operation .....   | 10 |
| 3.2.6 COFDM modes .....  | 10 |
| 3.3 Transport stream demultiplexing.....                               | 10 |
| 3.3.1 Transport stream.....  | 10 |
| 3.3.2 Service information processing .....                             | 10 |
| 3.3.3 Number of elementary streams .....                               | 10 |
| 3.4 Minimum requirements — MPEG video .....                            | 11 |
| 3.4.1 MPEG-2 decoding MP @ ML – Standard Definition .....              | 11 |
| 3.4.2 MPEG-2 decoding MP @ ML – High Definition.....                   | 11 |
| 3.5 Minimum requirements — Audio .....                                 | 11 |
| 3.5.1 Standard Definition .....  | 11 |
| 3.5.2 High Definition .....  | 11 |
| 3.6 Minimum requirements — Closed captions —Decoding.....              | 11 |
| 3.7 Australian regulatory and safety requirements .....                | 12 |
| 3.7.1 Electrical safety.....   | 12 |
| 3.7.2 EMC.....   | 12 |
| 3.8 Receiver display resolution specification .....                    | 12 |
| 4 ADDITIONAL RECOMMENDED AND OPTIONAL REQUIREMENTS .....               | 12 |
| 4.1 Table of guidelines for operation of DTV reception equipment ..... | 12 |
| TABLES   |    |
| 1 ITEM APPLICABILITY — EQUIPMENT TYPES.....                            | 13 |
| 2 ITEM AND SYSTEM APPLICABILITY—CODES.....                             | 13 |
| 3 SYSTEM TYPES .....   | 13 |
| 4 REQUIREMENTS .....   | 14 |
| Item 1.0 Basic features.....   | 14 |
| Item 2.0 Power on operations.....                                      | 14 |
| Item 3.0 User operation.....   | 15 |
| Item 4.0 COFDM demodulation and channel decoding.....                  | 15 |

|                   |  |    |
|-------------------|--|----|
| Item 4.4          | Interference immunity.....   | 16 |
| Item 5.0          | Multiplex and transport stream.....  | 16 |
| Item 6.0          | Service information (SI) processing.....   | 16 |
| Item 7.0          | Video decode and display.....  | 17 |
| Item 7.8          | Aspect ratio.....  | 19 |
| Item 7.9          | Picture colorimetry.....   | 20 |
| Item 8.0          | Audio—Decode and reproduction.....   | 20 |
| Item 8.1          | MPEG audio.....  | 20 |
| Item 8.2          | AC-3—Decoding and output.....  | 21 |
| Item 8.3          | Audio identification and control.....  | 23 |
| Item 9.0          | Operating software and API.....  | 24 |
| Item 10.0         | Interactivity and on-screen display.....   | 24 |
| Item 10.2         | OSD.....   | 25 |
| Item 10.3         | Teletext including closed caption subtitles.....   | 25 |
| Item 10.4         | Bit-mapped subtitles.....  | 27 |
| Item 10.5         | EPG.....   | 27 |
| Item 11.0         | Data broadcasting (Broadcast television related).....  | 28 |
| Item 12.0         | Parental guidance.....   | 28 |
| Item 13.0         | Conditional access.....  | 29 |
| Item 14.0         | Copyright protection on outputs.....   | 29 |
| Item 15.0         | Interfaces and connectors.....   | 30 |
| Item 15.1         | RF input/output.....   | 30 |
| Item 15.2         | Base-band analog video connectors.....   | 30 |
| Item 15.3         | Base-band audio connectors.....  | 30 |
| Item 15.4         | Digital program interfaces.....  | 30 |
| Item 15.5         | Common interface (CI) connector.....   | 31 |
| Item 15.6         | Smartcard slots.....   | 31 |
| Item 15.7         | Data connectors.....   | 31 |
| Item 16.0         | Return channel path.....   | 32 |
| Item 17.0         | System software revision.....  | 32 |
| Item 18.0         | Memory requirements.....   | 32 |
| B1                | PROTECTION RATIOS (DB) FOR 7 MHz DVB-T INTERFERED WITH BY 7 MHz<br>DVB-T.....                            | 45 |
| E1                | AUSTRALIAN TELEVISION BROADCAST BANDS — TELEVISION CHANNEL<br>NUMBERS AND FREQUENCY LIMITS (IN MHz)..... | 48 |
| E2                | AUSTRALIAN TELEVISION NON-BROADCAST BANDS—CHANNEL NUMBERS<br>AND FREQUENCY LIMITS (IN MHz).....          | 50 |
| <b>APPENDICES</b> |  |    |
| A                 | ABBREVIATIONS AND GLOSSARY.....  | 33 |
| B                 | NOTIONAL DTTB RECEIVER SPECIFICATION—SUMMARY.....  | 42 |
| C                 | RECEIVER BLOCK DIAGRAM.....  | 46 |
| D                 | RECEPTION QUALITY OSD METER.....   | 47 |
| E                 | BROADCAST AND NON-BROADCAST BANDS — CHANNEL PLAN.....  | 48 |
| F                 | AUSTRALIAN PARENTAL GUIDANCE CODES.....  | 51 |
| INDEX.....        |  | 53 |

## FOREWORD

A1 Digital terrestrial television broadcasting (DTTB) based on the DVB-T\* system has been adopted for Australia; however, it should be noted that the international DVB Standards and related ETSI, IEC/ISO and ITU-R documents provide a range of operational choices.

Most implementations of digital television systems around the world operate on pay satellite and cable systems where compatibility between transmission and reception equipment is generally under the control of a single system operator. This is known as a 'vertical' market.

In contrast, no single operator will be in control of the Australian implementation of the digital terrestrial television broadcasting system. There will be multiple free-to-air services and multiple receiver/decoder manufacturers, as well as subscription television services and datacasting services delivered in the digital television broadcasting environment. Domestic digital television receivers are expected to be available from a wide range of manufacturers through many retail suppliers; this is known as a 'horizontal' market.

Consumers will expect a choice of receiving equipment from many manufacturers, ranging from fully integrated receivers with cathode ray tubes or other display devices to modular set-top-box receivers intended for connection to a separate display and sound reproduction system. This equipment will be expected to satisfactorily receive digital terrestrial television broadcasts from a choice of broadcasters each possibly using a different brand of encoding and transmission equipment.

A separate Australian Standard, AS 4599, details information specific to the transmission aspects of the Australian adaptation of the relevant ETSI DVB-T Standards. For an overview on DVB documents the reader is referred to the technical report from DVB: TR 101 200 V1.1.1 (1997-09); 'Digital Video Broadcasting (DVB), A guideline for the use of DVB specifications and Standards'.

This Standard aims to provide the necessary information so that any digital terrestrial television receiving equipment made for the Australian system will operate satisfactorily on Australian digital terrestrial television broadcast transmissions.

While some receiver requirements are nominated to be essential, in general, it will be a marketing choice by the manufacturer as to how the various receiver models operate with a variety of conditions.

In Australia, Single Frequency Network environments are planned in which receivers will be expected to operate. Information on the allocation of channels and implementation of SFNs is available from the Australian Broadcasting Authority.

Conformance testing related to this standard is the responsibility of the supplier and/or manufacturer.

DTTB is a rapidly evolving technological environment and, consequently, international and Australian standards are constantly under revision. Care should be taken to ensure that the most recent developments are considered when interpreting this or related standards.

Readers are urged to contact Standards Australia regarding the status of this standard or AS 4599.

---

\* DVB-T: Digital Video Broadcasting (project) – Terrestrial. The DVB Project Office is co-located at the headquarters of the European Broadcasting Union in Geneva, Switzerland. Their web site is <http://www.dvb.org>.

## STANDARDS AUSTRALIA

## Australian Standard

## Digital television—Requirements for receivers

## Part 1: VHF/UHF DVB-T television broadcasts

A1

**1 SCOPE AND APPLICATION****1.1 Scope**

This Standard defines both essential and optional requirements for DVB-T compliant digital broadcast television receivers for Australia with the capability of receiving Standard or High Definition Television via terrestrial broadcasting services. Optional requirements include interactivity, datacasting services, surround sound, multi lingual and appropriate interfaces for ancillary equipment. Specifications for subscription/pay service should be obtained from the operators of those services.

NOTE: See Appendix A for abbreviations and a glossary of terms used in this Standard.

**1.2 Application**

Australian digital terrestrial transmissions will include SD and HD TV pictures, and sound in MPEG-1 Layer II and AC-3 (Dolby® Digital) formats.

A range of receiving equipment may be available either in modular or fully integrated forms that extend from low-cost limited-facility with a standard definition video and monophonic sound output to premium full-facility receiver providing high definition display with full surround sound. Modular equipment may be set-top box style integrated-receiver-decoders or plug-in PC card tuner-decoders.

While this Standard seeks to identify minimum essential requirements for reception, demodulation and decoding of television broadcasts complying with the Australian implementation of DVB-T, additional information and recommendations are provided to clarify preferred implementation if a feature is included in the receiver's design.

Equipment must be capable of simultaneously decoding from the transport stream, a video stream, an associated audio stream and associated teletext subtitles and optionally bit-mapped subtitle closed captions. The decoded information shall be presented in a time-synchronized manner suitable for a display device and sound reproduction system.

If necessary, the video may require to be spatially format converted ('scaled'), as the received format may be different to the display format. For example, if a digital terrestrial set-top box receiver is connected to a standard 4:3 television, down-scaling will be required to display a high definition 16:9 program.

Correspondingly, the received audio channels may need to be processed or mixed to suit the available sound reproduction equipment.