

Australian Standard™

**Metallic coatings—Powder metal (and  
composites) applied by mechanical  
means at ambient temperature**

STANDARDS  
Australia



This Australian Standard was prepared by Committee MT-009, Metal Finishing. It was approved on behalf of the Council of Standards Australia on 10 March 2006. This Standard was published on 3 April 2006.

---

The following are represented on Committee MT-009:

Australian Institute of Metal Finishing  
Australian Aluminium Council  
Australian Industry Group  
Australian Paint Manufacturers' Federation  
Department of Defence  
Galvanizers Association of Australia  
Institute of Materials Engineering of Australasia  
Powder Coaters Association  
The Royal Australian Chemical Institute  
Society of Automotive Engineers—Australasia

---

### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at [www.standards.com.au](http://www.standards.com.au) and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at [mail@standards.org.au](mailto:mail@standards.org.au), or write to the Chief Executive, Standards Australia, GPO Box 476, Sydney, NSW 2001.

---

STANDARDS AUSTRALIA

---

RECONFIRMATION

OF

AS 5056—2006

**Metallic coatings—Powder metal (and composites) applied by mechanical means at ambient temperature**

---

RECONFIRMATION NOTICE

Technical Committee MT-009 has reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 20 March 2017.

The following are represented on Technical Committee MT-009:

Australasian Institute of Surface Finishing  
Australian Chamber of Commerce and Industry  
Australian Industry Group  
Australian Steel Institute  
Bureau of Steel Manufacturers of Australia  
Galvanizers Association of Australia  
Galvanizing Association of New Zealand  
New Zealand Metal Powder Manufacturers

NOTES

Currently in preview, click buy full vers.

Australian Standard™

**Metallic coatings—Powder metal (and  
composites) applied by mechanical  
means at ambient temperature**

First published as AS 5056—2006.

**COPYRIGHT**

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia, GPO Box 476, Sydney, NSW 2001, Australia

ISBN 0 7337 7346 X

## PREFACE

This Standard was prepared by the Australian members of the Joint Standards Australia/Standards New Zealand Committee MT-009, Metal Finishing. After consultation with stakeholders in both countries, Standard Australia and Standards New Zealand decided to develop this Standard as an Australian, rather than an Australian/New Zealand Standard.

The objective of the Standard is to specify the general technical delivery requirements for metal powder or composite coatings, mechanically applied to iron and steel components, such as self-drilling screws. Specifications for the preparation of samples and test pieces are also included.

During the preparation of this Standard, cognisance was taken of the following Standards.

## AS

1789 Electroplated zinc (electrogalvanized) coatings on ferrous articles (batch process)

3566 Self-drilling screws for the building and construction industries

3566.2 Part 2: Corrosion resistance requirements

## AS/NZS

2312 Guide to the protection of structural steel against atmospheric corrosion by the use of protective coatings

## ASTM

B695 Standard specification for coating of zinc mechanically deposited on iron and steel

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

## CONTENTS

	<i>Page</i>
1 SCOPE.....	4
2 REFERENCED DOCUMENTS.....	4
3 DEFINITIONS.....	5
4 DESIGNATION.....	6
5 PROCESS REQUIREMENTS .....	7
6 SAMPLING .....	8
7 TEST METHODS AND REQUIREMENTS.....	9
8 COATING THICKNESS ON THE SIGNIFICANT SURFACE.....	9
9 CERTIFICATION.....	10
 APPENDICES	
A INFORMATION TO BE SUPPLIED TO THE MECHANICAL FABRICATOR.....	11
B MEANS FOR DEMONSTRATING COMPLIANCE WITH THE STANDARD .....	12
C STRESS-RELIEF TREATMENT OF COMPONENTS PRIOR TO MECHANICAL COATING WITH METALLIC AND METALLIC COMPOSITES TO REDUCE THE RISK OF HYDROGEN EMBRITTLEMENT.....	14
D MAINTENANCE OF MECHANICALLY COATED ARTICLES.....	17
E FACTORS THAT AFFECT THE DETEIORATION (DEGRADATION) OF PROTECTIVE COATINGS .....	18
F METHOD OF DETERMINING THE POROSITY OF MECHANICALLY PLATED ZINC AND ZINC-COMPOSITE COATINGS .....	24

## STANDARDS AUSTRALIA

## Australian Standard

**Metallic coatings—Powder metal (and composites) applied by mechanical means at ambient temperature****1 SCOPE**

This Standard specifies the requirements for powder metal coatings or composites coatings mechanically deposited on iron or steel substrates.

The coating service condition number (see Table 1) correlates to the corrosion category environments, which are specified in AS/NZS 2312 and ISO 9223.

Mechanical deposition greatly reduces the risk of hydrogen embrittlement (though this Standard does specify hydrogen embrittlement treatments in Appendix C) and is suitable for coating bores and recesses in many parts that cannot be conveniently electroplated.

## NOTES:

- 1 For means of demonstrating compliance to this Standard, see Appendix B.
- 2 Guidance on the maintenance of mechanically coated articles is shown in Appendix D.
- 3 This Standard does not purport to address all of the safety concerns, if any, associated with mechanical plating. It is the responsibility of the user of this Standard to establish appropriate safety and health practices and determine the applicability of regulation limitations.

This Standard does not specify requirements for the surface condition of the basis iron or steel before mechanical coating with powdered metal and composites. However, Appendix A requires that the mechanical plater be informed of surface condition requirements. This may be achieved by reference to AS 1627.0, which provides specifications for surface conditions on metals. Other requirements may be illustrated by provision of acceptable type samples.

**2 REFERENCED DOCUMENTS**

The following documents are referred to in this Standard:

## AS

1199	Sampling procedures for inspection by attributes
1199.0	Part 0: Introduction to the ISO 2859 attribute sampling system
1199.1	Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection
1580	Paints and related materials—Methods of test
1580 408.2	Part 408.2: Adhesion coatings—Knife test
1580 408.5	Part 408.5: Adhesion—Pull-off test
1627	Metal finishing—Preparation and pretreatment of surfaces
1627.0	Part 0: Method selection guide
2331	Methods of test for metallic and related coatings
2331.1.1	Method 1.1: Local thickness test—Micrographic examination of cross-sections
2331.1.3	Method 1.3: Local thickness test—Magnetic method
2331.1.4	Method 1.4: Local thickness test—Magnetic induction and eddy current methods
2331.1.5	Method 1.5: Local thickness test—Beta-backscatter method
2331.1.6	Method 1.6: Local thickness test—Taper section method