

AS 5601 — 2000
AG 601 — 2000

Click buy full version

Australian Standard™

Gas installations



Standards Australia



The Australian
Gas Association

Gas installations

Currently in preview, click buy full version

This Standard was prepared by the Gas Installation Standards Committee (AG/6) of The Australian Gas Association. As an accredited Standards Development Organisation, The Australian Gas Association develops and publishes Australian Standards. The Standard was approved on behalf of the Gas Technical Standards Council on 2 February 2000, and published in February 2000.

The Australian Gas Association has published this Standard in co-operation with:
Australian Liquefied Petroleum Gas Association Ltd
30 George Street, REDFERN NSW 2016
Phone: (02) 9319 4733, Fax: (02) 9319 4163

The following interests are represented on AG/6:

ACA (Australian Consumer Association)
AGA (The Australian Gas Association)
ALPGA (Australian Liquefied Petroleum Gas Association Ltd)
GAEC (Gas Appliance and Equipment Committee)
GAMAA (Gas Appliance Manufacturers Association of Australia)
Gas Distributors
Gas Retailers
GTRC (Gas Technical Regulators Committee)
Master Plumbers Australia
The Master Plumbers and Mechanical Services Association of Australia

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new additions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications, this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This Standard was issued in draft form for comment as DR 99601 CP.

AS 5601 – 2000
AG 601 – 2000

Australian Standard™

Gas installations

First published in revised format AG 601 – January 1992
Previous Edition AG 601 – 1998
First Edition as Australian Standard AS 5601 / AG 601 – 2000

Reprinted incorporating June 2000 editorial changes

PUBLISHED BY:

The Australian Gas Association
Technical Office
2 Park Way
Braeside VIC 3195

ISBN 0 85852 270 5

*

PREFACE

This Standard has been prepared by the Gas Installation Standards Committee (AG/6). The Committee is an AGA Technical Standards Committee. It was re-constituted in 1998 from a Committee initially set up jointly by The Australian Gas Association (AGA) and the Australian Liquefied Petroleum Gas Association Ltd (ALPGA).

The Standard will be subject to regular review by the Committee that will meet at least annually. The Committee will accept requests for interpretations. Suggestions for improvements and requests for interpretations should be sent to:

Manager, Standardisation Policy and Services
The Australian Gas Association
PO Box 122
BRAESIDE VIC 3195
E-mail: standards@melbourne.gas.asn.au

The intention of this Standard is to provide essential requirements and basic standards for adoption by the Australian gas industry and to promote uniform standards of gas installation.

This Standard is not to be regarded as being either a design specification or an instruction manual for untrained persons.

This Standard has no legal standing in its own right but may acquire legal standing in either of the following circumstances:

- (a) Where adopted by a Government or other Authority having jurisdiction over relevant installations.
- (b) Where adopted as part of installation specification.

An Authority is able to adopt this Standard subject to the variation of some provisions or the addition of extra provisions, to apply in its area of control. These variations or additions are identified in the page margin adjacent to the particular Clause. Appendix L sets out the nature of these variations or additions under the appropriate Clause number.

Where the Standard has acquired legal standing, all requirements, with particular exceptions, are mandatory. Matters of an advisory or explanatory nature are indicated in the following manner:

- the word NOTE(S) followed by a statement(s);
- by the inclusion of them in an informative appendix.

The terms “normative” and “informative” have been used in this Standard to define the application of the appendix to which they apply. A “normative” appendix is an integral part of a Standard, whereas an “informative” appendix is only for information and guidance.

Terms or words that are indicated by italics in the text are defined terms or words. Section 1 contains the definitions of such terms or words as they apply to the Standard. Defined terms or words are not indicated by italics in headings, tables, figures or notes.

This Standard is a revision of the 1998 edition and incorporates both technical and editorial amendments. This edition exhibits a degree of “structural change”. In the main, this is to do with a portion of Section 6 (LP Gas systems) being re-located into Appendix J (LP Gas cylinder locations).

Technical changes are identified with one or two stars in the left-hand margin of the page. A single star indicates an amendment to an existing Clause, whilst two stars indicates a new Clause. The following examples show how the markings are used:

* **Clause number** **Clause title**

* * **Clause number** **Clause title**

The same markings are used, as appropriate, in tables and figures.

Editorial changes have not been identified, as their purpose has been to improve readability of the Standard and they do not impact on technical requirements.

Clause renumbering has been carried out as necessary although it has not been identified either.

This edition of the Standard was approved by the Gas Installation Standards Committee on 19 January 2000 and published in February 2000.

Reprinted incorporating June 2000 editorial changes.

© Copyright 2000 - The Australian Gas Association

Except where, and to the extent that the Copyright Act allows, no part of this publication may be reproduced, stored in a retrieval system or transmitted by any means without prior permission in writing from The Australian Gas Association

The process used in preparing this Australian Standard by The Australian Gas Association has been authorised by Standards Australia. Users of the Australian Standard should note that the

This page left intentionally blank

Currently in preview, click buy full version

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE, APPLICATION AND DEFINITIONS	
1.1 SCOPE	8
1.2 APPLICATION OF THIS STANDARD	8
1.3 REFERENCED DOCUMENTS	9
1.4 DEFINITIONS	9
SECTION 2 GENERAL WORK AND SAFETY REQUIREMENTS	
2.1 ALTERATIONS, REPAIRS AND EXTENSIONS TO CONSUMER PIPING	22
2.2 TURNING ON A GAS SUPPLY	22
2.3 GAS SUPPLY AND TYPE TO BE VERIFIED BEFORE COMMENCING AN INSTALLATION	22
2.4 PURGING	22
2.5 SEALING OF OPEN PIPE ENDS	22
2.6 TESTING OF PIPING	23
2.7 ACCEPTABLE SUBSTANCES FOR TESTING AND LOCATING GAS LEAKS	23
2.8 HOT-TAPPING OF BRANCH FITTING TO CONSUMER PIPING	23
2.9 INCREASING THE OPERATING PRESSURE OF EXISTING CONSUMER PIPING	23
2.10 DEALING WITH A DANGEROUS GAS INSTALLATION OR APPLIANCE	24
2.11 SAFE WORKING PRACTICES	24
SECTION 3 MATERIALS AND COMPONENTS	
3.1 MATERIALS AND COMPONENTS – GENERAL	26
3.2 MATERIAL	26
3.3 COMPONENTS	36
SECTION 4 INSTALLING CONSUMER PIPING	
4.1 CONSUMER PIPING – GENERAL	45
4.2 DESIGN OF CONSUMER PIPING	47
4.3 SUPPORT OF CONSUMER PIPING	49
4.4 CORROSION CONTROL	50
4.5 CONSUMER PIPING GAS PRESSURE REGULATORS	51
4.6 PRESSURE PROTECTION	53
4.7 VENTING	54
4.8 USE OF HOSE ASSEMBLIES	57
4.9 QUICK-CONNECT DEVICES	59
4.10 WATER AND DUST CLEARING PROVISION IN CONSUMER PIPING	59
4.11 LOCATION OF CONSUMER PIPING	60
4.12 INSTALLING PLASTIC PIPING	65
4.13 CONSUMER PIPING IN A HIGH RISE BUILDING	65
4.14 SUB-METERS	66
4.15 GAS PRESSURE-RAISING DEVICES	67
4.16 VENTILATION OF GAS EQUIPMENT – LIGHTER THAN AIR GASES	68
4.17 VENTILATION OF GAS EQUIPMENT – HEAVIER THAN AIR GASES	70
SECTION 5 INSTALLING APPLIANCES	
5.1 REQUIREMENTS FOR APPLIANCES	76
5.2 GENERAL INSTALLATION REQUIREMENTS	76
5.3 APPLIANCE LOCATION	79
5.4 AIR SUPPLY TO APPLIANCES	82
5.5 INTERLOCK FOR MECHANICAL AIR SUPPLY TO APPLIANCE	85

5.6	APPLIANCE CONNECTION.....	86
5.7	APPLIANCE GAS PRESSURE REGULATOR	87
5.8	AIR HEATING APPLIANCE IN A CONFINED SPACE	88
5.9	COMBUSTION AND DILUTION AIR FOR AN APPLIANCE WITH AN OPEN FLUE.....	88
5.10	INTERLOCK OF AUTOMATIC FIRE DAMPER AND GAS SUPPLY.....	88
5.11	GAS SHUT-OFF WHEN AUTOMATIC FIRE EQUIPMENT OPERATES	88
5.12	SPECIFIC APPLIANCES – INSTALLATION	89
5.13	FLUEING	103
SECTION 6 LP GAS SYSTEMS		
6.1	LOCATION AND INSTALLATION OF LP GAS STORAGE TANKS AND CYLINDERS	117
6.2	LP GAS SYSTEMS FOR CARAVANS AND CATERING VEHICLES.....	115
6.3	LP GAS SYSTEMS FOR MARINE CRAFT	123
SECTION 7 COMPRESSED NATURAL GAS (CNG) FOR APPLIANCES IN MARINE CRAFT		
7.1	CYLINDERS	134
7.2	REGULATING SYSTEM.....	134
7.3	CYLINDER LOCATION	135
7.4	CONSUMER PIPING.....	136
7.5	AIR SUPPLY TO APPLIANCES	136
7.6	APPLIANCES	137
7.7	CONSUMER INSTRUCTIONS	138
SECTION 8 INSTALLATIONS FOR THE COMPRESSING OF NATURAL GAS (CNG) FOR THE FILLING OF CYLINDERS		
8.1	REQUIREMENTS FOR THE INSTALLATION OF A VEHICLE REFUELLING APPLIANCE (VRA).....	140
8.2	REQUIREMENTS FOR THE INSTALLATION OF A VEHICLE REFUELLING APPLIANCE (VRA) INDOORS	141
8.3	STORAGE	141
8.4	REQUIREMENTS FOR THE INSTALLATION OF COMPRESSING EQUIPMENT OTHER THAN A VEHICLE REFUELLING APPLIANCE (VRA)	141
SECTION 9 APPLIANCE COMMISSIONING		
9.1	APPLIANCE TO BE COMMISSIONED.....	144
9.2	COMMISSIONING OF APPLIANCE	144
9.3	COMMISSIONING REQUIREMENTS	144
APPENDICES		
APPENDIX A	SITE REQUIREMENTS FOR CONSUMER BILLING METERS..	147
APPENDIX B	LIST OF REFERENCED DOCUMENTS	149
APPENDIX C	FIRE RESISTANT MATERIAL	153
APPENDIX D	PURGING.....	155
APPENDIX E	PRESSURE TESTING A GAS INSTALLATION.....	159
APPENDIX F	SIZING CONSUMER PIPING.....	163
APPENDIX G	DETERMINATION OF MAXIMUM BREATHER VENT ORIFICE SIZE FOR DEVICES NOT VENTED TO OUTSIDE ATMOSPHERE.....	209
APPENDIX H	FLUE DESIGN.....	217
APPENDIX J	LP GAS CYLINDER LOCATIONS.....	241
APPENDIX K	COMBUSTIBLE GAS DETECTION SYSTEMS FOR MARINE CRAFT.....	249
APPENDIX L	SPECIAL LOCAL REQUIREMENTS	251

SECTION 1 - CONTENTS
SCOPE, APPLICATION AND DEFINITIONS

1.1	SCOPE	8
1.2	APPLICATION OF THIS STANDARD	8
1.3	REFERENCED DOCUMENTS	9
1.4	DEFINITIONS	

Currently in preview, click buy full version

SECTION 1 SCOPE, APPLICATION AND DEFINITIONS

* 1.1 SCOPE

This Standard sets out requirements for *consumer piping*, flueing, ventilation and *appliance* installations which are associated with the use or intended use of fuel gases such as *Town Gas*, *Natural Gas*, *Liquefied Petroleum Gas* in the vapour phase, *Tempered Liquefied Petroleum Gas*, *Simulated Natural Gas* or any similar substance.

The requirements cover piping systems from the outlet of:

- (a) the *consumer billing meter* installation
- (b) the first *regulator* on a fixed *gas installation* where an *LP Gas* container is installed on the same site or,
- (c) the first *regulator* on site (if no *meter* is installed) where *LP Gas* is reticulated from storage off the site;

to the inlet of the *appliance*.

This Standard does not apply to portable or *mobile appliances* (such as barbecues) which are designed for external use only and are connected directly, or by *hose assembly*, to a *LP Gas cylinder*.

Requirements for installations for *caravans* and marine craft including location of storage *cylinders*, piping systems and *appliances* are also provided in this Standard.

NOTES:

- 1 The location of consumer billing meters is determined by the appropriate Authority having jurisdiction; however, some guidelines for the locating of these meters are detailed in Appendix A.
- 2 The terms pipe, piping, tube and tubing are used throughout this Standard. They are to be considered to have the same meaning.

Unless specifically covered in this Standard, where *consumer piping* is to operate at a *pressure* exceeding 200 kPa, consult with the *Authority*.

Appliances provided for in this Standard include those *approved* under an Australian Gas Association scheme (ie. 'general approval' and 'individual approval' (Second Tier), and those otherwise acceptable to the *Authority*.

The *appliance* installation requirements cover location, ventilation, combustion air, flueing and commissioning of the *appliance*."

1.2 APPLICATION OF THIS STANDARD

The requirements of this Standard are to be used in conjunction with, but do not take precedence over, any statutory regulations which may apply in any area. The appropriate *Authority* may determine the extent of application of this Standard.

Where no requirement is given, good practice is to apply. In any matter of uncertainty the appropriate *Authority* is to be consulted.

This Standard applies to installations commenced after its publication date. It shall not apply to existing installations.

NOTE: "Commenced", for the purpose of this Clause, means the point at which site or equipment construction has begun.