

AS 5804.3:2025



STANDARDS  
Australia



# High-voltage live work

## Part 3: Stick work

Currently in preview, click buy full version



## AS 5804.3:2025

This Australian Standard® was prepared by EL-052, Electrical Energy Networks, Construction and Operation. It was approved on behalf of Standards Australia's Standards Development and Accreditation Committee on 11 June 2025.

This Standard was published on 27 June 2025.

The following are represented on Committee EL-052:

- Communications, Electrical and Plumbing Union - Electrical Division
- Department of Primary Industries and Regional Development
- Electric Energy Society of Australia
- Electrical Regulatory Authorities Council, Australia
- Energy Networks Australia
- Engineers Australia
- National Electrical and Communications Association

This Standard was issued for comment as DR AS 5804.3:2025

### **Keeping Standards up-to-date**

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals and new products by visiting:

[www.standards.org.au](http://www.standards.org.au)

ISBN: 978 1 76175 255 1

Australian Standard<sup>®</sup>

# High-voltage live work

## Part 3: Stick work

Originated as AS 5804.3—2010.  
Second edition AS 5804.3:2025.

© Standards Australia Limited 2025

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

## How to read this Standard

This page explains the meaning of the language and structure of this Standard.

Refer to Standards Australia's [Standardisation Guide 006](#) for more details about drafting rules.

Australian and Australian/New Zealand Standards are voluntary unless they are referenced in legislation or called up in contracts.

### Requirements

To conform to a Standard, all requirements in the Standard need to be met.

A requirement is any statement in the Standard which uses the word "shall".

### Recommendations, permissions and possibilities

The following words are commonly used in Standards, but statements using them do not have to be followed to conform to the Standard:

- (a) "should" means that something is recommended.
- (b) "may" means that something is permitted.
- (c) "can" means that something is possible.

### Structure of Standards

A Standard always has the following parts:

- (i) The Preface states who developed the Standard, what the Standard is aiming to do, and how it relates to other documents.
- (ii) The Scope states what the Standard is about, what it covers and what it does not cover.
- (iii) The Normative references clause lists other documents that are referenced in the Standard as part of requirements.
- (iv) The Terms and definitions clause defines important terms to help with understanding the Standard.

A Standard may also include other parts, such as the following:

- (1) A normative appendix sets additional requirements that need to be conformed to.
- (2) An informative appendix provides additional information or guidance. An informative appendix provides additional information or guidance. They usually do not contain requirements. If an informative appendix does contain requirements, the Standard will specify when those requirements apply.
- (3) A Bibliography lists documents referenced in the Standard but not as part of requirements.

Many Standards include notes. Notes provide recommendations and/or guidance only. They never contain requirements.

## Preface

This Standard was prepared by the Australian members of the joint Standards Australia/Standards New Zealand Committee EL-052, Electrical Energy Networks, Construction and Operation, to supersede AS 5804.3—2010, *High voltage live working, Part 3: Stick work*.

After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to continue to develop this document as an Australian Standard rather than an Australian/New Zealand Standard.

The objective of this document is to set out the minimum standards for high-voltage live stick work to safeguard live workers and the public.

This document forms part of the AS 5804 series on high voltage live work. A list of all parts in this series can be found in the Standards Australia online catalogue.

It is intended that this document be read in conjunction with AS 5804.1.

The major changes in this edition are as follows:

- (a) Significant update of the live work equipment management requirements including the electrical and mechanical testing requirements for in-service live work equipment.
- (b) Alignment with ENA DOC 049 and ENA DOC 050 which reflect current industry best practice for the testing and maintenance of live work equipment.
- (c) Consolidation of the periodic electrical testing intervals and reference Standards previously specified in the AS 5804 series into Table 12.14.3 of AS 5804.1:2025.

The inclusion of roles and responsibilities in AS 5804.3 was approved by Standards Australia's Production Management Group on 18/04/2024.

The terms “normative” and “informative” are used in Standards to define the application of the appendices to which they apply. A “normative” appendix is an integral part of a Standard, whereas an “informative” appendix is only for information and guidance.

# Contents

Page

<b>Preface</b> .....	<b>v</b>
<b>Introduction</b> .....	<b>viii</b>
<b>1 Scope and general</b> .....	<b>1</b>
1.1 Scope .....	1
1.2 Application .....	1
1.3 Normative references .....	1
1.4 Terms and definitions .....	2
1.5 Responsibilities .....	2
1.6 Premise .....	2
<b>2 Work practices for stick work</b> .....	<b>2</b>
2.1 Minimum requirements .....	2
2.2 Use of live-work sticks .....	2
2.3 Clearance markers for live-work sticks .....	2
2.4 Electrical rating of insulating sticks .....	2
2.5 Live-work stick structural rating .....	3
2.6 Equipment management system .....	3
<b>3 Combined live work methods</b> .....	<b>3</b>
3.1 General .....	3
3.2 Combination of stick method and glove and barrier method .....	3
3.3 Combination of stick method and barehand method .....	4
<b>4 Equipment</b> .....	<b>4</b>
4.1 Live-work sticks .....	4
4.1.1 General .....	4
4.1.2 Hollow sticks .....	4
4.1.3 Inspection before use .....	4
4.1.4 Surfaces .....	4
4.1.5 Design of metal end fittings .....	5
4.1.6 Termination of end fitting .....	5
4.1.7 Operating temperature .....	5
4.1.8 Equipment used with live-work sticks .....	5
4.1.9 Safe working load rating .....	5
4.1.10 Attachments .....	5
4.2 Insulating barriers .....	5
4.3 Ropes for live work .....	6
4.4 Other equipment .....	6
4.5 Helicopters .....	6
4.6 Repairs and modifications .....	6
4.7 Live work washing of high-voltage equipment .....	6
<b>5 Care and maintenance of equipment</b> .....	<b>7</b>
5.1 Live-work sticks and equipment .....	7
5.1.1 General .....	7
5.1.2 Live-work sticks .....	7
5.1.3 Transport and storage .....	7
5.1.4 Maintenance and repair .....	7
5.1.5 Routine inspection of equipment used with live-work sticks .....	7
5.2 Insulating barriers .....	8
5.2.1 General .....	8
5.2.2 Storage of insulating barriers .....	8
5.3 Rope for live work .....	8
5.4 Electrical inspection and testing of equipment .....	8
5.4.1 General .....	8
5.4.2 Live-work stick electrical testing .....	8
5.4.3 Barriers and other electrical equipment .....	10

5.5	Mechanical inspecting and testing of equipment .....	10
5.5.1	General .....	10
5.5.2	Inspection .....	10
5.5.3	Mechanical testing .....	11
5.6	Periodic testing intervals .....	12
<b>Bibliography</b>	.....	<b>13</b>

Currently in preview, click buy full version

## Introduction

This document has its origins in the former Electricity Supply Association of Australia (ESAA) documents —

- (a) HB ESAA LLM 01—2000, *Guidelines for live line barehand work*;
- (b) HB ESAA LLM 02—2000, *Guidelines for live line stick work*;
- (c) HB ESAA LLM 03—2000, *Guidelines for live line glove and barrier work*; and
- (d) ESAA ND/NL 04—1995, *Guidelines for use of helicopters for live line work*.

All but ESAA ND/NL 04—1995 were later published as Energy Networks Association (ENA) documents and have now been withdrawn.

This document does not constitute a high-voltage live work manual or set down high-voltage live work procedures and techniques. All procedures and techniques are developed by the network operator and service provider in accordance with this document.

# Australian Standard®

## High-voltage live work

### Part 3: Stick work

#### 1 Scope and general

##### 1.1 Scope

This document specifies the minimum industry requirements for live high-voltage stick work to manage and promote the safety of the live worker and the public at the worksite.

This document applies to —

- (a) all work carried out on live high-voltage electrical apparatus where the stick work method is used; and
- (b) voltages up to and including 500 kV.

This document does not apply to —

- (i) forms of work, such as operating work as defined in Part 1 that are not considered a live method; and
- (ii) live-work sticks manufactured from wood.

##### 1.2 Application

This document is intended for use by network operators and service providers.

This document shall be read in conjunction with AS 5804.1.

The minimum requirements in this document may be enhanced or supplemented provided there is no reduction in safety.

##### 1.3 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document.

NOTE Documents referenced for informative purposes are listed in the Bibliography.

AS 5804.1, *High-voltage live work, Part 1: General*

AS ISO/IEC 17025, *General requirements for the competence of testing and calibration laboratories*

IEC 60833-1, *Live working — Insulating sticks and attachable devices, Part 1: Insulating sticks*

IEC 60853, *Live working — Insulating foam-filled tubes and solid rods*

IEC 60237, *Live working — Insulating hoses with fittings for use with hydraulic tools and equipment*

ASTM D149, *Test method for dielectric breakdown voltage and dielectric strength of solid electrical insulating materials at commercial power frequencies*

ASTM F711, *Standard specification for fiberglass-reinforced plastic (FRP) rod and tube used in live line tools*

SAE J517, *Hydraulic Hose*