

Australian Standard™

Semiconductor converters

**Part 1.1: General requirements and line
commutated converters—Specifications
of basic requirements**

This Australian Standard was prepared by Committee EL-027, Power Electronics. It was approved on behalf of the Council of Standards Australia on 4 June 2002 and published on 4 July 2002.

The following are represented on Committee EL-027:

Australian Communications Authority
Australian Electrical and Electronic Manufacturers Association
Bureau of Steel Manufacturers of Australia
Electricity Supply Association of Australia
Monash University
University of Wollongong

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Australia web site at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Australian Standard*, has a full listing of revisions and amendments published each month.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.com.au, or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 1588.

Australian Standard™

Semiconductor converters

Part 1.1: General requirements and line commutated converters—Specifications of basic requirements

Originated as part of AS 1955.1—1977.
Revised and redesignated in part as AS 60146.1.1—2002.

COPYRIGHT

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 4488 5

PREFACE

This Standard was prepared by the Standards Australia Committee EL-027, Power Electronics to partially supersede AS 1955.1—1977, *Semiconductor converters*, Part 1: *General* six months after publication.

The objective of this Standard is to provide system designers, manufacturers and users with performance requirements for all electronic power converters and switches.

This Standard is the first part of a three part Standard; the parts of which are as follows:

AS 60146	Semiconductor converters
AS 60146.1.1	Part 1.1: General requirements and line commutated converters—Specifications of basic requirements (this Standard)
AS 60146.1.2	Part 1.2: General requirements and line commutated converters—Application guide
AS 60146.1.3	Part 1.3: General requirements and line commutated converters—Transformers and reactors

This Standard is technically identical with, and has been reproduced from, IEC 60146-1-1:1991, *Semiconductor converters*, Part 1-1: *General requirements and line commutated converters—Specifications of basic requirements*, including Corrigendum:1993 and Amendment 1:1996 (marked with a marginal bar in the right hand margin). Minor editorial changes have been made to the text such as the use of the word ‘converter’ throughout the document (to standardize spelling across this series of Standards).

A reference to an International Standard identified in the Normative References Clause by strikethrough (~~example~~) is replaced by a reference to the Australian or Australian/New Zealand Standard(s) listed immediately thereafter and identified by shading (**example**). Where the struck-through referenced document and the referenced Australian or Australian/New Zealand Standard are identical, this is indicated in parenthesis after the title of the latter.

In January 1997, the IEC commenced numbering its Standards from 60000 by adding 60000 to the number of each existing Standard. This commingles IEC numbering with ISO numbering. During the transition period an IEC Standard might be identified by its new number or its old number (for example, IEC 60050 or IEC 50).

As this Standard is reproduced from an International Standard, the following applies:

- Its number does not appear on each page of text and its identity is shown only on the cover and title page.
- In the source text, the ‘International Standard’ should read ‘this Australian Standard’.
- A full point should be substituted for a comma when referring to a decimal marker.

The term ‘informative’ has been used in this Standard to define the application of the annex to which it applies. An ‘informative’ annex is only for information and guidance.

CONTENTS

	<i>Page</i>
SECTION 1 - GENERAL	
1.1	Scope and object..... 1
1.2	Normative references 2
1.3	Classification of semiconductor power equipment and valves 3
1.3.1	Classification of semiconductor power equipment 3
1.3.2	Classification of semiconductor valves 5
1.4	List of principal letter symbols and subscripts 5
1.4.1	List of subscripts 5
1.4.2	List of symbols (self evident symbols are not listed) 5
1.5	Definitions 7
1.5.1	Semiconductor device (IEV 551-03-05, modified) 7
1.5.2	Power semiconductor diode 7
1.5.3	Thyristor 7
1.5.4	Reverse blocking triode thyristor 8
1.5.5	Reverse conducting triode thyristor 8
1.5.6	Bidirectional triode thyristor (triac) 8
1.5.7	Turn-off thyristor (GTO = Gate Turn Off) 8
1.5.8	Combination of semiconductor devices 8
1.5.9	Converter circuit elements 8
1.5.10	Converter connection (IEV 551-04-17) 9
1.5.11	Controllability of converter arms 9
1.5.12	Quadrants of operation (a.c. side) 9
1.5.13	Commutation and quenching (see figure 1) 9
1.5.14	Type of commutation 10
1.5.15	Self commutation (IEV 551-05-06) 10
1.5.16	Type of quenching 10
1.5.17	Commutation circuit (IEV 551-05-09) 11
1.5.18	Trigger delay angle α (IEV 551-05-29, modified) 11
1.5.19	Trigger advance angle β 12
1.5.20	Inherent delay angle α_p 12
1.5.21	Extinction angle γ (IEV 551-05-30, modified) 12
1.5.22	Definitions of rated values 13
1.5.23	Definitions of rated values for assemblies and equipment 14
1.5.24	Efficiency definitions 14
1.5.25	Terms used in connection with converter faults 14
1.5.26	Factors on the a.c. side 14
1.5.27	Terms used in connection with d.c. voltage 15
1.5.28	Terms used in connection with direct voltage regulation 16
1.5.29	Definitions related to cooling 17
1.5.30	Temperature definitions 18
1.5.31	Electrical disturbance 18
1.5.32	Level of immunity of a converter 18
1.5.33	Level of generated disturbance of a converter 19

1.5.34	Reference level of generated disturbance of a converter.....	19
1.5.35	Relative short-circuit power, R_{sc}	19
1.5.36	Compatibility of a system.....	19
1.5.37	Types and characteristics of common disturbances.....	19
1.5.38	Harmonic distortion (IEV 551-06-07).....	20

SECTION 2 - SERVICE CONDITIONS

2.1	Code of identification for cooling method.....	21
2.1.1	Letter symbols to be used.....	21
2.1.2	Arrangement of letter symbols.....	21
2.2	Environmental conditions.....	22
2.2.1	Ambient air circulation.....	22
2.2.2	Normal service conditions.....	22
2.2.3	Unusual service conditions.....	23
2.3	Electrical service conditions.....	24
2.3.1	Electrical environment specification.....	24
2.3.2	Unknown site conditions.....	24
2.4	Character of the load.....	24
2.5	Electrical service conditions as a basis of ratings.....	25
2.5.1	Frequency.....	25
2.5.2	A.C. voltage.....	25
2.5.3	Voltage unbalance.....	25
2.5.4	A.C. voltage wave form.....	26

SECTION 3 - CONVERTER EQUIPMENT AND ASSEMBLIES

3.1	Electrical connection and calculation factors.....	28
3.1.1	Standard design converters.....	28
3.1.2	Special design converters.....	28
3.2	Calculation factors.....	28
3.2.1	Voltage ratio.....	28
3.2.2	Line side current factor.....	28
3.2.3	Voltage regulation.....	30
3.2.4	Magnetic circuit.....	30
3.2.5	Power loss factor.....	30
3.3	Losses and efficiency.....	30
3.3.1	General.....	30
3.3.2	Included losses.....	30
3.3.3	Not included losses.....	31
3.4	Power factor.....	31
3.4.1	General.....	31
3.4.2	Power, reactive power, apparent power and displacement factor.....	32
3.5	Voltage regulation.....	32
3.5.1	Inherent direct voltage regulation.....	32
3.5.2	Influence of other converters.....	33
3.5.3	Twelve-pulse converters.....	33
3.5.4	Boost and buck connection converters (series connection).....	33

3.6	Harmonics in line currents and voltages	33
3.6.1	Order of harmonics	33
3.6.2	Amplification of harmonic currents	34
3.7	Direct voltage harmonic content	34
3.8	A.C. current in the direct current output	34
3.9	Interference	34
3.9.1	Interference with in-plant low current control and communication lines	34
3.9.2	Interference with telephone and communication links	34
3.10	Rated values for converters	35
3.10.1	General	35
3.10.2	Rated output voltage	35
3.10.3	Rated current values	35
3.10.4	Particular remarks for double converters	39
3.11	Markings	39
3.11.1	Clear indication of manufacturer or supplier	39
3.11.2	Indication of the type of equipment	39
3.11.3	Marking of the input and output terminals of the main circuit	39
3.11.4	Rating plate	39

SECTION 4 - TESTS FOR VALVE SERVICE ASSEMBLIES AND CONVERTER EQUIPMENT

4.1	General	41
4.1.1	Type tests	41
4.1.2	Routine tests	41
4.1.3	Performance of tests	41
4.1.4	Test schedule	41
4.2	Test specifications	42
4.2.1	Insulation tests	42
4.2.2	Light load and functional test	45
4.2.3	Rated current test	45
4.2.4	Power loss determination for assemblies and equipment	45
4.2.5	Temperature rise test	46
4.2.6	Power factor measurements	47
4.2.7	Checking of auxiliary devices	47
4.2.8	Measurement of the inherent voltage regulation	47
4.2.9	Checking the properties of the control equipment	47
4.2.10	Checking the protective devices	47
4.2.11	Immunity test	48
4.2.12	Overcurrent capability test	48
4.2.13	Radio frequency generated interference and conducted noise	48
4.2.14	Audible noise	48
4.2.15	Measurement of ripple voltage and current	48
4.2.16	Additional tests	48
4.3	Tolerances	48

Annexes

A	Index of definitions	50
---	----------------------------	----

B	Bibliography	54
---	--------------------	----

Figures

1	Types of commutation.....	4
---	---------------------------	---

2	Illustration of angles	12
---	------------------------------	----

3	Voltage regulation	16
---	--------------------------	----

4	A.C. voltage waveform.....	27
---	----------------------------	----

Tables

1	Connections and calculation factors.....	29
---	--	----

2	Standard duty classes	37
---	-----------------------------	----

3	Examples of load cycles as guidance for selection of duty class	38
---	---	----

4	Summary of tests.....	42
---	-----------------------	----

5	Test voltages, low voltage	44
---	----------------------------------	----

6	Test voltages, medium voltage	44
---	-------------------------------------	----

Currently in preview, click buy full vers.

STANDARDS AUSTRALIA

Australian Standard**Semiconductor converters****Part 1.1: General requirements and line commutated converters—
Specifications of basic requirements**

Any IEC table, figure or passage of text that is struck-through is not part of this Standard. Any Australian table, figure or passage of text that is added (and identified by shading) is part of this Standard.

Section 1 - General**1.1 Scope and object**

This International Standard specifies the requirements for the performance of all electronic power converters and electronic power switches using controllable and/or non-controllable electronic valves.

The electronic valves mainly comprise semiconductor devices, i.e. diodes and various types of thyristors and transistors, such as reverse blocking or conducting thyristors, turn-off thyristors, triacs and power transistors. The devices may be controlled by means of current, voltage or light. Non-bistable devices are assumed to be operated in the switched mode.

This standard is primarily intended to specify the requirements applicable to line commutated converters for conversion of a.c. power to d.c. power or vice versa. Parts of this standard are applicable also to other types of electronic power converters and should be regarded as a standard for them in so far as it is not in contradiction to additional IEC Standards for particular types of semiconductor converters given in existing or future IEC Publications.

These specific equipment requirements are applicable to semiconductor power converters that either implement different types of power conversion or use different types of commutation (for example semiconductor self-commutated converters) or involve particular applications (for example semiconductor converters for d.c. motor drives) or include a combination of said characteristics (for example direct d.c. converters for electric rolling stock).

The main purposes of this standard are as follows:

Part 1-1, IEC 146-1-1, Specifications of basic requirements.

- to establish basic terms and definitions;
- to specify service conditions which influence the basis of rating;
- to specify test requirements for complete converter equipment and assemblies, standard design, (for special design see IEC 146-1-2);
- to specify basic performance requirements;
- to give application oriented requirements for semiconductor power converters.