



Arc welding equipment

Part 1: Welding power sources (IEC 60974-1:2017+AMD1:2019 CSV (ED.5.1) MOD)

STANDARDS
Australia



AS 60974.1:2020

This Australian Standard® was prepared by EL-019, Electrical Welding Plant. It was approved on behalf of the Council of Standards Australia on 13 January 2020.

This Standard was published on 24 January 2020.

The following are represented on Committee EL-019:

Australian Chamber of Commerce and Industry
Australian Manufacturing Workers' Union
Electrical Regulatory Authorities Council
Weld Australia

This Standard was issued in draft form for comment as DR AS 60974.1:2019.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

ISBN 978 1 76072 718 5



Arc welding equipment

Part 1: Welding power sources (IEC 60974-1:2017+AMD1:2019 CSV (ED.5.1) MOD)

Originates as AS C97—1942 and AS 1966.3—1990.
AS C97 revised and redesignated as AS 1966—1976.
AS 1966 revised and redesignated as AS 1966.1—1985 and AS 1966.2—1985.
AS 1966.1—1985, AS 1966.2—1985 and AS 1966.3—1990 revised and redesignated AS 60974.1—2006.
Second edition 2020.

COPYRIGHT

© IEC 2020 — All rights reserved
© Standards Australia Limited 2020

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

Preface

This Standard was prepared by the Standards Australia Committee EL-019, Electrical Welding Plant, to supersede AS 60974.1—2006, *Arc welding equipment, Part 1: Welding power sources (IEC 60974-1:2000, MOD)*.

The objective of this Standard is to specify safety and performance requirements of welding power sources and plasma cutting systems.

This Standard is applicable to power sources for arc welding and allied processes designed for industrial and professional use, and supplied by a voltage not exceeding 1 000 V, battery supplied or driven by mechanical means.

This Standard is not applicable to limited duty arc welding and cutting power sources which are designed mainly for use by laymen and designed in accordance with AS 60974.6.

This Standard includes requirements for battery-powered welding power sources and battery packs, which are given in Annex O.

This Standard is not applicable to testing of power sources during periodic maintenance or after repair.

This Standard does not include electromagnetic compatibility (EMC) requirements.

This Standard is an adoption with national modifications, and has been reproduced from, IEC 60974-1:2017+AMD1:2019 CSV, *Arc welding equipment — Part 1: welding power sources*.

The modifications are additional requirements and are set out in Appendix ZZ, which has been added at the end of the source text.

Appendix ZZ lists the variations to IEC 60974-1:2017+AMD1:2019 CSV for the application of this Standard in Australia.

As this document has been reproduced from an International Standard or Test Method or Technical Specification or Technical Report, the following apply:

- (a) In the source text “this part of IEC 60974-1” should read “this Australian Standard”.
- (b) A full point substitutes for a comma when referring to a decimal marker.

Australian or Australian/New Zealand Standards that are identical adoptions of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

The terms “normative” and “informative” are used in Standards to define the application of the appendices or annexes to which they apply. A “normative” appendix or annex is an integral part of a Standard, whereas an “informative” appendix or annex is only for information and guidance.

NOTES

Currently in preview, click buy full version

CONTENTS

FOREWORD.....	9
1 Scope.....	11
2 Normative references	11
3 Terms and definitions	12
3.1 General terms	12
3.2 Terms related to battery systems	21
4 Environmental conditions.....	24
5 Tests	25
5.1 Test conditions	25
5.2 Measuring instruments.....	25
5.3 Conformity of components	25
5.4 Type tests.....	25
5.5 Routine tests.....	26
6 Protection against electric shock	26
6.1 Insulation	26
6.1.1 General	26
6.1.2 Clearances	27
6.1.3 Creepage distances.....	29
6.1.4 Insulation resistance.....	31
6.1.5 Dielectric strength.....	31
6.2 Protection against electric shock in normal service (direct contact)	33
6.2.1 Protection provided by the enclosure.....	33
6.2.2 Capacitors	33
6.2.3 Automatic discharge of supply circuit capacitors	34
6.2.4 Isolation of the welding circuit.....	34
6.2.5 Welding circuit touch current	34
6.2.6 Touch current in normal condition	35
6.3 Protection against electric shock in case of a fault condition (indirect contact)	36
6.3.1 Protective provisions	36
6.3.2 Isolation between windings of the supply circuit and the welding circuit.....	36
6.3.3 Internal conductors and connections.....	36
6.3.4 Additional requirements for plasma cutting systems.....	37
6.3.5 Movable coils and cores	37
6.3.6 Touch current in fault condition.....	37
7 Normal requirements.....	38
7.1 Heating test	38
7.1.1 Test conditions	38
7.1.2 Tolerances of the test parameters	38
7.1.3 Duration of test.....	39
7.2 Temperature measurement	39
7.2.1 Measurement conditions.....	39
7.2.2 Surface temperature sensor.....	39
7.2.3 Resistance	39
7.2.4 Embedded temperature sensor	40

7.2.5	Determination of the ambient air temperature	40
7.2.6	Recording of temperatures	40
7.3	Limits of temperature rise	40
7.3.1	Windings, commutators and slip-rings.....	40
7.3.2	External surfaces.....	41
7.3.3	Other components	42
7.4	Loading test.....	42
7.5	Commutators and slip-rings	43
8	Thermal protection.....	43
8.1	General requirements	43
8.2	Construction	43
8.3	Location.....	43
8.4	Operating capacity.....	43
8.5	Operation.....	44
8.6	Resetting	44
8.7	Indication	44
9	Abnormal operation	44
9.1	General requirements	44
9.2	Stalled fan test.....	45
9.3	Short circuit test.....	45
9.4	Overload test	46
10	Connection to the supply network	46
10.1	Supply voltage	46
10.2	Multi-supply voltage	46
10.3	Means of connection to the supply circuit.....	46
10.4	Marking of terminals	47
10.5	Protective circuit.....	47
10.5.1	Continuity requirement	47
10.5.2	Type test	48
10.5.3	Routine test.....	48
10.6	Cable anchorage.....	49
10.7	Inlet openings.....	50
10.8	Supply circuit on/off switching device.....	50
10.9	Supply cables.....	51
10.10	Supply coupling device (attachment plug)	51
11	Output.....	52
11.1	Rated no-load voltage.....	52
11.1.1	Rated no-load voltage for use in environments with increased risk of electric shock	52
11.1.2	Rated no-load voltage for use in environments without increased risk of electric shock	52
11.1.3	Rated no-load voltage for the use with mechanically held torches with increased protection for the operator	52
11.1.4	Rated no-load voltage for special processes for example plasma cutting	52
11.1.5	Additional requirements	53
11.1.6	Measuring circuits	54
11.2	Type test values of the conventional load voltage	55
11.2.1	Manual metal arc welding with covered electrodes.....	55
11.2.2	Tungsten inert gas.....	55

11.2.3	Metal inert/active gas and flux cored arc welding	55
11.2.4	Submerged arc welding	55
11.2.5	Plasma cutting	55
11.2.6	Plasma welding	55
11.2.7	Plasma gouging	55
11.2.8	Additional requirements	55
11.3	Mechanical switching devices used to adjust output	56
11.4	Welding circuit connections	56
11.4.1	Protection against unintentional contact	56
11.4.2	Location of coupling devices	56
11.4.3	Outlet openings	56
11.4.4	Three-phase multi-operator welding transformer	56
11.4.5	Marking	57
11.4.6	Connections for plasma cutting torches	57
11.5	Power supply to external devices connected to the welding circuit	57
11.6	Auxiliary power supply	57
11.7	Welding cables	58
12	Control circuits	58
12.1	General requirement	58
12.2	Isolation of control circuits	58
12.3	Working voltages of remote control circuits	58
13	Hazard reducing device	59
13.1	General requirements	59
13.2	Types of hazard reducing devices	59
13.2.1	Voltage reducing device	59
13.2.2	Switching device for AC to DC	59
13.3	Requirements for hazard reducing devices	59
13.3.1	Disabling the hazard reducing device	59
13.3.2	Interference with operation of a hazard reducing device	60
13.3.3	Indication of satisfactory operation	60
13.3.4	Fail to a safe condition	60
14	Mechanical provisions	60
14.1	General requirements	60
14.2	Enclosure	60
14.2.1	Enclosure materials	60
14.2.2	Enclosure strength	61
14.3	Handling means	61
14.3.1	Mechanised handling	61
14.3.2	Manual handling	61
14.4	Drop withstand	62
14.5	Tilting stability	62
15	Rating plate	62
15.1	General requirements	62
15.2	Description	63
15.3	Contents	64
15.4	Tolerances	67
15.5	Direction of rotation	67
16	Adjustment of the output	67

16.1	Type of adjustment	67
16.2	Marking of the adjusting device	68
16.3	Indication of current or voltage control	68
17	Instructions and markings	69
17.1	Instructions	69
17.2	Markings	70
Annex A (informative)	Nominal voltages of supply networks	71
Annex B (informative)	Example of a combined dielectric test	72
Annex C (normative)	Unbalanced load in case of AC tungsten inert-gas welding power sources	73
C.1	General	73
C.2	Unbalanced load	73
C.3	Example for an unbalanced load	74
Annex D (informative)	Extrapolation of temperature to time of shutdown	75
Annex E (normative)	Construction of supply circuit terminals	76
E.1	Size of terminals	76
E.2	Connections at the terminals	76
E.3	Construction of the terminals	77
E.4	Fixing of the terminals	77
Annex F (informative)	Cross-reference to non-SI units	78
Annex G (informative)	Suitability of supply network for the measurement of the true r.m.s. value of the supply current	79
Annex H (informative)	Plotting of static characteristics	80
H.1	General	80
H.2	Method	80
H.3	Analysis of the results	80
Annex I (normative)	Test methods for pendulum impact	81
I.1	Pendulum impact hammer	81
I.2	Free fall spherical steel weight	82
Annex J (normative)	Thickness of sheet metal for enclosures	83
Annex K (informative)	Examples of rating plates	86
Annex L (informative)	Graphical symbols for arc welding equipment	93
L.1	General	93
L.2	Use of symbols	93
L.2.1	General	93
L.2.2	Selection of symbols	93
L.2.3	Size of symbols	93
L.2.4	Use of colour	93
L.3	Symbols	94
L.3.1	General	94
L.3.2	Letter symbols	94
L.3.3	Graphical symbols	95
L.4	Examples of combinations of symbols	115
L.5	Examples of control panels	117
Annex M (informative)	Efficiency and idle state power measurement	120
M.1	Measuring efficiency	120
M.2	Measuring idle state power	120

Annex N (normative) Touch current measurement in fault condition	122
Annex O (normative) Battery-powered welding power sources	127
O.1 General.....	127
O.4 Environmental conditions	128
O.5 Tests	128
O.5.1 Test conditions	128
O.5.3 Conformity of components	129
O.6 Protection against electric shock.....	130
O.6.1 Insulation.....	130
O.6.2 Protection against electric shock in normal service	131
O.7 Thermal requirements	132
O.7.1 Heating test	132
O.7.2 Temperature measurement.....	133
O.7.4 Loading test.....	133
O.7.201 Normal charging of lithium-ion systems.....	133
O.8 Thermal protection	134
O.8.1 General requirements	134
O.8.4 Operating capacity.....	134
O.9 Abnormal operation.....	134
O.9.1 General requirements	134
O.9.2 Stalled fan test	135
O.9.3 Short circuit test	135
O.9.4 Overload test.....	135
O.9.201 Welding power source – abnormal conditions	135
O.9.202 Welding circuit components – abnormal conditions	136
O.9.203 Lithium-ion charging systems – abnormal conditions	136
O.9.204 Lithium-ion battery short circuit.....	137
O.9.205 Batteries other than lithium-ion – overcharging	138
O.9.206 Battery pack disconnection.....	138
O.9.207 General purpose batteries	138
O.10 Connection to the supply network	138
O.10.5 Protective circuit.....	139
O.10.8 Supply circuit on/off switching device.....	139
O.14 Mechanical provisions.....	140
O.14.1 General requirements	140
O.14.2 Enclosure	140
O.14.4 Drop withstand	140
O.15 Rating plate	141
O.15.3 Contents.....	141
O.17 Instructions and markings	143
O.17.1 Instructions.....	143
O.17.2 Markings.....	144
Annex P (normative) Conformity of components.....	145
Bibliography.....	147
Figure 1 – Example of insulation configuration for Class I equipment.....	27
Figure 2 – Measurement of welding circuit touch current.....	35
Figure 3 – Measurement of touch current in normal condition	35

Figure 4 – Measurement of r.m.s. values	54
Figure 5 – Measurement of peak values	54
Figure 6 – Principle of the rating plate	63
Figure B.1 – Combined high-voltage transformers	72
Figure C.1 – Voltage and current during AC tungsten inert-gas welding	73
Figure C.2 – Unbalanced voltage during AC tungsten inert-gas welding	74
Figure C.3 – AC welding power source with unbalanced load	74
Figure I.1 – Test set-up	81
Figure K.1 – Single-phase transformer	86
Figure K.2 – Three-phase rotating frequency converter	87
Figure K.3 – Subdivided rating plate: single-/three-phase transformer rectifier	88
Figure K.4 – Engine-generator-rectifier	89
Figure K.5 – Single-/three-phase inverter type	90
Figure K.6 – Battery powered welding power source with integral battery	91
Figure K.7 – Battery powered welding power source with detachable / separable battery	92
Figure L.1 – Input voltage power switch	118
Figure L.2 – Arc force control potentiometer	118
Figure L.3 – Remote receptacle and selector switches	118
Figure L.4 – Terminals with inductance selector for MIG/MAG welding	118
Figure L.5 – Process switch (MMA, TIG, MIG)	119
Figure L.6 – Selector switch on AC/DC equipment	119
Figure L.7 – Panel indicator lights (overheat, fault, arc striking, output voltage)	119
Figure L.8 – Setting pulsing parameters using digital display	119
Figure N.1 – Measuring network for weighted touch current	122
Figure N.2 – Diagram for touch current measurement on fault condition at operating temperature for single-phase connection of appliances other than those of class II	124
Figure N.3 – Diagram for touch current measurement on fault condition for three-phase four-wire system connection of appliances other than those of class II	126
Figure O.1 – Marking of battery voltage class B electric components	144
Figure P.1 – Flow chart for conformity methods of Annex P	146
Table 1 – Minimum clearances for overvoltage category III	28
Table 2 – Minimum creepage distances	30
Table 3 – Insulation resistance	31
Table 4 – Dielectric test voltages	32
Table 5 – Minimum distance through insulation	36
Table 6 – Temperature limits for windings, commutators and slip-rings	41
Table 7 – Temperature limits for external surfaces	42
Table 8 – Cross-section of the output short-circuit conductor	45
Table 9 – Current and time requirements for protective circuits	48
Table 10 – Minimum cross-sectional area of the external protective copper conductor	48
Table 11 – Verification of continuity of the protective circuit	49
Table 12 – Pull	50

Table 13 – Summary of allowable rated no-load voltages.....	53
Table 14 – Hazard reducing device requirements.....	59
Table E.1 – Range of conductor dimensions to be accepted by the supply circuit terminals.....	76
Table F.1 – Cross-reference for mm ² to American wire gauge (AWG).....	78
Table I.1 – Angle of rotation θ to obtain 10 Nm impact	81
Table I.2 – Mass of the free fall weight and height of the free fall.....	82
Table J.1 – Minimum thickness of sheet metal for steel enclosures.....	84
Table J.2 – Minimum thickness of sheet metal for enclosures of aluminium, brass or copper	85
Table L.1 – Letters used as symbols	94

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ARC WELDING EQUIPMENT –**Part 1: Welding power sources****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.

This Consolidated version of IEC 60974-1 bears the edition number 5.1. It consists of the fifth edition (2017-02) [documents 26/610/FDIS and 26/613/RVD] and its amendment 1 (2019-01) [documents 26/653/CDV and 26/669/RVC]. The technical content is identical to the base edition and its amendment.

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

International Standard IEC 60974-1 has been prepared by IEC technical committee 26: Electric welding.

This fifth edition constitutes a technical revision.

The significant changes with respect to the previous edition are the following:

- improvement of Figure 1 (6.1.1);
- modification of Table 3 (6.1.4);
- description of energy efficiency measurements in Annex M;
- inclusion of battery supplied welding power sources in the scope. Requirements therefore are described in Annex O.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this standard, the following print types are used:

- conformity statements: in *italic* type.
- terms defined in Clause 3: in **bold** type.

A list of all parts of the IEC 60974 series can be found, under the general title *Arc welding equipment*, on the IEC website.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

ARC WELDING EQUIPMENT –

Part 1: Welding power sources

1 Scope

This part of IEC 60974 is applicable to power sources for arc welding and allied processes designed for **industrial and professional use**, and supplied by a voltage not exceeding 1 000 V, battery supplied or driven by mechanical means.

This document specifies safety and performance requirements of welding power sources and **plasma cutting systems**.

This document is not applicable to limited duty arc welding and cutting power sources which are designed mainly for use by laymen and designed in accordance with IEC 60974-6.

This document includes requirements for battery-powered welding power sources and battery packs, which are given in Annex O.

This document is not applicable to testing of power sources during periodic maintenance or after repair.

NOTE 1 Typical allied processes are electric arc cutting and arc spraying.

NOTE 2 AC systems having a nominal voltage between 100 V and 1 000 V are given in Table 1 of IEC 60038:2009.

NOTE 3 This document does not include electromagnetic compatibility (EMC) requirements.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-151, *International Electrotechnical Vocabulary – Part 151: Electrical and magnetic devices* (available at: <http://www.electropedia.org>)

IEC 60050-851, *International Electrotechnical Vocabulary – Part 851: Electric welding* (available at: <http://www.electropedia.org>)

IEC 60245-6, *Rubber insulated cables – Rated voltages up to and including 450/750 V – Part 6: Arc welding electrode cables*

IEC 60417, *Graphical symbols for use on equipment* (available at: <http://www.graphical-symbols.info/equipment>)

IEC 60445, *Basic and safety principles for man-machine interface, marking and identification – Identification of equipment terminals, conductor terminations and conductors*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60664-1:2007, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*