

AS 61109:2020



STANDARDS  
Australia



**Insulators for overhead lines — Composite suspension and tension insulators for a.c. systems with a nominal voltage greater than 1 000 V — Definitions, test methods and acceptance criteria (IEC 61109:2008, MOD)**



currently in review, click buy full version

AS 61109:2020

This Australian Standard® was prepared by EL-010, Overhead Lines. It was approved on behalf of the Council of Standards Australia on 10 November 2020.

This Standard was published on 18 December 2020.

The following are represented on Committee EL-010:

Aerial Application Association of Australia  
Australian Industry Group  
Civil Aviation Safety Authority  
Communications, Electrical and Plumbing Union — Electrical Division  
Department of Regional NSW  
Electrical Regulatory Authorities Council  
Energy Networks Australia  
Engineers Australia

This Standard was issued in draft form for comment as DR AS 61109:2020.

**Keeping Standards up-to-date**

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

[www.standards.org.au](http://www.standards.org.au)

ISBN 978 1 76113 077 9

# **Insulators for overhead lines — Composite suspension and tension insulators for a.c. systems with a nominal voltage greater than 1 000 V — Definitions, test methods and acceptance criteria (IEC 61109:2009, MOD)**

First published as AS 1433.1—1996.  
Revised and redesignated as AS 61109:2020.



© IEC 2020 — All rights reserved  
© Standards Australia Limited 2020

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of either the IEC or the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth). If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please see the contact details on the back cover or the contact us page of the website for further information.

## Preface

This Standard was prepared by the Standards Australia Committee EL-010, Overhead Lines to supersede AS 4435.1—1996, *Insulators — Composite for overhead lines — Voltages greater than 1000 V a.c., Part 1: Definitions, test methods and acceptance criteria for string insulator units.*

The objective of this document is to define terms used and prescribe test methods and acceptance criteria.

This document applies to composite suspension/tension insulators consisting of a load-bearing cylindrical insulating solid core consisting of fibres — usually glass — in a resin based matrix, a housing (outside the insulating core) made of polymeric material and end fittings permanently attached to the insulating core.

This document does not include requirements dealing with the choice of insulators for specific operating conditions.

This document is an adoption with national modifications, and has been reproduced from IEC 61109:2008, *Insulators for overhead lines — Composite suspension and tension insulators for a.c. systems with a nominal voltage greater than 1 000 V — Definitions, test methods and acceptance criteria.*

The modifications are additional requirements and are set out in [Appendix ZZ](#), which has been added at the end of the source text.

[Appendix ZZ](#) lists the variations to IEC 61109:2008, for the application of this document in Australia.

As this document has been reproduced from an International Standard, the following applies:

- (a) In the source text “this International Standard” should read “this document”.
- (b) A full point substitutes for a comma when referring to a decimal marker.

Australian or Australian/New Zealand Standards that are identical adoptions of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

The terms “normative” and “informative” are used in Standards to define the application of the appendices or annexes to which they apply. A “normative” appendix or annex is an integral part of a Standard, whereas an “informative” appendix or annex is only for information and guidance.

NOTES

Currently in preview, click buy full version

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope and object.....	7
2 Normative references.....	7
3 Terms, definitions and abbreviations.....	8
3.1 Terms and definitions.....	8
3.2 Abbreviations.....	10
4 Identification.....	10
5 Environmental conditions.....	10
6 Transport, storage and installation.....	10
7 Hybrid insulators.....	10
8 Tolerances.....	10
9 Classification of tests.....	11
9.1 Design tests.....	11
9.2 Type tests.....	11
9.3 Sample tests.....	11
9.4 Routine tests.....	11
10 Design tests.....	12
10.1 General.....	12
10.2 Test specimens for IEC 62217.....	13
10.2.1 Tests on interfaces and connections of end fittings.....	13
10.2.2 Tracking and erosion test.....	13
10.2.3 Tests on core material.....	14
10.3 Product specific pre-stressing for IEC 62217.....	14
10.3.1 Sudden load release.....	14
10.3.2 Thermal-mechanical pre-stress.....	14
10.4 Assembled core load-time tests.....	14
10.4.1 Test specimens.....	14
10.4.2 Mechanical load test.....	15
11 Type tests.....	15
11.1 Electrical tests.....	15
11.2 Damage limit proof test and test of the tightness of the interface between end fittings and insulator housing.....	16
11.2.1 Test specimens.....	16
11.2.2 Performance of the test.....	16
11.2.3 Evaluation of the test.....	17
12 Sample tests.....	17
12.1 General rules.....	17
12.2 Verification of dimensions (E1 + E2).....	18
12.3 Verification of the end fittings (E2).....	18
12.4 Verification of tightness of the interface between end fittings and insulator housing (E2) and of the specified mechanical load, SML (E1).....	18
12.5 Galvanizing test (E2).....	19
12.6 Re-testing procedure.....	19
13 Routine tests.....	19
13.1 Mechanical routine test.....	19

13.2 Visual examination .....	19
Annex A (informative) Principles of the damage limit, load coordination and testing for composite suspension and tension insulators .....	21
Annex B (informative) Example of two possible devices for sudden release of load .....	25
Annex C (informative) Guidance on non-standard mechanical stresses and dynamic mechanical loading of composite tension/suspension insulators.....	27
Bibliography .....	29
Figure 1 – Thermal-mechanical test.....	20
Figure A.1 – Load-time strength and damage limit of a core assembled with fittings .....	22
Figure A.2 – Graphical representation of the relationship of the damage limit to the mechanical characteristics and service loads of an insulator with a 16 mm diameter core .....	23
Figure A.3 – Test loads .....	24
Figure B.1 – Example of possible device 1 for sudden release of load.....	25
Figure B.2 – Example of possible device 2 for sudden release of load.....	26
Table 1 – Tests to be carried out after design changes .....	12
Table 2 – Design tests .....	13
Table 3 – Mounting arrangements for electrical tests .....	16
Table 4 – Sample sizes .....	17

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INSULATORS FOR OVERHEAD LINES –  
COMPOSITE SUSPENSION AND TENSION INSULATORS  
FOR A.C. SYSTEMS WITH A NOMINAL VOLTAGE  
GREATER THAN 1 000 V –  
DEFINITIONS, TEST METHODS AND ACCEPTANCE CRITERIA**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61109 has been prepared by subcommittee 36B: Insulators for overhead lines of IEC technical committee 36: Insulators.

This second edition cancels and replaces the first edition, published in 1992 and amendment 1, published in 1995. This edition constitutes a technical revision.

The main technical changes with respect to the previous edition are listed below:

- removal of tests procedures now given in IEC 62217;
- inclusion of clauses on tolerances, environmental conditions, transport, storage and installation;
- inclusion of hybrid insulators in the scope (see Clause 8);
- clarification and modification of the parameters determining the need to repeat design and type tests;

– 5 –

- general improvement of the description of tests;
- modification of the specification of load application in bending tests to simplify testing;
- mechanical tests adapted to improved knowledge of failure mechanisms;
- additional requirements for visual examination;
- Annex A simplified and adapted to include the damage limit concept;
- addition of a new Annex C on non-standard loads.

The text of this standard is based on the following documents:

FDIS	Report on voting
36B/274/FDIS	36B/276/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://www.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## INTRODUCTION

Composite insulators consist of an insulating core, bearing the mechanical load protected by a polymeric housing, the load being transmitted to the core by end fittings. Despite these common features, the materials used and the construction details employed by different manufacturers may be quite different.

Some tests have been grouped together as "Design tests", to be performed only once on insulators which satisfy the same design conditions. For all design tests of composite suspension and tension insulators, the appropriate common clauses defined in IEC 62217 are applied. As far as practical, the influence of time on the electrical and mechanical properties of the components (core material, housing, interfaces etc.) and of the complete composite insulators has been considered in specifying the design tests to ensure a satisfactory lifetime under normally known stress conditions of transmission lines. An explanation of the principles of the damage limit, load coordination and testing is presented in Annex A.

It has not been considered useful to specify a power arc test as a mandatory test. The test parameters are manifold and can have very different values depending on the configurations of the network and the supports and on the design of arc-protection devices. The eroding effect of power arcs should be considered in the design of metal fittings. Critical damage to the metal fittings resulting from the magnitude and duration of the short-circuit current can be avoided by properly designed arc-protection devices. This standard, however, does not exclude the possibility of a power arc test by agreement between the user and manufacturer. IEC 61467 [1]<sup>1</sup> gives details of a.c. power arc testing of insulator sets.

Composite insulators are used in both a.c. and d.c. applications. In spite of this fact, a specific tracking and erosion test procedure for d.c. applications as a design test has not yet been defined and accepted. The 1 000 h a.c. tracking and erosion test of IEC 62217 is used to establish a minimum requirement for the tracking resistance of the housing material.

The mechanism of brittle fracture has been investigated by CIGRE B2.03<sup>2</sup> and conclusions are published in [2, 3]. Brittle fracture is a result of stress corrosion induced by internal or external acid attack on the resin bonded glass fibre core. CIGRE D1.14 has developed a test procedure for core materials based on time-load tests on assembled cores exposed to acid, along with chemical analysis methods to verify the resistance against acid attack [4]. In parallel IEC TC36WG 12 is studying preventive and predictive measures.

Composite suspension/tension insulators are not normally intended for torsion or other non-tensile loads. Guidance on non-standard loads is given in Annex C.

Wherever possible, IEC Guide 111 [5] has been followed for the drafting of this standard.

---

<sup>1</sup> Figures in square brackets refer to the bibliography.

<sup>2</sup> International Council on Large High Voltage Electric Systems: Working Group B2.03.

**INSULATORS FOR OVERHEAD LINES –  
COMPOSITE SUSPENSION AND TENSION INSULATORS  
FOR A.C. SYSTEMS WITH A NOMINAL VOLTAGE  
GREATER THAN 1 000 V –  
DEFINITIONS, TEST METHODS AND ACCEPTANCE CRITERIA**

## **1 Scope and object**

This International Standard applies to composite suspension/tension insulators consisting of a load-bearing cylindrical insulating solid core consisting of fibres – usually glass – in a resin-based matrix, a housing (outside the insulating core) made of polymeric material and end fittings permanently attached to the insulating core.

Composite insulators covered by this standard are intended for use as suspension/tension line insulators, but it should be noted that these insulators can occasionally be subjected to compression or bending, for example when used as phase-spacers.

This standard can be applied in part to hybrid composite insulators where the core is made of a homogeneous material (porcelain, resin), see Clause 8.

The object of this standard is to

- define the terms used,
- prescribe test methods,
- prescribe acceptance criteria.

This standard does not include requirements dealing with the choice of insulators for specific operating conditions.

## **2 Normative references**

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60383-1, *Insulators for overhead lines with a nominal voltage above 1 000 V – Part 1: Ceramic or glass insulator units for a.c. systems – Definitions, test methods and acceptance criteria*

IEC 60383-2, *Insulators for overhead lines with a nominal voltage above 1 000 V – Part 2: Insulator strings and insulator sets for a.c. systems – Definitions, test methods and acceptance criteria.*

IEC 61466-1, *Composite string insulator units for overhead lines with a nominal voltage greater than 1 000 V – Part 1: Standard strength classes and end fittings*

IEC 62217:2005, *Polymeric insulators for indoor and outdoor use with a nominal voltage > 1 000 V – General definitions, test methods and acceptance criteria*

ISO 3452 (all parts), *Non-destructive testing – Penetrant testing*