

Australian Standard[®]

**High-voltage switchgear and
controlgear**

Part 1: Common specifications

STANDARDS
Australia



This Australian Standard® was prepared by Committee EL-007, Power Switchgear. It was approved on behalf of the Council of Standards Australia on 10 August 2012. This Standard was published on 27 August 2012.

The following are represented on Committee EL-007:

- Australian British Chamber of Commerce
 - Australian Industry Group
 - Energy Australia
 - Energy Networks Association
 - Engineers Australia
 - University of New South Wales
-

This Standard was issued in draft form for comment as DRAFT IEC 62271.1.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using the current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting www.standards.org.au

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

Australian Standard[®]

**High-voltage switchgear and
controlgear**

Part 1: Common specifications

Originally as AS 2650—1983.
Previous edition AS 2650—2005.
Revised and redesignated as AS 62271.1—2012.

COPYRIGHT

© Standards Australia Limited

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968.

Published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001, Australia

ISBN 978 1 74342 216 8

PREFACE

This Standard was prepared by the Standards Australia Committee EL-007, Power Switchgear to supersede AS 2650—2005, *Common specifications for high-voltage switchgear and controlgear standards (IEC 60694, Ed.2.2 (2002) MOD)*.

The objective of this Standard is to state those specifications common to high-voltage switchgear and controlgear within the scope of the Standard.

This Standard applies to all high-voltage switchgear and control gear except as otherwise specified in the relevant high-voltage switchgear and controlgear standards for the particular type of switchgear and controlgear.

This Standard is identical with, and has been reproduced from, IEC 62271-1, Ed.1, (2011), *High-voltage switchgear and controlgear—Part 1: Common specifications*. This is a consolidated edition that consists of the first edition (2007) and its amendment 1 (2011). Amended text is indicated by marginal bars.

Common numbering of Standards falling under the responsibility of EL-007

In accordance with the decision taken by EL-007, a common numbering system will be established in order to align the numbering of Australian Standards falling under the responsibility of EL-007 with the IEC Standards. All high-voltage switchgear and controlgear Standards will, at their next revision (or as equivalent Standards become available in IEC), become parts of the AS 62271 (*High-voltage switchgear and controlgear*) series. The table below gives the relationship between AS 62271 numbering and original Standard numbers. Standards current at the time of publication of this Standard are marked with an asterisk (*).

AS 62271 series part number	High-voltage switchgear and controlgear	Previous AS number
100*	High-voltage alternating-current circuit-breakers	AS 2006
102*	Alternating current disconnectors and earthing switches	AS 1306
103	Switches for rated voltages above 1 kV and less than 52 kV	*AS/NZS 60265.1
104	Switches for rated voltages of 52 kV and above	*AS 60265.2
105	Alternating current switch-fuse combinations	*AS 2024
106	Alternating current contractors and contractor-based motor-starters	*AS 60470
110*	Inductive load switching	AS 4372
200*	AC metal-enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV	AS 2264
201*	AC insulation-enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV	AS 2264
202	High-voltage/low-voltage prefabricated substations	AS 61330
203*	Gas-insulated metal-enclosed switchgear for rated voltages above 52 kV	AS 2263
301*	Dimensional standardization of terminals	AS 2395
303	Use and handling of sulphur hexafluoride (SF ₆) in high-voltage switchgear and controlgear	*AS 2791
304	Additional requirements for enclosed switchgear and controlgear from 1 kV to 72.5 kV to be used in severe climactic conditions	*AS 4243
308*	Guide for asymmetrical short-circuit breaking test duty T100a	—

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number appears on the cover and title page while the International Standard number appears only on the cover.
- (b) In the source text ‘this part of IEC 62271’ should read ‘this part of AS 62271’.
- (c) A full point substitutes for a comma when referring to a decimal marker.

Only normative references in the source document that have been adopted as Australia or Australia/New Zealand have been listed as follows:

<i>Reference to International Standard</i>		<i>Australian or Australian/New Zealand Standard</i>	
IEC		AS	
60038	IEC Standard voltages	60038	Standard voltages
60068	Environmental testing	60068	Environmental testing
60068-2	Part 2: Tests (all parts)	60068.2	Part 2: Tests (all parts)
60269	Low voltage fuses	60269	Low voltage fuses
60269-2	Part 2: Supplementary requirements for fuses for use by authorized persons (fuses mainly for industrial application)	60269.2	Part 2: Supplementary requirements for fuses for use by authorized persons (fuses for industrial application)
60270	High-voltage test techniques—Partial discharge measurements	60270	High-voltage test techniques—Partial discharge measurements
60417	Graphical symbols for use on equipment	60417	Graphical symbols for use on equipment
60947	Low-voltage switchgear and controlgear	60947	Low-voltage switchgear and controlgear
60947-2	Part 2: Circuit-breakers	60947.2	Part 2: Circuit breakers
60947-4-1	Part 4-1: contactors and motor-starters—Electromechanical contactors and motor-starters	60947.4.1	Part 4.1: Contactors and motor-starters—Electromechanical contactors and motor-starters
60947-4-2	Part 4-2: Contactors and motor-starters—AC semiconductor motor controllers and starters	60947.4.2	Part 4.2: Contactors and motor-starters—AC semiconductor motor controllers and starters
60947-5-1	Part 5-1: Control circuit devices and switching elements—Electromechanical control circuit devices	60947.5.1	Part 5.1: Control circuit devices and switching elements—Electromechanical control circuit devices
60947-7-1	Part 7-1: Ancillary equipment—Terminal blocks for copper conductors	60947.7.1	Part 7.1: Ancillary equipment—Terminal blocks for copper conductors
60947-7-2	Part 7-2: Ancillary equipment—Protective conductor terminal blocks for copper conductor	60947.7.2	Part 7.2: Ancillary equipment—Protective conductor terminal blocks for copper conductor
		AS/NZS	
60227	Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V	60227	Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V
60227-5	Part 5: Flexible cables (cords)	60227.5	Part 5: Flexible cables (cords)
61000	Electromagnetic compatibility (EMC)	61000	Electromagnetic compatibility (EMC)
61000-4-1	Part 4-1: Testing and measurement techniques—Overview of IEC 61000-4 series	61000.4.1	Part 4.1: Testing and measurement techniques—Overview of IEC 61000-4 series
61000-4-4	Part 4-4: Testing and measurement techniques—Electrical fast transient/burst immunity test	61000.4.4	Part 4.4: Testing and measurement techniques—Electrical fast transient/burst immunity test

IEC		AS/NZS	
61000-4-11	Part 4-11: Testing and measurement techniques—Voltage dips, short interruptions and voltage variations immunity tests	61000.4.11	Part 4.11: Testing and measurement techniques—Voltage dips, short interruptions and voltage variations immunity tests
61000-6-2	Part 6-2: Generic standards—Immunity for industrial environments	61000.6.2	Part 6.2: General standards—Immunity for industrial environments
CISPR		AS/NZS CISPR	
11	Industrial, scientific and medical equipment—Radio-frequency disturbance characteristics—Limits and methods of measurement	11	Industrial, scientific and medical equipment—Radio-frequency disturbance characteristics—Limits and methods of measurement
16	Specification for radio disturbance and immunity measuring apparatus and methods	16	Specification for radio disturbance and immunity measuring apparatus and methods
16-1	Part 1: Radio disturbance and immunity measuring apparatus (all parts)	16.1	Part 1: Radio disturbance and immunity measuring apparatus (all parts)

CONTENTS

1	General	8
1.1	Scope	8
1.2	Normative references	8
2	Normal and special service conditions	12
2.1	Normal service conditions	13
2.2	Special service conditions	14
3	Terms and definitions	16
3.1	General terms	16
3.2	Assemblies of switchgear and controlgear	17
3.3	Parts of assemblies	19
3.4	Switching devices	20
3.5	Parts of switchgear and controlgear	20
3.6	Operation	26
3.7	Characteristic quantities	29
3.8	Index of definitions	30
4	Ratings	32
4.1	Rated voltage (U_r)	33
4.2	Rated insulation level	33
4.3	Rated frequency (f_r)	37
4.4	Rated normal current and temperature rise	37
4.5	Rated short-time withstand current (I_k)	40
4.6	Rated peak withstand current (I_p)	40
4.7	Rated duration of short circuit (t_k)	41
4.8	Rated supply voltage of closing and opening devices and of auxiliary and control circuits (U_a)	41
4.9	Rated supply frequency of closing and opening devices and of auxiliary circuits	43
4.10	Rated pressure of compressed gas supply for controlled pressure systems	43
4.11	Rated filling levels for insulation and/or operation	43
5	Design and construction	43
5.1	Requirements for liquids in switchgear and controlgear	43
5.2	Requirements for gases in switchgear and controlgear	43
5.3	Earthing of switchgear and controlgear	44
5.4	Auxiliary and control equipment	44
5.5	Dependent power operation	50
5.6	Stored energy operation	50
5.7	Independent manual or power operation (independent unlatched operation)	51
5.8	Operation of releases	51
5.9	Low- and high-pressure interlocking and monitoring devices	52
5.10	Nameplates	52
5.11	Interlocking devices	53
5.12	Position indication	53
5.13	Degrees of protection provided by enclosures	54
5.14	Creepage distances for outdoor insulators	55
5.15	Gas and vacuum tightness	56

	<i>Page</i>
5.16 Liquid tightness	56
5.17 Fire hazard (flammability)	57
5.18 Electromagnetic compatibility (EMC)	57
5.19 X-ray emission	57
5.20 Corrosion	58
6 Type tests	58
6.1 General	58
6.2 Dielectric tests	60
6.3 Radio interference voltage (r.i.v.) test	67
6.4 Measurement of the resistance of circuits	67
6.5 Temperature-rise tests	68
6.6 Short-time withstand current and peak withstand current tests	71
6.7 Verification of the protection	73
6.8 Tightness tests	74
6.9 Electromagnetic compatibility tests (EMC)	76
6.10 Additional tests on auxiliary and control circuits	82
6.11 X-radiation test procedure for vacuum interrupters	86
7 Routine tests	88
7.1 Dielectric test on the main circuit	88
7.2 Tests on auxiliary and control circuits	88
7.3 Measurement of the resistance of the main circuit	89
7.4 Tightness test	89
7.5 Design and visual checks	90
8 Guide to the selection of switchgear and controlgear	90
8.1 Selection of rated values	91
8.2 Continuous or temporary overloads due to changed service conditions	91
9 Information to be given with enquiries, tenders and orders	92
9.1 Information with enquiries and orders	93
9.2 Information with tenders	93
10 Transport, storage, installation, operation and maintenance	94
10.1 Conditions during transport, storage and installation	94
10.2 Installation	94
10.3 Operation	96
10.4 Maintenance	96
11 Safety	99
11.1 Precautions by manufacturers	100
11.2 Precautions by users	100
11.3 Electrical aspects	100
11.4 Mechanical aspects	101
11.5 Thermal aspects	101
11.6 Operation aspects	101
12 Influence of the product on the environment	101
Annex A (normative) Identification of test specimens	102
Annex B (normative) Determination of the equivalent r.m.s. value of a short-time current during a short circuit of a given duration	104
Annex C (normative) Method for the weatherproofing test for outdoor switchgear and controlgear	105

	<i>Page</i>
Annex D (normative) Requirements for auxiliary and control circuit components	108
Annex E (informative) Tightness (information, example and guidance).....	110
Annex F (normative) Tolerances on test quantities during tests	112
Annex G (informative) Information and technical requirements to be given with enquiries, tenders and orders	115
Annex H (informative) Corrosion: Information regarding service conditions and recommended test requirements	118
Annex I (informative) List of symbols and abbreviations used in IEC 62271-1	119
Annex J (informative) Electromagnetic compatibility on site	121
Annex K (informative) List of notes concerning certain countries.....	122
Bibliography.....	123

AUSTRALIAN STANDARD

High-voltage switchgear and controlgear**Part 1:
Common specifications****1 General****1.1 Scope**

This part of IEC 62271 applies to a.c. switchgear and controlgear designed for indoor and outdoor installation and for operation at service frequencies up to and including 60 Hz on systems having voltages above 1 000 V.

This standard applies to all high-voltage switchgear and controlgear except as otherwise specified in the relevant IEC standards for the particular type of switchgear and controlgear.

NOTE For the use of this standard, high voltage (see IEV 601-01-27) is the rated voltage above 1 000 V. However, the term medium voltage (see IEV 601-01-28) is commonly used for distribution systems with voltages above 1 kV and generally applied up to and including 52 kV.

1.2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-1, *Rotating electrical machines – Part 1: Rating and performance*

IEC 60038:1983, *IEC standard voltages*

IEC 60050-131, *International Electrotechnical Vocabulary (IEV) – Part 131: Circuit theory*

IEC 60050-151, *International Electrotechnical Vocabulary (IEV) – Part 151: Electrical and magnetic devices*

IEC 60050-191, *International Electrotechnical Vocabulary (IEV) – Chapter 191: Dependability and quality of service*

IEC 60050-351, *International Electrotechnical Vocabulary (IEV) – Part 351: Control technology*

IEC 60050-441, *International Electrotechnical Vocabulary (IEV) – Chapter 441: Switchgear, controlgear and fuses*

IEC 60050-446, *International Electrotechnical Vocabulary (IEV) – Chapter 446: Electrical relays*

IEC 60050-551, *International Electrotechnical Vocabulary (IEV) – Power electronics*

IEC 60050-581, *International Electrotechnical Vocabulary (IEV) – Chapter 581: Electro-mechanical components for electronic equipment*

IEC 60050-601, *International Electrotechnical Vocabulary (IEV) – Chapter 601: Generation, transmission and distribution of electricity – General*

IEC 60050-604, *International Electrotechnical Vocabulary (IEV) – Chapter 604: Generation, transmission and distribution of electricity – Operation*