



**Electromagnetic compatibility -
Requirements for household appliances,
electric tools and similar apparatus**

**Part 1: Emission (CISPR 14-1:2016
(ED 6.0), MOD)**

STANDARDS
Australia



AS CISPR 14.1:2018

This Australian Standard ® was prepared by TE-003, Electromagnetic Compatibility. It was approved on behalf of the Council of Standards Australia on 3 December 2018.

This Standard was published on 21 December 2018.

The following are represented on Committee TE-003:

- Australian Communications and Media Authority
- Australian Industry Group
- Australian Information Industry Association
- Consumer Electronics Suppliers Association
- Department of Defence (Australian Government)
- EMC Society of Australia
- Energy Networks Australia
- Free TV Australia
- National Measurement Institute

This Standard was issued in draft form for comment as DR AS CISPR 14.1:2018.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

www.saiglobal.com (sales and distribution)

ISBN 978 1 76072 335 4



**Electromagnetic compatibility—
Requirements for household appliances,
electric tools and similar apparatus**

**Part 1: Emission (CISPR 14-1:2016 (ED
6.0), MOD)**

Originated in Australia as AS C321—1959.
Previous edition AS/NZS CISPR 14.1:2010.
Third edition 2013.
Revised and redesignated as AS CISPR 14.1:2018.

COPYRIGHT

© CISPR 2018 — All rights reserved
© Standards Australia Limited 2018

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

Published by SAI Global Pty Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001, Australia.

Preface

This Standard was prepared by the Australian members of the Joint Standards Australia/Standards New Zealand Committee TE-003, Electromagnetic Compatibility, to supersede AS/NZS CISPR 14.1:2013.

After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian Standard rather than an Australian/New Zealand Standard.

The objective of this Standard is to specify the requirements that apply to the emission of radio-frequency disturbances in the frequency range 9 kHz to 400 GHz from appliances, electric tools and similar apparatus, whether powered by AC or DC (including a battery). Also included in the scope of this Standard are separate parts of the above-mentioned equipment such as motors and switching devices (e.g. power or protective relays); however, no emission requirements apply to such separate parts, unless otherwise stated in this Standard.

The Interpretation Sheets CISPR 14-1:2016/ISH1:2017 and CISPR 14-1:2016/ISH2:2017 are attached to this Standard.

This Standard is an adoption with national modifications, and has been reproduced from, CISPR 14-1:2016 (ED 6.0), *Electromagnetic compatibility — Requirements for household appliances, electric tools and similar apparatus — Part 1: Emission*. Appendix ZZ lists the variations for the application of this Standard in Australia and New Zealand.

As this document has been reproduced from an International Standard, the following applies:

- (a) In the source text “this International Standard” should read “this Australian Standard”.
- (b) A full point substitutes for a comma when referring to a decimal marker.

Australian or Australian/New Zealand Standards that are identical adoptions of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

The terms “normative” and “informative” are used in Standards to define the application of the appendices or annexes to which they apply. A “normative” appendix or annex is an integral part of a Standard, whereas an “informative” appendix or annex is only for information and guidance.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CISPR 14-1
Edition 6.0 2016-08

**ELECTROMAGNETIC COMPATIBILITY –
REQUIREMENTS FOR HOUSEHOLD APPLIANCES,
ELECTRIC TOOLS AND SIMILAR APPARATUS –**

Part 1: Emission

INTERPRETATION SHEET 1

This interpretation sheet has been prepared by subcommittee CISPR F: Interference relating to household appliances tools, lighting equipment and similar apparatus, of IEC technical committee CISPR: International special committee on radio interference.

The text of this interpretation sheet is based on the following documents:

FDIS	Report on voting
CIS/F/703/FDIS	CIS/F/707/RVD

Full information on the voting for the approval of this interpretation sheet can be found in the report on voting indicated in the above table.

Interpretation Sheet 1 to CISPR 14-1: Interpretation of subclause 5.4.2.4 of CISPR 14-1:2016 on the upper quartile method for the evaluation of clicks

Introduction

The evaluation of clicks has to be performed at four frequencies while the determination of the click rate N is made only at two frequencies. The application of the upper quartile method at the frequencies 150 kHz and 500 kHz is clear, while the situation is unclear for the frequencies 1,4 MHz and 30 MHz. This interpretation sheet is intended to clarify this matter.

The click measurement procedure is under revision in CISPR/F WG1 and will be updated in the next amendment to CISPR 14-1:2016.

Question

How should the upper quartile method be applied at the frequencies 1,4 MHz and 30 MHz?

Interpretation

Each of the following two interpretations is valid.

ICS 33.100.10

Interpretation 1:

The number of clicks at 1,4 MHz and the number of clicks at 30 MHz which exceed the limit, L , for continuous disturbances during the observation time, T , are measured. The number of clicks at 1,4 MHz and the number of clicks at 30 MHz exceeding L_q are allowed to be one quarter of the number of clicks counted at each respective frequency.

Interpretation 2:

The number of clicks at 1,4 MHz and the number of clicks at 30 MHz which exceed the limit, L , for continuous disturbances during the observation time, T , are not measured but are assumed to be equal to the number of clicks counted at 500 kHz during the observation time T . The number of clicks at 1,4 MHz and the number of clicks at 30 MHz exceeding L_q are allowed to be one quarter of the number of clicks counted at 500 kHz.

In any situation where it is necessary to verify the original measurement, the assessment method (interpretation 1 or 2) originally chosen shall be used in order to ensure consistency of the results.

Currently in preview, click buy full version.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CISPR 14-1
Edition 6.0 2016-08

**ELECTROMAGNETIC COMPATIBILITY –
REQUIREMENTS FOR HOUSEHOLD APPLIANCES,
ELECTRIC TOOLS AND SIMILAR APPARATUS –**

Part 1: Emission

INTERPRETATION SHEET 2

This interpretation sheet has been prepared by subcommittee CISPR F: Interference relating to household appliances tools, lighting equipment and similar apparatus, of IEC technical committee CISPR: International special committee on radio interference.

The text of this interpretation sheet is based on the following documents:

FDIS	Report on voting
CIS/F/702/FDIS	CIS/F/706/RVD

Full information on the voting for the approval of this interpretation sheet can be found in the report on voting indicated in the above table.

Interpretation Sheet 2 to CISPR 14-1: Interpretation of subclause A.4.11 of CISPR 14-1:2016 on the assessment of irons with steam generator

Introduction

Subclause A.4.11 of CISPR 14-1:2016 defines the testing conditions for irons (dry or steam), but there are no instructions regarding the steam production.

Question

How to set the steam function of irons during CISPR 14-1 emission tests?

Interpretation

When measuring disturbances from irons, if the iron has a continuous steam function, it shall be operated in this mode only and use a sufficient amount of water to facilitate continuous steaming for the duration of the test.

Currently in preview, click buy full version

CONTENTS

FOREWORD.....	7
1 Scope.....	9
2 Normative references.....	10
3 Terms, definitions and abbreviated terms	11
3.1 General.....	11
3.2 General terms and definitions	11
3.3 Terms and definitions related to click analysis	12
3.4 Terms and definitions related to types of ports	13
3.5 Terms and definitions related to parts and devices connected to the EUT.....	14
3.6 Terms and definitions related to operating conditions.....	15
3.7 Terms and definitions related to toys	16
3.8 Other terms and definitions	17
3.9 Abbreviations	17
4 Limits of disturbances	18
4.1 General.....	18
4.2 Application of limits	18
4.3 Continuous disturbances	19
4.3.1 General	19
4.3.2 Frequency range 9 kHz to 30 MHz.....	19
4.3.3 Frequency range 150 kHz to 30 MHz.....	21
4.3.4 Frequency range 30 MHz to 1 000 MHz.....	23
4.4 Discontinuous disturbances.....	26
4.4.1 General	26
4.4.2 Limits.....	26
5 Test equipment and methods of measurement.....	26
5.1 Test equipment	26
5.1.1 General	26
5.1.2 Measuring receiver.....	26
5.1.3 Artificial Mains Network (AMN).....	27
5.1.4 Voltage probe	27
5.1.5 Current probe	27
5.1.6 Artificial hand.....	27
5.1.7 Disturbance analyser for discontinuous disturbance.....	27
5.1.8 Absorbing clamp	27
5.1.9 Radiated emission test sites.....	28
5.2 Conducted disturbances set-up and measurements.....	28
5.2.1 Arrangement of the EUT.....	28
5.2.2 Arrangement of the leads at the ports of the EUT.....	29
5.2.3 Arrangement of EUT having associated devices.....	30
5.3 Radiated disturbances set-up and measurements	31
5.3.1 General	31
5.3.2 Magnetic field strength – 9 kHz to 30 MHz.....	31
5.3.3 Disturbance power – 30 MHz to 300 MHz	31
5.3.4 Radiated emission – 30 MHz to 1 000 MHz.....	33
5.4 Measurement procedures and interpretation of results	35
5.4.1 Continuous disturbance.....	35

5.4.2	Discontinuous disturbance	36
5.4.3	Exceptions from the click definition	37
6	Operating conditions	39
6.1	General	39
6.2	Mains operation	39
6.2.1	Voltage at the mains port	39
6.2.2	Frequency at the mains port	40
6.3	Battery operation	40
6.4	Speed controls	40
6.5	Multifunction equipment	40
6.6	Equipment with built-in luminaires	40
7	Interpretation of CISPR radio disturbance limits	41
7.1	Significance of a CISPR limit	41
7.2	Type tests	41
7.2.1	Equipment producing continuous disturbance	41
7.2.2	Equipment producing discontinuous disturbance	41
7.3	Compliance with limits for equipment in large-scale production	42
7.3.1	General	42
7.3.2	Method based on a general margin to the limit	42
7.3.3	Test based on the non-central <i>t</i> -distribution	43
7.3.4	Test based on the binomial distribution	44
7.3.5	Larger sample size	44
7.3.6	Non-compliance	45
8	Measurement uncertainty	45
Annex A (normative) Standard operating conditions and normal loads for specific equipment		60
A.1	Motor operated equipment for household and similar purposes	60
A.1.1	Vacuum cleaners	60
A.1.2	Floor polishers	61
A.1.3	Coffee grinders and coffee makers	61
A.1.4	Kitchen machines	61
A.1.5	Massage apparatus	61
A.1.6	Fans	62
A.1.7	Extractor and range hoods	62
A.1.8	Hair-dryers, fan heaters	62
A.1.9	Refrigerators and freezers	62
A.1.10	Washing machines	62
A.1.11	Dish-washers	63
A.1.12	Tumble dryers	63
A.1.13	Centrifugal dryers	63
A.1.14	Razors and clippers	63
A.1.15	Sewing machines	63
A.1.16	Electro-mechanical office machines	63
A.1.17	Projectors	64
A.1.18	Milking machines	64
A.1.19	Lawn mowers	64
A.1.20	Air conditioning equipment	64
A.2	Electric tools	65
A.2.1	General	65

A.2.2	Handheld (portable) motor-operated tools	66
A.2.3	Transportable (semi-stationary) motor-operated tools	66
A.2.4	Soldering equipment, soldering guns, soldering irons and similar	66
A.2.5	Glue guns	66
A.2.6	Heat guns	67
A.2.7	Power staplers	67
A.2.8	Spray guns	67
A.2.9	Internal vibrators	67
A.3	Motor-operated electro-medical apparatus	67
A.3.1	Dental drills	67
A.3.2	Saws and knives	67
A.3.3	Electrocardiograms and similar recorders	67
A.3.4	Pumps	67
A.4	Electrical heating equipment.....	67
A.4.1	General	67
A.4.2	Hobs and hotplates	68
A.4.3	Cooking pans, table-type roasters, deep-fat fryers	68
A.4.4	Feed boilers, water boilers, kettles and similar boilers.....	68
A.4.5	Instantaneous water heaters	68
A.4.6	Storage heaters	68
A.4.7	Warming plates, boiling tables, heating drawers, heating cabinets.....	68
A.4.8	Cooking ovens, grills, waffle irons, waffle grills	68
A.4.9	Toasters	69
A.4.10	Ironing machines.....	69
A.4.11	Irons	70
A.4.12	Vacuum packagers.....	70
A.4.13	Flexible electrical heating equipment.....	70
A.4.14	Air convection room heaters	70
A.4.15	Rice cookers.....	70
A.5	Thermostats.....	71
A.5.1	General	71
A.5.2	Thermostatically controlled three-phase switches	71
A.5.3	Thermostats – Alternative procedure to that specified in A.5.1	71
A.6	Automatic goods-dispensing machines, entertainment machines and similar equipment.....	72
A.6.1	General	72
A.6.2	Automatic dispensing machines.....	72
A.6.3	Juke boxes	73
A.6.4	Automatic entertainment machines incorporating a winnings-payout mechanism	73
A.6.5	Automatic entertainment machines with no winnings-payout mechanism	73
A.7	Electric and electronic toys.....	74
A.7.1	Classification	74
A.7.2	Application of tests.....	74
A.7.3	Operating conditions	75
A.8	Miscellaneous equipment	76
A.8.1	Time switches not incorporated in equipment.....	76
A.8.2	Electric fence energizers	76
A.8.3	Electronic gas igniters.....	76

A.8.4	Insect killers	77
A.8.5	Radiating equipment for personal care.....	77
A.8.6	Air cleaners	78
A.8.7	Steam generators and humidifiers	78
A.8.8	Battery chargers	78
A.8.9	External Power Supplies (EPS) and converters.....	78
A.8.10	Lifting devices (electric hoists)	78
A.8.11	Robotic cleaners	79
A.8.12	Other robotic equipment.....	80
A.8.13	Clocks	80
A.9	Induction cooking appliances.....	80
A.9.1	General	80
A.9.2	Operating conditions for EUT with fixed cooking zone(s).....	80
A.9.3	Operating conditions for EUT with many small coils	81
A.10	Operating conditions for particular equipment and integrated parts.....	81
A.10.1	Integrated starting switches, speed controls, etc.	81
A.10.2	Regulating controls and external power controller	81
A.10.3	Equipment operated from External Power Supplies (EPS).....	82
Annex B (normative)	Click rate of special equipment	87
Annex C (informative)	Guidance for the measurement of discontinuous disturbances/clicks	88
C.1	General.....	88
C.2	Measuring apparatus.....	88
C.2.1	Artificial mains network	88
C.2.2	Measuring receiver	88
C.2.3	Disturbance analyser	88
C.2.4	Oscilloscope	88
C.3	Measurement of the basic parameters of a discontinuous disturbance	89
C.3.1	Amplitude	89
C.3.2	Duration and spacing	89
C.4	Measuring procedure of discontinuous disturbances	90
C.4.1	Determination of the click rate	90
C.4.2	Application of the exceptions.....	91
C.4.3	Upper quartile method.....	91
Annex D (informative)	Example of the use of the upper quartile method	93
Bibliography	95
Figure 1	– Possible issue due to a high standard deviation when using method 7.3.3	44
Figure 2	– Examples of discontinuous disturbances whose duration and separation meet the definition of clicks (see 3.3.3)	46
Figure 3	– Examples of discontinuous disturbance whose duration or separation do not meet the definition of click.....	47
Figure 4	– Flow chart for emission measurements of mains operated equipment in the frequency range from 30 MHz to 1 000 MHz	48
Figure 5	– Flow chart for emission testing of battery operated equipment in the frequency range from 30 MHz to 1 000 MHz	49
Figure 6	– Flow diagram for measurements of discontinuous disturbance.....	50
Figure 7	– Artificial hand – RC element	51

Figure 8 – Application of the artificial hand – Portable electric drill	51
Figure 9 – Application of the artificial hand – Portable electric saw	52
Figure 10 – Cable bundling	52
Figure 11 – Voltage probe measurement for mains powered EUT	53
Figure 12 – Radiated emission – Location of the EUT on the turntable and measuring distance.....	54
Figure 13 – Radiated emission – Example of test set-up for table-top EUT	54
Figure 14 – Radiated emission – Example of test set-up for table-top EUT	55
Figure 15 – Radiated emission – Example of test set-up for table-top EUT (top view)	55
Figure 16 – Radiated emission – Example of test set-up for floor standing EUT.....	56
Figure 17 – Radiated emission – Example of the test set-up for an EUT made of multiple table-top parts	57
Figure 18 – Radiated emission – Example of the test set-up for an EUT in SAC or OATS, made of a combination of table-top and floor standing parts.....	58
Figure 19 – Radiated emission – Height of the EUT in the FAR.....	59
Figure A.1 – Arrangement for measurement of the disturbance voltage produced at the fence port of electric fence energizers (see A.8.2)	83
Figure A.2 – Measuring arrangement for toys running on tracks	84
Figure A.3 – Radiated emission – Test set-up for floor operated vacuum cleaner	85
Figure A.4 – Example of an idle roller for the measurement of radiated emissions of robotic cleaners	85
Figure A.5 – Measurement arrangement for two-terminal external power controller	86
Table 1 – Application of limits	19
Table 2 – Disturbance voltage limits for induction cooking appliances	20
Table 3 – Magnetic field strength limits.....	20
Table 4 – Limits of the magnetic field induced current.....	21
Table 5 – General limits	23
Table 6 – Limits for mains port of tools	23
Table 7 – Disturbance power limits – 30 MHz to 300 MHz.....	24
Table 8 – Reduction applicable to Table 7 limits	25
Table 9 – Radiated disturbance limits and testing methods – 30 MHz to 1 000 MHz	25
Table 10 – General margin to the limit for statistical evaluation	42
Table 11 – Values of the coefficient as a function k_E of the sample size.....	42
Table 12 – Factor k for the application of the non-central t -distribution	43
Table 13 – Application of the binomial distribution	44
Table B.1 – Application of factor f for the determination of the click rate of special equipment	87

INTERNATIONAL ELECTROTECHNICAL COMMISSION
INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE

**ELECTROMAGNETIC COMPATIBILITY –
REQUIREMENTS FOR HOUSEHOLD APPLIANCES,
ELECTRIC TOOLS AND SIMILAR APPARATUS –**

Part 1: Emission

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The International Standard CISPR 14-1 has been prepared by subcommittee CISPR/F: Interference related to household appliances, tools, lighting equipment and similar appliances, of IEC technical committee CISPR.

This sixth edition cancels and replaces the fifth edition published in 2005, Amendment 1:2008 and Amendment 2:2011. This edition constitutes a technical revision.

This edition includes the following significant changes with respect to the previous edition:

- full editorial review of the standard, rearranging the structure of several clauses;
- improvements to the operating conditions for testing induction cooking appliances and incorporation of the limits for these appliances in the body of the standard;

- moving all specific operating conditions to Annex A;
- improvement of definitions;
- addition of general and specific test setups (e.g. vacuum cleaners and robotic cleaners) for radiated emission;
- provision for the current probe test method for conducted disturbance measurements on ports other than the AC mains port in alternative to the voltage probe method;
- clarifications about click analysis (e.g. measurements under the presence of continuous disturbances). Further clarification is being developed for future inclusion;
- clarification about the use of the artificial hand;
- introduction of testing on wired network ports of household equipment (equivalent to CISPR 32 requirements);
- clarification in the scope regarding emissions from radio transmitters (copied verbatim from CISPR 32);
- clarification about the measurement of equipment with built-in luminaries.

The text of this standard is based on the following documents:

FDIS	Report on voting
CISPR/F/681/FDIS	CISPR/F/684/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the CISPR 14 series can be found on the IEC website under the general title *Electromagnetic compatibility – Requirements for household appliances, electric tools and similar apparatus*.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended

The contents of the corrigendum of October 2016 and the interpretation sheet 1 of May 2017 and 2 of May 2017 have been included in this copy.

ELECTROMAGNETIC COMPATIBILITY – REQUIREMENTS FOR HOUSEHOLD APPLIANCES, ELECTRIC TOOLS AND SIMILAR APPARATUS –

Part 1: Emission

1 Scope

This part of CISPR 14 specifies the requirements that apply to the emission of radio-frequency disturbances in the frequency range 9 kHz to 400 GHz from appliances, electric tools and similar apparatus as defined below, whether powered by AC or DC (including a battery).

Within this standard wherever the term “equipment” is used it includes the more specific terms “appliance”, “household or similar appliances”, “electric tool”, “toys” and “apparatus”.

This International Standard is applicable to the following equipment:

- household appliances or similar equipment;

NOTE 1 Examples are equipment used:

- for typical housekeeping functions in the household environment, which includes the dwelling and its associated buildings, the garden, etc.;
- for typical housekeeping functions in shops, offices, commercial and other similar working environments;
- in farms;
- by clients in hotels and other residential type environments;
- for induction cooking, either in residential or commercial environments.

- electric tools;

NOTE 2 Examples of electric tools include electric motor-operated or electromagnetically driven hand-held tools, transportable tools, lawn and garden machinery.

- similar apparatus.

NOTE 3 Examples are external power controllers using semiconductor devices, motor-driven electro-medical apparatus, electric/electronic toys, automatic goods-dispensing machines, entertainment machines, cine or slide projectors, as well as battery chargers and external power supplies for use with products under the scope of this standard.

Also included in the scope of this standard are separate parts of the above mentioned equipment such as motors and switching devices (e.g. power or protective relays); however, no emission requirements apply to such separate parts, unless otherwise stated in this standard.

Excluded from the scope of this standard are:

- equipment for which all emission requirements in the radio-frequency range are explicitly formulated in other CISPR standards;

NOTE 4 Examples are:

- luminaires, including portable luminaires for children, discharge lamps and other lighting devices under the scope of CISPR 15;
- information technology equipment, e.g. home computers, personal computers, electronic copying machines under the scope of CISPR 32;
- audio/video equipment and electronic music instruments other than toys under the scope of CISPR 32;