

AS IEC 61164—2008
IEC 61164, Ed.2.0 (2004)
Reconfirmed 2018

AS IEC 61164—2008

Australian Standard[®]

**Reliability growth—Statistical test and
estimation methods**

STANDARDS
Australia



This Australian Standard® was prepared by Committee QR-005, Dependability. It was approved on behalf of the Council of Standards Australia on 16 June 2008. This Standard was published on 28 July 2008.

The following are represented on Committee QR-005:

- AirServices Australia
 - Australian Chamber of Commerce and Industry
 - Australian Electrical and Electronic Manufacturers Association
 - Australian Industry Group
 - Australian Nuclear Science & Technology Organisation
 - Australian Organisation for Quality
 - Certification Interests (Australia)
 - Department of Defence (Australia)
 - Energy Networks Association
 - Engineers Australia
 - The University of New South Wales
-

This Standard was issued in draft form for comment as DR 08032.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting www.standards.org.au

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

STANDARDS AUSTRALIA

RECONFIRMATION
OF
AS IEC 61164–2008
Reliability growth–Statistical test
and estimation methods

RECONFIRMATION NOTICE

Technical Committee QR-005 has reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 23 July 2018.

The following are represented on Technical Committee QR-005:

Asset Management Council
Australian Industry Group
Department of Defence (Australian Government)
Engineering New Zealand
Independent Transport Safety & Reliability Regulator
Institution of Occupational Safety and Health
National Road Carriers Association (NZ)
New Zealand Institute of Safety Management
Professionals Australia
Risk Engineering Society
Risk Management Institute of Australasia
RiskNZ
The University of New South Wales
University of Wollongong

Australian Standard[®]

**Reliability growth—Statistical test and
estimation methods**

First published as AS IEC 61164—2008.

COPYRIGHT

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 476, Sydney, NSW 2001, Australia

ISBN 0 7337 8840 8

PREFACE

This Standard was prepared by the Standards Australia Committee QR-005, Dependability.

The objective of this Standard is to describe the power law reliability growth model and related projection model, and give step-by step guidance on their use. It includes statistical methods for reliability growth planning and tracking in the product design phase that may be used in conjunction with IEC 61164, *Programmes for reliability growth*, which has been adopted as AS IEC 61164—2004, and provides procedures to estimate some or all of the quantities required in the design phase of IEC 61014.

This Standard is identical with, and has been reproduced from IEC 61164 Ed.2.0 (2004), *Reliability growth—Statistical test and estimation methods*, which is part of a suite of Standards developed by the IEC Technical Committee IEC/TC 56, Dependability.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number does not appear on each page of text and its identity is shown only on the cover and title page.
- (b) In the source text ‘this International Standard’ should read ‘this Australian Standard’.
- (c) A full point should be substituted for a comma when referring to a decimal marker.

The terms ‘normative’ and ‘informative’ are used to define the application of the annex to which they apply. A normative annex is an integral part of a standard, whereas an informative annex is only for information and guidance.

CONTENTS

	<i>Page</i>
Introduction	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols	2
5 Reliability growth models in design and test	6
6 Reliability growth models used for systems/products in design phase	7
6.1 Modified power law model for planning of reliability growth in product design phase	7
6.2 Modified Bayesian IBM-Rosner model for planning reliability growth in design phase	10
7 Reliability growth planning a tracking in the product reliability growth testing	12
7.1 Continuous reliability growth models	12
7.2 Discrete reliability growth model	14
8 Use of the power law model in planning reliability improvement test programmes	16
9 Statistical test and estimation procedures for continuous power law model	17
9.1 Overview	17
9.2 Growth tests and parameter estimation	17
9.3 Goodness-of-fit tests	21
9.4 Confidence intervals on the shape parameter	23
9.5 Confidence intervals on current MTBF	25
9.6 Projection technique	26
Annex A (informative) Examples for planning and analytical models used in design and test phase of product development	30
Annex B (informative) The power law reliability growth model – Background information	44
Bibliography	49

INTRODUCTION

This International Standard describes the power law reliability growth model and related projection model and gives step-by-step directions for their use. There are several reliability growth models available, the power law model being one of the most widely used. This standard provides procedures to estimate some or all of the quantities listed in Clauses 4, 6 and 7 of IEC 61014.

Two types of input are required. The first one is for reliability growth planning through analysis and design improvements in the design phase in terms of the design phase duration, initial reliability, reliability goal, and planned design improvements, along with their expected magnitude. The second input, for reliability growth in the project validation phase, is for a data set of accumulated test times at which relevant failures occurred, or were observed for a single system, and the time of termination of the test, if different from the time of the final failure. It is assumed that the collection of data as input for the model begins after the completion of any preliminary tests, such as environmental stress screening, intended to stabilize the product's initial failure intensity.

Model parameters estimated from previous test results may be used to plan and predict the course of future reliability growth programmes, provided the conditions are similar.

Some of the procedures may require computer programs, but these are not unduly complex. This standard presents algorithms for which computer programs should be easy to construct.

STANDARDS AUSTRALIA

Australian Standard
Reliability growth—Statistical test and estimation methods

1 Scope

This International Standard gives models and numerical methods for reliability growth assessments based on failure data, which were generated in a reliability improvement programme. These procedures deal with growth, estimation, confidence intervals for product reliability and goodness-of-fit tests.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

References to international standards that are struck through in this clause are replaced by references to Australian or Australian/New Zealand Standards that are listed immediately thereafter and identified by shading. Any Australian or Australian/New Zealand Standard that is identical to the International Standard it replaces is identified as such.

IEC 60050(191):1990, *International Electrotechnical Vocabulary (IEV) – Chapter 191: Dependability and quality of service*

IEC 60300-3-5:2001, *Dependability management – Part 3-5: Application guide – Reliability test conditions and statistical test principles*

IEC 60605-4, *Equipment reliability testing – Part 4: Statistical procedures for exponential distribution – Point estimates, confidence intervals, prediction intervals and tolerance intervals*

IEC 60605-6, *Equipment reliability testing – Part 6: Tests for the validity of the constant failure rate or constant failure intensity assumptions*

IEC 61014:2003, *Programmes for reliability growth*

AS IEC 61014:2003, *Programmes for reliability growth* (identical to IEC 61014:2003)

3 Terms and definitions

For the purposes of this document, the terms and definitions of IEC 60050(191) and IEC 61014, together with the following terms and definitions, apply.

3.1**reliability goal**

desired level of reliability that the product should have at the end of the reliability growth programme

3.2**initial reliability**

reliability that is estimated for the product in earlier design stages before any potential failure modes or their causes have been mitigated by the design improvement